

Q6-foursomes in the range of primes until 100,000

Foursomes 277

Groups 588

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
1	1	>	+	1	2	-2	2	-2	2	2	4	7	2
1	2	<	-	1	2	-2	2	-2	2	2	4008	37897	10
2	1	>	+	1	2	-2	2	2	-4	4	6	13	2
2	2	<	+	1	-2	2	-2	-2	4	-4	8604	88817	2
3	1	>	+	1	-2	2	2	-4	4	-2	7	17	4
3	2	<	+	1	2	-2	-2	4	-4	2	14	43	4
3	3	<	+	2	2	-2	-2	4	-4	2	213	1303	4
3	4	<	+	3	2	-2	-2	4	-4	2	8603	88813	4
4	1	>	+	1	2	0	-4	4	-2	-2	15	47	4
4	2	>	+	2	2	0	-4	4	-2	-2	1702	14537	4
5	1	>	+	1	-4	4	-2	-2	4	-2	17	59	6
5	2	<	+	1	4	-4	2	2	-4	2	257	1621	6
5	3	<	-	1	-4	4	-2	-2	4	-2	136	769	4
6	1	>	+	1	4	-2	2	2	-4	-2	21	73	2
6	2	>	+	2	4	-2	2	2	-4	-2	84	433	2
7	1	>	+	1	-2	2	2	-4	-2	2	22	79	6
7	2	>	+	2	-2	2	2	-4	-2	2	85	439	6
8	1	>	+	1	2	-4	-2	2	-2	2	24	89	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
8	2	<	+	1	-2	4	2	-2	2	-2	2204	19441	6
9	1	>	+	1	-4	-2	2	-2	2	10	25	97	8
9	2	<	+	1	4	2	-2	2	-2	-10	2203	19433	8
10	1	>	+	1	-2	2	-2	2	10	-10	26	101	4
10	2	>	+	2	-2	2	-2	2	10	-10	1867	16061	4
11	1	>	+	1	2	-2	2	10	-10	2	27	103	2
11	2	>	+	2	2	-2	2	10	-10	2	1868	16063	2
12	1	>	+	1	8	-8	4	0	-2	2	34	139	2
12	2	>	+	2	8	-8	4	0	-2	2	8349	85819	2
12	3	<	+	1	-8	8	-4	0	2	-2	43	191	2
13	1	>	+	1	-8	4	0	-2	2	0	35	149	10
13	2	<	+	1	8	-4	0	2	-2	0	42	181	10
14	1	>	+	1	2	0	-4	8	-8	2	39	167	4
14	2	>	+	2	2	0	-4	8	-8	2	2926	26687	4
15	1	>	+	1	10	0	-8	-2	2	2	46	199	2
15	2	>	+	2	10	0	-8	-2	2	2	2333	20719	2
16	1	>	+	1	-8	-2	2	2	-4	8	48	223	12
16	2	<	+	1	8	2	-2	-2	4	-8	1620	13697	12
17	1	>	+	1	0	0	-4	4	-2	-2	55	257	6
17	2	<	+	1	0	0	4	-4	2	2	7066	71353	6
18	1	>	+	1	0	-4	4	-2	-2	8	56	263	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
18	2	<	+	1	0	4	-4	2	2	-8	7065	71347	6
19	1	>	+	1	-2	8	4	-10	-2	2	60	281	4
19	2	>	+	2	-2	8	4	-10	-2	2	144	827	4
20	1	>	+	1	8	4	-10	-2	2	10	61	283	2
20	2	>	+	2	8	4	-10	-2	2	10	145	829	2
21	1	>	+	1	2	2	2	-2	0	-2	70	349	2
21	2	>	-	1	-2	-2	-2	2	0	2	4874	47279	10
22	1	>	+	1	2	2	-2	0	-2	2	71	353	4
22	2	<	+	1	-2	-2	2	0	2	-2	900	6997	4
22	3	<	-	1	2	2	-2	0	-2	2	77	389	8
23	1	>	+	1	0	-2	2	2	-4	4	74	373	6
23	2	<	-	1	0	-2	2	2	-4	4	1086	8713	6
24	1	>	+	1	-8	8	-8	4	-2	2	81	419	10
24	2	>	+	2	-8	8	-8	4	-2	2	6372	63587	10
24	3	<	-	1	-8	8	-8	4	-2	2	6115	60659	2
25	1	>	+	1	8	-8	4	-2	2	2	82	421	2
25	2	<	+	1	-8	8	-4	2	-2	-2	2571	23039	2
26	1	>	+	1	2	2	-4	-2	2	8	86	443	4
26	2	<	+	1	-2	-2	4	2	-2	-8	9169	95107	4
27	1	>	+	1	2	-4	-2	2	8	-4	87	449	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
27	2	<	+	1	-2	4	2	-2	-8	4	9168	95101	6
28	1	>	+	1	-4	4	-4	2	6	-10	93	487	8
28	2	<	+	1	4	-4	4	-2	-6	10	1691	14423	8
29	1	>	+	1	4	-4	2	6	-10	16	94	491	4
29	2	<	+	1	-4	4	-2	-6	10	-16	1690	14419	4
30	1	>	+	1	-4	2	6	-10	16	-12	95	499	8
30	2	>	+	2	-4	2	6	-10	16	-12	1946	16879	8
31	1	>	+	1	4	-4	0	-4	4	4	101	547	6
31	2	<	-	1	4	-4	0	-4	4	4	110	601	6
32	1	>	+	1	-4	0	-4	4	4	-4	102	557	10
32	2	<	-	1	-4	0	-4	4	4	-4	109	599	2
33	1	>	+	1	4	-4	0	-4	4	0	106	577	6
33	2	>	+	2	4	-4	0	-4	4	0	2205	19447	6
34	1	>	+	1	-4	4	0	-2	-2	10	109	599	6
34	2	<	+	1	4	-4	0	2	2	-10	556	4021	6
35	1	>	+	1	10	-2	-8	2	2	0	114	619	2
35	2	<	+	1	-10	2	8	-2	-2	0	4390	41981	2
36	1	>	+	1	-8	2	2	0	-4	10	116	641	10
36	2	<	+	1	8	-2	-2	0	4	-10	6567	65719	10

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
37	1	>	+	1	2	-2	-2	0	-2	4	127	709	8
37	2	<	-	1	2	-2	-2	0	-2	4	391	2689	4
38	1	>	+	1	4	-2	-2	4	-4	10	132	743	4
38	2	>	+	2	4	-2	-2	4	-4	10	973	7673	4
39	1	>	+	1	-4	2	-10	8	-8	2	138	787	14
39	2	>	+	2	-4	2	-10	8	-8	2	7426	75367	14
40	1	>	+	1	0	2	-2	6	-8	2	165	977	6
40	2	>	+	2	0	2	-2	6	-8	2	762	5807	6
41	1	>	+	1	2	-2	6	-8	2	-4	166	983	6
41	2	>	+	2	2	-2	6	-8	2	-4	763	5813	6
42	1	>	+	1	-8	4	4	-8	8	-8	173	1031	10
42	2	>	-	1	8	-4	-4	8	-8	8	582	4243	2
42	3	<	+	1	8	-4	-4	8	-8	8	585	4261	10
42	4	<	-	1	-8	4	4	-8	8	-8	3329	30869	2
43	1	>	+	1	4	4	-8	8	-8	4	174	1033	2
43	2	>	-	1	-4	-4	8	-8	8	-4	583	4253	10
43	3	>	-	2	-4	-4	8	-8	8	-4	9231	95783	10
43	4	<	-	1	4	4	-8	8	-8	4	866	6709	10
44	1	>	+	1	-2	2	2	0	2	-2	182	1091	4
44	2	<	+	1	2	-2	-2	0	-2	2	2684	24109	4
45	1	>	+	1	2	2	0	2	-2	0	183	1093	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
45	2	<	+	1	-2	-2	0	-2	2	0	2683	24107	2
46	1	>	+	1	2	-2	0	16	-20	8	186	1109	6
46	2	>	+	2	2	-2	0	16	-20	8	3852	36299	6
47	1	>	+	1	-20	8	-2	2	-4	0	190	1151	22
47	2	<	+	1	20	-8	2	-2	4	0	9320	96799	22
48	1	>	+	1	8	-2	2	-4	0	2	191	1153	2
48	2	>	+	2	8	-2	2	-4	0	2	949	7489	2
48	3	>	+	3	8	-2	2	-4	0	2	6000	59359	2
48	4	<	+	1	-8	2	-2	4	0	-2	9319	96797	2
49	1	>	+	1	6	-2	8	-16	2	2	203	1237	6
49	2	>	+	2	6	-2	8	-16	2	2	9562	99667	6
50	1	>	+	1	-2	8	-16	2	2	-4	204	1249	12
50	2	>	+	2	-2	8	-16	2	2	-4	9563	99679	12
51	1	>	+	1	4	-2	-2	2	8	-10	210	1291	2
51	2	>	+	2	4	-2	-2	2	8	-10	1616	13681	2
52	1	>	+	1	8	-10	4	28	-28	0	214	1307	4
52	2	<	+	1	-8	10	-4	-28	28	0	3696	34603	4
53	1	>	+	1	-2	2	2	2	-4	-2	225	1427	4
53	2	>	+	2	-2	2	2	2	-4	-2	390	2687	4
54	1	>	+	1	2	2	2	-4	-2	4	226	1429	2
54	2	>	+	2	2	2	2	-4	-2	4	391	2689	2
55	1	>	+	1	6	-2	-8	2	-2	2	232	1459	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
55	2	<	+	1	-6	2	8	-2	2	-2	291	1901	6
55	3	<	+	2	-6	2	8	-2	2	-2	1838	15761	6
56	1	>	+	1	-2	-8	2	-2	2	2	233	1471	12
56	2	<	+	1	2	8	-2	2	-2	-2	290	1889	12
57	1	>	+	1	4	-6	-2	2	2	-4	242	1531	8
57	2	<	+	1	-4	6	2	-2	-2	4	3973	37529	8
58	1	>	+	1	-2	2	2	-4	4	-4	244	1549	6
58	2	<	-	1	-2	2	2	-4	4	-4	1085	8707	6
59	1	>	+	1	10	-10	2	-4	2	2	250	1583	4
59	2	<	+	1	-10	10	-2	4	-2	-2	2414	21517	4
60	1	>	+	1	-2	8	2	-10	8	-2	265	1697	4
60	2	>	+	2	-2	8	2	-10	8	-2	5908	58367	4
61	1	>	+	1	8	2	-10	8	-2	-2	266	1699	2
61	2	>	+	2	8	2	-10	8	-2	-2	5909	58369	2
62	1	>	+	1	2	-2	8	2	-6	0	287	1873	2
62	2	>	+	2	2	-2	8	2	-6	0	1834	15733	2
63	1	>	+	1	-2	-2	-2	2	4	-2	300	1987	8
63	2	<	-	1	-2	-2	-2	2	4	-2	9294	96493	4
64	1	>	+	1	-2	-2	2	4	-2	4	301	1993	6
64	2	>	-	1	2	2	-2	-4	2	-4	5143	50093	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
65	1	>	+	1	6	-10	2	-2	8	2	312	2069	6
65	2	>	+	2	6	-10	2	-2	8	2	7589	77249	6
66	1	>	+	1	8	2	-10	14	-14	4	316	2089	2
66	2	<	-	1	8	2	-10	14	-14	4	6641	66601	16
67	1	>	+	1	10	6	-20	2	2	8	326	2161	8
67	2	<	+	1	-10	-6	20	-2	-2	-8	4965	48239	8
68	1	>	+	1	-14	2	4	-2	0	-2	336	2267	16
68	2	<	+	1	14	-2	-4	2	0	2	1261	10273	16
69	1	>	+	1	-4	4	-2	2	8	-8	346	2339	6
69	2	>	+	2	-4	4	-2	2	8	-8	4351	41609	6
70	1	>	+	1	4	-2	2	8	-8	-2	347	2341	2
70	2	>	+	2	4	-2	2	8	-8	-2	4352	41611	2
71	1	>	+	1	-2	4	-2	2	6	-6	353	2381	4
71	2	<	+	1	2	-4	2	-2	-6	6	8718	90019	4
72	1	>	+	1	4	-2	2	6	-6	0	354	2383	2
72	2	<	+	1	-4	2	-2	-6	6	0	8717	90017	2
73	1	>	+	1	-2	2	6	-6	0	8	355	2389	6
73	2	<	+	1	2	-2	-6	6	0	-8	8716	90011	6
74	1	>	+	1	2	6	-6	0	8	-10	356	2393	4
74	2	<	+	1	-2	-6	6	0	-8	10	8715	90007	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
75	1	>	+	1	6	-6	0	8	-10	2	357	2399	6
75	2	>	-	1	-6	6	0	-8	10	-2	5511	54133	12
76	1	>	+	1	-2	4	4	-8	8	-2	395	2711	4
76	2	<	+	1	2	-4	-4	8	-8	2	6717	67429	4
77	1	>	+	1	-2	-10	2	2	-2	-2	410	2819	16
77	2	>	+	2	-2	-10	2	2	-2	-2	1720	14699	16
78	1	>	+	1	-22	-2	10	-6	-2	8	447	3163	26
78	2	>	+	2	-22	-2	10	-6	-2	8	5111	49783	26
79	1	>	+	1	2	-4	4	14	-20	2	454	3209	6
79	2	<	+	1	-2	4	-4	-14	20	-2	9554	99571	6
80	1	>	+	1	4	0	0	-2	2	-4	464	3301	2
80	2	>	-	1	-4	0	0	2	-2	4	821	6311	10
80	3	<	-	1	4	0	0	-2	2	-4	8148	83449	10
81	1	>	+	1	10	-8	8	-10	8	-8	470	3331	2
81	2	>	+	2	10	-8	8	-10	8	-8	3682	34471	2
82	1	>	+	1	-2	20	-14	4	-6	4	486	3467	4
82	2	>	+	2	-2	20	-14	4	-6	4	3260	30137	4
83	1	>	+	1	4	-8	10	-2	-8	8	497	3547	6
83	2	<	-	1	4	-8	10	-2	-8	8	7124	71971	12
84	1	>	+	1	2	2	-2	0	10	-4	506	3617	4
84	2	>	+	2	2	2	-2	0	10	-4	2641	23747	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
85	1	>	+	1	8	4	-10	4	10	-14	535	3853	2
85	2	>	+	2	8	4	-10	4	10	-14	9061	93913	2
85	3	<	+	1	-8	-4	10	-4	-10	14	4701	45317	2
86	1	>	+	1	-10	-10	2	2	0	-4	550	3989	22
86	2	>	+	2	-10	-10	2	2	0	-4	2923	26669	22
87	1	>	+	1	2	2	0	-4	4	16	552	4003	2
87	2	>	+	2	2	2	0	-4	4	16	2931	26713	2
88	1	>	+	1	4	6	4	-14	2	2	564	4093	2
88	2	>	+	2	4	6	4	-14	2	2	4305	41143	2
89	1	>	+	1	2	2	8	-10	-2	16	568	4129	2
89	2	<	+	1	-2	-2	-8	10	2	-16	9493	98897	2
90	1	>	+	1	-4	-4	8	-8	8	-8	576	4211	10
90	2	<	-	1	-4	-4	8	-8	8	-8	584	4259	2
91	1	>	+	1	-4	8	-8	8	-8	8	577	4217	6
91	2	<	-	1	-4	8	-8	8	-8	8	583	4253	6
92	1	>	+	1	-10	16	-12	-2	2	0	601	4421	12
92	2	>	+	2	-10	16	-12	-2	2	0	1949	16901	12
93	1	>	+	1	2	-4	4	0	4	-4	627	4643	4
93	2	>	-	1	-2	4	-4	0	-4	4	2204	19441	8
94	1	>	+	1	-2	2	2	-4	10	-8	643	4787	4
94	2	>	+	2	-2	2	2	-4	10	-8	3024	27737	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
95	1	>	+	1	2	2	2	-2	4	-8	659	4933	2
95	2	>	-	1	-2	-2	-2	2	-4	8	2565	23003	10
96	1	>	+	1	2	10	-8	0	-2	2	665	4969	2
96	2	<	+	1	-2	-10	8	0	2	-2	1907	16451	2
96	3	<	+	2	-2	-10	8	0	2	-2	2279	20147	2
97	1	>	+	1	0	-2	2	-4	8	-8	668	4993	6
97	2	>	-	1	0	2	-2	4	-8	8	6109	60617	6
97	3	<	+	1	0	2	-2	4	-8	8	897	6977	6
98	1	>	+	1	-2	2	-4	8	-8	14	669	4999	6
98	2	>	+	2	-2	2	-4	8	-8	14	770	5857	6
99	1	>	+	1	4	16	-16	-4	2	14	720	5443	2
99	2	>	+	2	4	16	-16	-4	2	14	1624	13723	2
100	1	>	+	1	4	2	-4	0	2	-2	759	5783	4
100	2	<	+	1	-4	-2	4	0	-2	2	2382	21187	4
101	1	>	+	1	-4	4	-2	2	-4	8	768	5849	6
101	2	>	+	2	-4	4	-2	2	-4	8	5259	51419	6
102	1	>	+	1	2	-4	2	-8	8	-2	796	6101	10
102	2	<	+	1	-2	4	-2	8	-8	2	803	6163	10
103	1	>	+	1	0	0	2	-2	4	-4	822	6317	6
103	2	<	+	1	0	0	-2	2	-4	4	8147	83443	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
104	1	>	+	1	0	2	-2	4	-4	-4	823	6323	6
104	2	<	+	1	0	-2	2	-4	4	4	8146	83437	6
105	1	>	+	1	4	0	0	4	-2	16	829	6361	2
105	2	<	+	1	-4	0	0	-4	2	-16	7441	75539	2
106	1	>	+	1	8	-4	-4	4	-2	14	847	6553	2
106	2	<	+	1	-8	4	4	-4	2	-14	1785	15287	2
107	1	>	+	1	-4	-4	4	-2	14	-10	848	6563	10
107	2	<	+	1	4	4	-4	2	-14	10	1784	15277	10
108	1	>	+	1	-4	10	-6	4	-8	8	858	6659	6
108	2	>	+	2	-4	10	-6	4	-8	8	1431	11939	6
109	1	>	+	1	-8	4	-2	2	0	2	893	6959	10
109	2	<	-	1	-8	4	-2	2	0	2	6113	60647	2
110	1	>	+	1	4	-2	2	0	2	-2	894	6961	2
110	2	<	-	1	4	-2	2	0	2	-2	6112	60637	10
111	1	>	+	1	-2	-2	8	-6	2	4	899	6991	8
111	2	>	+	2	-2	-2	8	-6	2	4	1360	11251	8
112	1	>	+	1	-2	8	-6	2	4	-8	900	6997	6
112	2	<	+	1	2	-8	6	-2	-4	8	1141	9203	6
112	3	<	+	2	2	-8	6	-2	-4	8	1213	9833	6
112	4	<	+	3	2	-8	6	-2	-4	8	2672	24023	6
112	5	<	+	4	2	-8	6	-2	-4	8	7214	72953	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
113	1	>	+	1	2	4	-8	10	-2	-2	903	7019	6
113	2	>	+	2	2	4	-8	10	-2	-2	8690	89759	6
114	1	>	+	1	8	-10	-2	4	4	-2	919	7193	6
114	2	<	+	1	-8	10	2	-4	-4	2	6751	67777	6
115	1	>	+	1	-4	8	-2	2	-4	0	948	7487	6
115	2	>	+	2	-4	8	-2	2	-4	0	5999	59357	6
116	1	>	+	1	2	-4	2	-4	8	-8	954	7529	6
116	2	>	+	2	2	-4	2	-4	8	-8	3593	33569	6
117	1	>	+	1	-4	2	-4	8	-8	10	955	7537	8
117	2	>	+	2	-4	2	-4	8	-8	10	3594	33577	8
118	1	>	+	1	2	-4	8	-8	10	-8	956	7541	4
118	2	>	+	2	2	-4	8	-8	10	-8	2568	23021	4
118	3	>	+	3	2	-4	8	-8	10	-8	3595	33581	4
119	1	>	+	1	6	-8	-8	8	-8	2	1028	8191	12
119	2	>	+	2	6	-8	-8	8	-8	2	1349	11131	12
120	1	>	+	1	8	4	-10	-2	10	-6	1071	8599	2
120	2	<	+	1	-8	-4	10	2	-10	6	2264	20021	2
121	1	>	+	1	2	2	-2	0	6	-6	1083	8693	4
121	2	<	+	1	-2	-2	2	0	-6	6	1418	11827	4
122	1	>	+	1	2	-2	0	6	-6	-2	1084	8699	6
122	2	<	+	1	-2	2	0	-6	6	2	1417	11821	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
123	1	>	+	1	-4	-4	8	2	-10	2	1100	8831	10
123	2	<	+	1	4	4	-8	-2	10	-2	7188	72679	10
124	1	>	+	1	-4	8	2	-10	2	16	1101	8837	6
124	2	<	+	1	4	-8	-2	10	-2	-16	7187	72673	6
125	1	>	+	1	8	2	-10	2	16	-14	1102	8839	2
125	2	<	+	1	-8	-2	10	-2	-16	14	7186	72671	2
126	1	>	+	1	-8	-2	8	-4	-2	6	1134	9151	14
126	2	>	+	2	-8	-2	8	-4	-2	6	2665	23971	14
127	1	>	+	1	-2	8	-4	-2	6	-8	1135	9157	6
127	2	>	+	2	-2	8	-4	-2	6	-8	1207	9787	6
127	3	>	+	3	-2	8	-4	-2	6	-8	2666	23977	6
127	4	>	+	4	-2	8	-4	-2	6	-8	7208	72907	6
128	1	>	+	1	-4	-2	6	-8	2	6	1137	9173	12
128	2	>	+	2	-4	-2	6	-8	2	6	1209	9803	12
129	1	>	+	1	-2	6	-8	2	6	-6	1138	9181	8
129	2	>	+	2	-2	6	-8	2	6	-6	1210	9811	8
130	1	>	+	1	0	4	-4	-4	8	-8	1162	9397	6
130	2	<	+	1	0	-4	4	4	-8	8	4191	39863	6
131	1	>	+	1	4	-4	-4	8	-8	2	1163	9403	6
131	2	>	-	1	-4	4	4	-8	8	-2	1782	15269	6
132	1	>	+	1	2	2	0	6	-6	8	1172	9463	2
132	2	<	+	1	-2	-2	0	-6	6	-8	4434	42407	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
133	1	>	+	1	2	0	6	-6	8	-4	1173	9467	4
133	2	<	+	1	-2	0	-6	6	-8	4	4433	42403	4
134	1	>	+	1	0	6	-6	8	-4	2	1174	9473	6
134	2	<	+	1	0	-6	6	-8	4	-2	4432	42397	6
135	1	>	+	1	6	-6	8	-4	2	-6	1175	9479	6
135	2	<	+	1	-6	6	-8	4	-2	6	4431	42391	6
136	1	>	+	1	-6	8	-4	2	-6	2	1176	9491	12
136	2	<	+	1	6	-8	4	-2	6	-2	4430	42379	12
137	1	>	+	1	2	-4	10	-6	6	4	1188	9623	4
137	2	<	+	1	-2	4	-10	6	-6	-4	6231	61987	4
138	1	>	+	1	10	-6	-2	2	12	-16	1199	9721	2
138	2	<	+	1	-10	6	2	-2	-12	16	5015	48779	2
139	1	>	+	1	-2	2	12	-16	10	-6	1201	9739	6
139	2	<	+	1	2	-2	-12	16	-10	6	1953	16931	6
140	1	>	+	1	2	12	-16	10	-6	-2	1202	9743	4
140	2	<	+	1	-2	-12	16	-10	6	2	1952	16927	4
141	1	>	+	1	0	-8	10	-8	10	-10	1218	9871	12
141	2	<	-	1	0	-8	10	-8	10	-10	8632	89107	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
142	1	>	+	1	-16	-4	8	2	-10	4	1234	10061	22
142	2	>	+	2	-16	-4	8	2	-10	4	7633	77681	22
143	1	>	+	1	-4	8	2	-10	4	-2	1235	10067	6
143	2	>	+	2	-4	8	2	-10	4	-2	7634	77687	6
144	1	>	+	1	8	2	-10	4	-2	4	1236	10069	2
144	2	>	+	2	8	2	-10	4	-2	4	7635	77689	2
145	1	>	+	1	-4	2	-10	10	4	-14	1282	10477	14
145	2	<	-	1	-4	2	-10	10	4	-14	4078	38707	4
145	3	<	-	2	-4	2	-10	10	4	-14	6962	70237	4
146	1	>	+	1	-4	4	10	-10	-4	10	1320	10859	6
146	2	<	+	1	4	-4	-10	10	4	-10	5058	49201	6
147	1	>	+	1	-8	8	-8	2	16	-4	1351	11159	10
147	2	<	+	1	8	-8	8	-2	-16	4	3195	29401	10
148	1	>	+	1	2	4	0	-6	-2	4	1364	11279	6
148	2	<	+	1	-2	-4	0	6	2	-4	6728	67531	6
149	1	>	+	1	0	2	-2	-2	-2	4	1415	11807	6
149	2	<	+	1	0	-2	2	2	2	-4	3443	32083	6
150	1	>	+	1	-10	8	-8	8	-4	2	1462	12239	12
150	2	>	+	2	-10	8	-8	8	-4	2	8950	92669	12
151	1	>	+	1	8	-10	22	-22	-2	10	1473	12329	6
151	2	>	+	2	8	-10	22	-22	-2	10	3868	36479	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
152	1	>	+	1	-10	22	-22	-2	10	-2	1474	12343	14
152	2	>	+	2	-10	22	-22	-2	10	-2	3869	36493	14
153	1	>	+	1	22	-22	-2	10	-2	-2	1475	12347	4
153	2	>	+	2	22	-22	-2	10	-2	-2	3870	36497	4
154	1	>	+	1	-22	-2	10	-2	-2	-4	1476	12373	26
154	2	>	+	2	-22	-2	10	-2	-2	-4	3871	36523	26
155	1	>	+	1	-2	10	-2	-2	-4	4	1477	12377	4
155	2	>	+	2	-2	10	-2	-2	-4	4	3872	36527	4
156	1	>	+	1	10	-2	-2	-4	4	4	1478	12379	2
156	2	>	+	2	10	-2	-2	-4	4	4	3873	36529	2
157	1	>	+	1	-2	-2	-4	4	4	-8	1479	12391	12
157	2	>	+	2	-2	-2	-4	4	4	-8	3874	36541	12
158	1	>	+	1	-8	10	-10	2	-4	2	1486	12451	14
158	2	>	+	2	-8	10	-10	2	-4	2	4042	38299	12
159	1	>	+	1	2	-2	4	2	-10	4	1493	12503	6
159	2	>	+	2	2	-2	4	2	-10	4	6348	63353	6
159	3	<	+	1	-2	2	-4	-2	10	-4	8300	85237	6
160	1	>	+	1	4	12	-14	2	0	0	1507	12613	2
160	2	>	+	2	4	12	-14	2	0	0	9181	95233	2
161	1	>	+	1	6	-8	10	-10	2	-4	1579	13297	6
161	2	>	+	2	6	-8	10	-10	2	-4	4041	38287	6
162	1	>	+	1	10	-6	-2	16	-10	-4	1589	13399	2
162	2	>	+	2	10	-6	-2	16	-10	-4	7349	74509	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
163	1	>	+	1	-6	-2	16	-10	-4	0	1590	13411	12
163	2	>	+	2	-6	-2	16	-10	-4	0	7350	74521	12
164	1	>	+	1	-2	10	4	-10	-8	4	1611	13627	8
164	2	>	+	2	-2	10	4	-10	-8	4	9075	94057	8
165	1	>	+	1	10	4	-10	-8	4	-2	1612	13633	6
165	2	>	+	2	10	4	-10	-8	4	-2	9076	94063	6
166	1	>	+	1	-2	-2	2	8	-10	8	1617	13687	6
166	2	<	+	1	2	2	-2	-8	10	-8	3603	33623	6
167	1	>	+	1	-2	2	8	-10	8	-8	1618	13691	4
167	2	<	+	1	2	-2	-8	10	-8	8	2575	23059	4
167	3	<	+	2	2	-2	-8	10	-8	8	3602	33619	4
167	4	<	+	3	2	-2	-8	10	-8	8	6140	60919	4
168	1	>	+	1	2	8	-10	8	-8	4	1619	13693	2
168	2	>	+	2	2	8	-10	8	-8	4	5768	56893	2
168	3	<	+	1	-2	-8	10	-8	8	-4	2574	23057	2
168	4	<	+	2	-2	-8	10	-8	8	-4	3601	33617	2
169	1	>	+	1	-10	2	0	-4	4	-2	1701	14533	14
169	2	>	+	2	-10	2	0	-4	4	-2	4348	41593	14
170	1	>	+	1	2	2	8	-10	8	2	1713	14629	2
170	2	<	-	1	2	2	8	-10	8	2	1719	14683	16
171	1	>	+	1	2	-8	-2	-2	8	-4	1734	14797	14
171	2	>	-	1	-2	8	2	2	-8	4	7413	75223	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
172	1	>	+	1	8	-14	4	-8	2	2	1757	15031	14
172	2	<	+	1	-8	14	-4	8	-2	-2	2082	18169	12
173	1	>	+	1	-14	4	-8	2	2	2	1758	15053	22
173	2	<	+	1	14	-4	8	-2	-2	-2	5858	57809	20
174	1	>	+	1	4	-8	2	2	2	-4	1759	15061	8
174	2	>	+	2	4	-8	2	2	2	-4	3366	31237	6
175	1	>	+	1	4	-8	8	-2	-2	0	1784	15277	6
175	2	>	-	1	-4	8	-8	2	2	0	2928	26699	6
176	1	>	+	1	-8	8	-2	-2	0	4	1785	15287	10
176	2	>	-	1	8	-8	2	2	0	-4	2929	26701	2
176	3	<	-	1	-8	8	-2	-2	0	4	6568	65729	2
177	1	>	+	1	10	-8	2	2	2	2	1795	15361	2
177	2	>	-	1	-10	8	-2	-2	-2	-2	4312	41201	12
178	1	>	+	1	-2	2	0	14	-4	-14	1952	16927	6
178	2	>	+	2	-2	2	0	14	-4	-14	8200	84127	6
179	1	>	+	1	0	14	-4	-14	4	0	1954	16937	6
179	2	<	+	1	0	-14	4	14	-4	0	5564	54673	6
180	1	>	+	1	-4	-4	2	4	-2	0	1962	17021	10
180	2	<	+	1	4	4	-2	-4	2	0	4466	42709	10
181	1	>	+	1	8	-8	4	4	8	-16	2053	17911	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
181	2	<	-	1	8	-8	4	4	8	-16	4730	45641	18
182	1	>	+	1	10	-6	-2	-2	14	-4	2096	18289	2
182	2	<	+	1	-10	6	2	2	-14	4	4312	41201	2
183	1	>	+	1	-2	-2	14	-4	0	2	2098	18307	6
183	2	>	+	2	-2	-2	14	-4	0	2	3901	36787	6
184	1	>	+	1	-10	4	10	-14	8	2	2104	18367	14
184	2	<	+	1	10	-4	-10	14	-8	-2	4699	45293	14
185	1	>	+	1	4	-2	-2	16	-8	-2	2113	18443	4
185	2	>	+	2	4	-2	-2	16	-8	-2	9167	95093	4
186	1	>	+	1	-4	14	-12	8	4	-14	2160	19009	8
186	2	<	-	1	-4	14	-12	8	4	-14	3402	31627	16
187	1	>	+	1	-2	-2	10	-4	-4	2	2184	19259	10
187	2	>	+	2	-2	-2	10	-4	-4	2	4175	39719	10
188	1	>	+	1	-2	10	-4	-4	2	4	2185	19267	8
188	2	>	-	1	2	-10	4	4	-2	-4	3738	35069	10
188	3	>	-	2	2	-10	4	4	-2	-4	5728	56489	10
189	1	>	+	1	-2	2	4	-2	4	-4	2201	19427	4
189	2	<	+	1	2	-2	-4	2	-4	4	3827	36013	4
190	1	>	+	1	-2	-2	16	-20	20	-16	2246	19853	10
190	2	<	+	1	2	2	-16	20	-20	16	2253	19927	10

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
191	1	>	+	1	0	-10	8	-4	6	-10	2255	19949	12
191	2	<	+	1	0	10	-8	4	-6	10	3652	34171	12
192	1	>	+	1	-10	8	-4	6	-10	2	2256	19961	12
192	2	<	+	1	10	-8	4	-6	10	-2	3651	34159	12
193	1	>	+	1	-10	-2	10	0	-8	2	2278	20143	14
193	2	>	+	2	-10	-2	10	0	-8	2	7780	79393	14
194	1	>	+	1	-2	10	0	-8	2	12	2279	20147	4
194	2	>	+	2	-2	10	0	-8	2	12	7781	79397	4
195	1	>	+	1	-2	2	2	6	-10	14	2336	20747	4
195	2	<	+	1	2	-2	-2	-6	10	-14	3784	35533	4
196	1	>	+	1	2	2	2	2	-8	8	2419	21559	2
196	2	>	+	2	2	2	2	2	-8	8	3079	28279	2
197	1	>	+	1	2	-8	8	-8	8	-8	2422	21577	8
197	2	<	-	1	2	-8	8	-8	8	-8	2428	21613	4
198	1	>	+	1	-8	0	4	4	-10	2	2463	21991	14
198	2	<	+	1	8	0	-4	-4	10	-2	2829	25679	14
199	1	>	+	1	0	4	4	-10	2	-4	2464	21997	6
199	2	>	+	2	0	4	4	-10	2	-4	7034	71011	12
200	1	>	+	1	12	-16	10	-2	-4	6	2502	22349	6
200	2	<	+	1	-12	16	-10	2	4	-6	9202	95461	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
201	1	>	+	1	2	6	-10	8	8	-10	2539	22721	4
201	2	>	+	2	2	6	-10	8	8	-10	8238	84503	4
202	1	>	+	1	2	10	-2	-6	-2	2	2621	23563	2
202	2	>	+	2	2	10	-2	-6	-2	2	3467	32323	2
203	1	>	+	1	-4	-2	6	-8	2	8	2668	23993	12
203	2	>	+	2	-4	-2	6	-8	2	8	7210	72923	12
204	1	>	+	1	-4	0	2	-2	0	-2	2677	24071	10
204	2	<	+	1	4	0	-2	2	0	2	4901	47533	10
205	1	>	+	1	4	4	-8	10	4	-8	2685	24113	4
205	2	<	+	1	-4	-4	8	-10	-4	8	6061	60037	4
206	1	>	+	1	4	6	4	-10	0	-4	2706	24373	2
206	2	>	-	1	-4	-6	-4	10	0	4	7404	75149	16
207	1	>	+	1	4	-10	0	-4	16	-14	2708	24391	12
207	2	>	+	2	4	-10	0	-4	16	-14	4339	41491	12
208	1	>	+	1	-10	10	-2	-6	4	2	2739	24763	14
208	2	>	-	1	10	-10	2	6	-4	-2	6768	67943	4
209	1	>	+	1	-20	-2	-2	-2	2	2	2782	25219	30
209	2	>	+	2	-20	-2	-2	-2	2	2	4604	44249	28
210	1	>	+	1	10	4	-8	-2	-2	2	2802	25411	2
210	2	>	+	2	10	4	-8	-2	-2	2	3935	37123	6
210	3	>	+	3	10	4	-8	-2	-2	2	4375	41851	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
211	1	>	+	1	2	-4	10	-8	2	0	3026	27743	4
211	2	<	+	1	-2	4	-10	8	-2	0	3117	28627	4
212	1	>	+	1	-4	10	-8	2	0	6	3027	27749	6
212	2	<	+	1	4	-10	8	-2	0	-6	3116	28621	6
213	1	>	+	1	6	0	-6	4	-8	8	3061	28057	6
213	2	>	+	2	6	0	-6	4	-8	8	3344	31039	6
214	1	>	+	1	4	0	0	-2	2	8	3253	30091	2
214	2	>	+	2	4	0	0	-2	2	8	5463	53611	2
215	1	>	+	1	0	0	-2	2	8	-10	3254	30097	6
215	2	>	+	2	0	0	-2	2	8	-10	5464	53617	6
216	1	>	+	1	10	-10	-4	14	-4	-10	3528	32917	6
216	2	<	-	1	10	-10	-4	14	-4	-10	3534	32971	12
217	1	>	+	1	2	0	8	-4	-4	2	3536	32987	4
217	2	<	+	1	-2	0	-8	4	4	-2	5978	59119	4
218	1	>	+	1	6	-10	10	-8	-2	2	3567	33317	6
218	2	<	+	1	-6	10	-10	8	2	-2	8928	92413	6
219	1	>	+	1	4	0	4	4	-10	-2	3660	34261	2
219	2	>	+	2	4	0	4	4	-10	-2	8011	81931	2
220	1	>	+	1	2	-2	20	-16	0	8	3719	34843	2
220	2	>	+	2	2	-2	20	-16	0	8	7933	81043	2
221	1	>	+	1	-4	4	4	-8	8	-4	3876	36559	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
221	2	<	-	1	-4	4	4	-8	8	-4	4190	39857	6
222	1	>	+	1	2	-8	10	-6	-2	-2	3974	37537	8
222	2	<	+	1	-2	8	-10	6	2	2	4314	41213	8
223	1	>	+	1	-2	-2	4	4	-8	14	3978	37567	6
223	2	<	+	1	2	2	-4	-4	8	-14	6848	68903	6
224	1	>	+	1	-4	-4	16	-8	2	-10	4066	38603	10
224	2	<	+	1	4	4	-16	8	-2	10	6489	64927	10
225	1	>	+	1	14	-14	4	10	-10	2	4072	38653	2
225	2	>	+	2	14	-14	4	10	-10	2	6956	70183	2
226	1	>	+	1	-2	10	-4	-4	2	2	4176	39727	8
226	2	>	-	1	2	-10	4	4	-2	-2	7071	71399	10
227	1	>	+	1	10	-4	-4	2	2	-4	4177	39733	6
227	2	>	-	1	-10	4	4	-2	-2	4	7072	71411	12
228	1	>	+	1	2	-4	14	-16	-4	8	4181	39779	10
228	2	>	+	2	2	-4	14	-16	-4	8	4516	43271	10
229	1	>	+	1	14	-16	-4	8	-8	4	4183	39799	8
229	2	<	+	1	-14	16	4	-8	8	-4	8513	87671	8
230	1	>	+	1	-16	-4	8	-8	4	4	4184	39821	22
230	2	<	+	1	16	4	-8	8	-4	-4	8512	87649	22

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
231	1	>	+	1	-10	-4	2	14	-16	14	4200	39971	18
231	2	<	+	1	10	4	-2	-14	16	-14	5448	53419	18
232	1	>	+	1	-4	2	14	-16	14	-12	4201	39979	8
232	2	<	+	1	4	-2	-14	16	-14	12	5447	53411	8
233	1	>	+	1	8	-2	-8	0	-2	-2	4382	41911	8
233	2	<	+	1	-8	2	8	0	2	2	4634	44579	8
234	1	>	+	1	8	2	-10	14	-2	-10	4388	41959	2
234	2	<	+	1	-8	-2	10	-14	2	10	7856	80231	2
235	1	>	+	1	2	2	-2	-2	-2	2	4437	42437	4
235	2	>	-	1	-2	-2	2	2	2	-2	5663	55813	6
235	3	<	-	1	2	2	-2	-2	-2	2	4443	42467	6
235	4	<	-	2	2	2	-2	-2	-2	2	5666	55823	6
236	1	>	+	1	8	-2	14	-2	-14	-2	4549	43651	2
236	2	<	+	1	-8	2	-14	2	14	2	6713	67409	2
237	1	>	+	1	-2	14	-2	-14	-2	28	4550	43661	10
237	2	<	+	1	2	-14	2	14	2	-28	6712	67399	10
238	1	>	+	1	-8	4	-2	10	-10	2	4573	43961	10
238	2	<	+	1	8	-4	2	-10	10	-2	4942	47951	12
239	1	>	+	1	4	-2	10	-10	2	14	4574	43963	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
239	2	<	+	1	-4	2	-10	10	-2	-14	4941	47947	4
240	1	>	+	1	26	-16	-4	2	2	-10	4595	44131	2
240	2	>	+	2	26	-16	-4	2	2	-10	7698	78439	2
241	1	>	+	1	-2	-2	-2	2	2	-4	4605	44257	8
241	2	<	-	1	-2	-2	-2	2	2	-4	4865	47147	2
242	1	>	+	1	-2	8	-2	-2	-2	2	4637	44621	4
242	2	<	+	1	2	-8	2	2	2	-2	6900	69493	4
243	1	>	+	1	4	-8	16	-14	34	-32	4673	44971	8
243	2	<	+	1	-4	8	-16	14	-34	32	6150	61043	8
244	1	>	+	1	-10	-4	10	-4	-8	8	4697	45281	18
244	2	<	+	1	10	4	-10	4	8	-8	9065	93949	18
245	1	>	+	1	-4	10	-4	-8	8	-2	4698	45289	8
245	2	<	+	1	4	-10	4	8	-8	2	9064	93941	8
246	1	>	+	1	10	-4	-8	8	-2	-4	4699	45293	4
246	2	<	+	1	-10	4	8	-8	2	4	9063	93937	4
247	1	>	+	1	-4	-8	8	-2	-4	-2	4700	45307	14
247	2	<	+	1	4	8	-8	2	4	2	9062	93923	14
248	1	>	+	1	-4	2	-2	4	-8	-2	4869	47207	18
248	2	>	-	1	4	-2	2	-4	8	2	5260	51421	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
249	1	>	+	1	6	-10	4	6	-2	-2	5014	48767	6
249	2	>	+	2	6	-10	4	6	-2	-2	7113	71867	6
250	1	>	+	1	-16	2	-4	-2	14	2	5046	49103	22
250	2	>	+	2	-16	2	-4	-2	14	2	8721	90053	22
251	1	>	+	1	-2	20	-20	14	-14	4	5072	49367	4
251	2	>	+	2	-2	20	-20	14	-14	4	7149	72227	4
252	1	>	+	1	-4	8	-4	-8	8	4	5299	51797	10
252	2	<	+	1	4	-8	4	8	-8	-4	5306	51859	10
253	1	>	+	1	0	-10	-4	22	-16	-8	5578	54851	18
253	2	<	+	1	0	10	4	-22	16	8	7685	78259	18
254	1	>	+	1	-8	8	-8	4	16	-20	5642	55619	10
254	2	<	+	1	8	-8	8	-4	-16	20	8814	91141	10
255	1	>	+	1	0	2	-2	-2	-2	2	5660	55793	6
255	2	<	+	1	0	-2	2	2	2	-2	5669	55843	6
256	1	>	+	1	8	2	-10	4	4	-2	5727	56479	2
256	2	>	+	2	8	2	-10	4	4	-2	7070	71389	2
257	1	>	+	1	-10	4	4	-2	-4	-2	5729	56501	12
257	2	<	+	1	10	-4	-4	2	4	2	8025	82039	12
258	1	>	+	1	4	6	-2	-4	0	14	5773	56923	2
258	2	<	+	1	-4	-6	2	4	0	-14	6075	60167	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
259	1	>	+	1	10	-2	-2	-2	4	-8	5840	57653	4
259	2	<	+	1	-10	2	2	2	-4	8	7780	79393	4
260	1	>	+	1	4	-8	2	2	-4	2	5844	57697	8
260	2	<	+	1	-4	8	-2	-2	4	-2	7210	72923	8
261	1	>	+	1	2	2	-4	2	6	-10	5893	58193	4
261	2	<	+	1	-2	-2	4	-2	-6	10	7208	72907	4
262	1	>	+	1	-4	2	4	8	-10	14	5953	58907	6
262	2	>	+	2	-4	2	4	8	-10	14	8676	89597	6
263	1	>	+	1	2	4	8	-10	14	-16	5954	58909	2
263	2	>	+	2	2	4	8	-10	14	-16	8677	89599	2
264	1	>	+	1	-2	2	-4	0	2	2	6001	59369	10
264	2	<	+	1	2	-2	4	0	-2	-2	9318	96787	10
265	1	>	+	1	2	-4	0	2	2	-8	6002	59377	8
265	2	<	+	1	-2	4	0	-2	-2	8	9317	96779	8
266	1	>	+	1	18	-6	-10	2	-8	10	6684	67079	6
266	2	<	+	1	-18	6	10	-2	8	-10	7377	74821	6
267	1	>	+	1	2	-4	2	-8	8	2	6730	67547	10
267	2	<	+	1	-2	4	-2	8	-8	-2	8968	92821	10
268	1	>	+	1	-4	2	-8	8	2	-6	6731	67559	12

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for > g for <
268	2	<	+	1	4	-2	8	-8	-2	6	8967	92809	12
269	1	>	+	1	-8	14	-16	2	-4	-2	7094	71663	16
269	2	>	+	2	-8	14	-16	2	-4	-2	7752	79103	16
270	1	>	+	1	14	-16	2	-4	-2	4	7095	71671	8
270	2	>	+	2	14	-16	2	-4	-2	4	7753	79111	8
271	1	>	+	1	-16	2	-4	-2	4	16	7096	71693	22
271	2	>	+	2	-16	2	-4	-2	4	16	7754	79133	22
272	1	>	+	1	4	4	2	-4	-4	-2	7316	74161	2
272	2	>	-	1	-4	-4	-2	4	4	2	7319	74189	12
273	1	>	+	1	2	-4	8	-4	2	-10	7423	75337	8
273	2	<	+	1	-2	4	-8	4	-2	10	9126	94613	8
274	1	>	+	1	-2	16	-14	6	10	-16	7628	77617	6
274	2	>	+	2	-2	16	-14	6	10	-16	8043	82237	6
275	1	>	+	1	-4	-2	2	10	2	-2	7665	78031	14
275	2	<	-	1	-4	-2	2	10	2	-2	7671	78121	16
276	1	>	+	1	2	8	-8	4	2	-10	7907	80783	4
276	2	>	+	2	2	8	-8	4	2	-10	9512	99083	4
277	1	>	+	1	-10	4	10	-14	4	-4	9063	93937	14
277	2	<	+	1	10	-4	-10	14	-4	4	9143	94823	14