

Qi6-foursomes of independed repeating irregular groups in the range of primes until 100,000

Foursomes 146
Groups 299

Ord#, P, and pregap of the beginning member of a group (>)
Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	g for >, g for <
1	1	>	+	1	2	-2	2	-2	2	2	4	7	2
1	2	<	-	1	2	-2	2	-2	2	2	4008	37897	10
2	1	>	+	1	2	0	-4	4	-2	-2	15	47	4
2	2	>	+	2	2	0	-4	4	-2	-2	1702	14537	4
3	1	>	+	1	-4	4	-2	-2	4	-2	17	59	6
3	2	<	+	1	4	-4	2	2	-4	2	257	1621	6
3	3	<	-	1	-4	4	-2	-2	4	-2	136	769	4
4	1	>	+	1	2	0	-4	8	-8	2	39	167	4
4	2	>	+	2	2	0	-4	8	-8	2	2926	26687	4
5	1	>	+	1	10	0	-8	-2	2	2	46	199	2
5	2	>	+	2	10	0	-8	-2	2	2	2333	20719	2
6	1	>	+	1	-8	-2	2	2	-4	8	48	223	12
6	2	<	+	1	8	2	-2	-2	4	-8	1620	13697	12
7	1	>	+	1	2	2	2	-2	0	-2	70	349	2
7	2	>	-	1	-2	-2	-2	2	0	2	4874	47279	10
8	1	>	+	1	2	2	-2	0	-2	2	71	353	4
8	2	<	+	1	-2	-2	2	0	2	-2	900	6997	4
8	3	<	-	1	2	2	-2	0	-2	2	77	389	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
9	1	>	+	1	0	-2	2	2	-4	4	74	373	6
9	2	<	-	1	0	-2	2	2	-4	4	1086	8713	6
10	1	>	+	1	-8	8	-8	4	-2	2	81	419	10
10	2	>	+	2	-8	8	-8	4	-2	2	6372	63587	10
10	3	<	-	1	-8	8	-8	4	-2	2	6115	60659	2
11	1	>	+	1	8	-8	4	-2	2	2	82	421	2
11	2	<	+	1	-8	8	-4	2	-2	-2	2571	23039	2
12	1	>	+	1	-4	2	6	-10	16	-12	95	499	8
12	2	>	+	2	-4	2	6	-10	16	-12	1946	16879	8
13	1	>	+	1	4	-4	0	-4	4	0	106	577	6
13	2	>	+	2	4	-4	0	-4	4	0	2205	19447	6
14	1	>	+	1	-4	4	0	-2	-2	10	109	599	6
14	2	<	+	1	4	-4	0	2	2	-10	556	4021	6
15	1	>	+	1	10	-2	-8	2	2	0	114	619	2
15	2	<	+	1	-10	2	8	-2	-2	0	4390	41981	2
16	1	>	+	1	-8	2	2	0	-4	10	116	641	10
16	2	<	+	1	8	-2	-2	0	4	-10	6567	65719	10
17	1	>	+	1	2	-2	-2	0	-2	4	127	709	8
17	2	<	-	1	2	-2	-2	0	-2	4	391	2689	4
18	1	>	+	1	4	-2	-2	4	-4	10	132	743	4
18	2	>	+	2	4	-2	-2	4	-4	10	973	7673	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
19	1	>	+	1	-4	2	-10	8	-8	2	138	787	14
19	2	>	+	2	-4	2	-10	8	-8	2	7426	75367	14
20	1	>	-	1	-4	-4	8	-8	8	-4	9231	95783	10
20	2	<	-	1	4	4	-8	8	-8	4	866	6709	10
21	1	>	+	1	2	-2	0	16	-20	8	186	1109	6
21	2	>	+	2	2	-2	0	16	-20	8	3852	36299	6
22	1	>	+	1	4	-2	-2	2	8	-10	210	1291	2
22	2	>	+	2	4	-2	-2	2	8	-10	1616	13681	2
23	1	>	+	1	8	-10	4	28	-28	0	214	1307	4
23	2	<	+	1	-8	10	-4	-28	28	0	3696	34603	4
24	1	>	+	1	4	-6	-2	2	2	-4	242	1531	8
24	2	<	+	1	-4	6	2	-2	-2	4	3973	37529	8
25	1	>	+	1	-2	2	2	-4	4	-4	244	1549	6
25	2	<	-	1	-2	2	2	-4	4	-4	1085	8707	6
26	1	>	+	1	10	-10	2	-4	2	2	250	1583	4
26	2	<	+	1	-10	10	-2	4	-2	-2	2414	21517	4
27	1	>	+	1	-2	-2	-2	2	4	-2	300	1987	8
27	2	<	-	1	-2	-2	-2	2	4	-2	9294	96493	4
28	1	>	+	1	-2	-2	2	4	-2	4	301	1993	6
28	2	>	-	1	2	2	-2	-4	2	-4	5143	50093	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
29	1	>	+	1	6	-10	2	-2	8	2	312	2069	6
29	2	>	+	2	6	-10	2	-2	8	2	7589	77249	6
30	1	>	+	1	8	2	-10	14	-14	4	316	2089	2
30	2	<	-	1	8	2	-10	14	-14	4	6641	66601	16
31	1	>	+	1	10	6	-20	2	2	8	326	2161	8
31	2	<	+	1	-10	-6	20	-2	-2	-8	4965	48239	8
32	1	>	+	1	-14	2	4	-2	0	-2	336	2267	16
32	2	<	+	1	14	-2	-4	2	0	2	1261	10273	16
33	1	>	+	1	6	-6	0	8	-10	2	357	2399	6
33	2	>	-	1	-6	6	0	-8	10	-2	5511	54133	12
34	1	>	+	1	-2	4	4	-8	8	-2	395	2711	4
34	2	<	+	1	2	-4	-4	8	-8	2	6717	67429	4
35	1	>	+	1	-2	-10	2	2	-2	-2	410	2819	16
35	2	>	+	2	-2	-10	2	2	-2	-2	1720	14699	16
36	1	>	+	1	-22	-2	10	-6	-2	8	447	3163	26
36	2	>	+	2	-22	-2	10	-6	-2	8	5111	49783	26
37	1	>	+	1	2	-4	4	14	-20	2	454	3209	6
37	2	<	+	1	-2	4	-4	-14	20	-2	9554	99571	6
38	1	>	+	1	10	-8	8	-10	8	-8	470	3331	2
38	2	>	+	2	10	-8	8	-10	8	-8	3682	34471	2
39	1	>	+	1	-2	20	-14	4	-6	4	486	3467	4
39	2	>	+	2	-2	20	-14	4	-6	4	3260	30137	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
40	1	>	+	1	4	-8	10	-2	-8	8	497	3547	6
40	2	<	-	1	4	-8	10	-2	-8	8	7124	71971	12
41	1	>	+	1	2	2	-2	0	10	-4	506	3617	4
41	2	>	+	2	2	2	-2	0	10	-4	2641	23747	4
42	1	>	+	1	-10	-10	2	2	0	-4	550	3989	22
42	2	>	+	2	-10	-10	2	2	0	-4	2923	26669	22
43	1	>	+	1	2	2	0	-4	4	16	552	4003	2
43	2	>	+	2	2	2	0	-4	4	16	2931	26713	2
44	1	>	+	1	4	6	4	-14	2	2	564	4093	2
44	2	>	+	2	4	6	4	-14	2	2	4305	41143	2
45	1	>	+	1	2	2	8	-10	-2	16	568	4129	2
45	2	<	+	1	-2	-2	-8	10	2	-16	9493	98897	2
46	1	>	+	1	-10	16	-12	-2	2	0	601	4421	12
46	2	>	+	2	-10	16	-12	-2	2	0	1949	16901	12
47	1	>	+	1	2	-4	4	0	4	-4	627	4643	4
47	2	>	-	1	-2	4	-4	0	-4	4	2204	19441	8
48	1	>	+	1	-2	2	2	-4	10	-8	643	4787	4
48	2	>	+	2	-2	2	2	-4	10	-8	3024	27737	4
49	1	>	+	1	2	2	2	-2	4	-8	659	4933	2
49	2	>	-	1	-2	-2	-2	2	-4	8	2565	23003	10
50	1	>	+	1	2	10	-8	0	-2	2	665	4969	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
50	2	<	+	1	-2	-10	8	0	2	-2	1907	16451	2
50	3	<	+	2	-2	-10	8	0	2	-2	2279	20147	2
51	1	>	+	1	-2	2	-4	8	-8	14	669	4999	6
51	2	>	+	2	-2	2	-4	8	-8	14	770	5857	6
52	1	>	+	1	4	16	-16	-4	2	14	720	5443	2
52	2	>	+	2	4	16	-16	-4	2	14	1624	13723	2
53	1	>	+	1	4	2	-4	0	2	-2	759	5783	4
53	2	<	+	1	-4	-2	4	0	-2	2	2382	21187	4
54	1	>	+	1	-4	4	-2	2	-4	8	768	5849	6
54	2	>	+	2	-4	4	-2	2	-4	8	5259	51419	6
55	1	>	+	1	4	0	0	4	-2	16	829	6361	2
55	2	<	+	1	-4	0	0	-4	2	-16	7441	75539	2
56	1	>	+	1	-4	10	-6	4	-8	8	858	6659	6
56	2	>	+	2	-4	10	-6	4	-8	8	1431	11939	6
57	1	>	+	1	-2	-2	8	-6	2	4	899	6991	8
57	2	>	+	2	-2	-2	8	-6	2	4	1360	11251	8
58	1	>	+	1	2	4	-8	10	-2	-2	903	7019	6
58	2	>	+	2	2	4	-8	10	-2	-2	8690	89759	6
59	1	>	+	1	8	-10	-2	4	4	-2	919	7193	6
59	2	<	+	1	-8	10	2	-4	-4	2	6751	67777	6
60	1	>	+	1	6	-8	-8	8	-8	2	1028	8191	12
60	2	>	+	2	6	-8	-8	8	-8	2	1349	11131	12
61	1	>	+	1	8	4	-10	-2	10	-6	1071	8599	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
61	2	<	+	1	-8	-4	10	2	-10	6	2264	20021	2
62	1	>	+	1	0	4	-4	-4	8	-8	1162	9397	6
62	2	<	+	1	0	-4	4	4	-8	8	4191	39863	6
63	1	>	+	1	4	-4	-4	8	-8	2	1163	9403	6
63	2	>	-	1	-4	4	4	-8	8	-2	1782	15269	6
64	1	>	+	1	2	-4	10	-6	6	4	1188	9623	4
64	2	<	+	1	-2	4	-10	6	-6	-4	6231	61987	4
65	1	>	+	1	10	-6	-2	2	12	-16	1199	9721	2
65	2	<	+	1	-10	6	2	-2	-12	16	5015	48779	2
66	1	>	+	1	0	-8	10	-8	10	-10	1218	9871	12
66	2	<	-	1	0	-8	10	-8	10	-10	8632	89107	6
67	1	>	+	1	-4	4	10	-10	-4	10	1320	10859	6
67	2	<	+	1	4	-4	-10	10	4	-10	5058	49201	6
68	1	>	+	1	-8	8	-8	2	16	-4	1351	11159	10
68	2	<	+	1	8	-8	8	-2	-16	4	3195	29401	10
69	1	>	+	1	2	4	0	-6	-2	4	1364	11279	6
69	2	<	+	1	-2	-4	0	6	2	-4	6728	67531	6
70	1	>	+	1	0	2	-2	-2	-2	4	1415	11807	6
70	2	<	+	1	0	-2	2	2	2	-4	3443	32083	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
71	1	>	+	1	-10	8	-8	8	-4	2	1462	12239	12
71	2	>	+	2	-10	8	-8	8	-4	2	8950	92669	12
72	1	>	+	1	-8	10	-10	2	-4	2	1486	12451	14
72	2	>	+	2	-8	10	-10	2	-4	2	4042	38299	12
73	1	>	+	1	2	-2	4	2	-10	4	1493	12503	6
73	2	>	+	2	2	-2	4	2	-10	4	6348	63353	6
73	3	<	+	1	-2	2	-4	-2	10	-4	8300	85237	6
74	1	>	+	1	4	12	-14	2	0	0	1507	12613	2
74	2	>	+	2	4	12	-14	2	0	0	9181	95233	2
75	1	>	+	1	6	-8	10	-10	2	-4	1579	13297	6
75	2	>	+	2	6	-8	10	-10	2	-4	4041	38287	6
76	1	>	+	1	-10	2	0	-4	4	-2	1701	14533	14
76	2	>	+	2	-10	2	0	-4	4	-2	4348	41593	14
77	1	>	+	1	2	2	8	-10	8	2	1713	14629	2
77	2	<	-	1	2	2	8	-10	8	2	1719	14683	16
78	1	>	+	1	2	-8	-2	-2	8	-4	1734	14797	14
78	2	>	-	1	-2	8	2	2	-8	4	7413	75223	6
79	1	>	+	1	8	-14	4	-8	2	2	1757	15031	14
79	2	<	+	1	-8	14	-4	8	-2	-2	2082	18169	12
80	1	>	+	1	-14	4	-8	2	2	2	1758	15053	22
80	2	<	+	1	14	-4	8	-2	-2	-2	5858	57809	20
81	1	>	+	1	4	-8	2	2	2	-4	1759	15061	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
81	2	>	+	2	4	-8	2	2	2	-4	3366	31237	6
82	1	>	+	1	10	-8	2	2	2	2	1795	15361	2
82	2	>	-	1	-10	8	-2	-2	-2	-2	4312	41201	12
83	1	>	+	1	-2	2	0	14	-4	-14	1952	16927	6
83	2	>	+	2	-2	2	0	14	-4	-14	8200	84127	6
84	1	>	+	1	0	14	-4	-14	4	0	1954	16937	6
84	2	<	+	1	0	-14	4	14	-4	0	5564	54673	6
85	1	>	+	1	-4	-4	2	4	-2	0	1962	17021	10
85	2	<	+	1	4	4	-2	-4	2	0	4466	42709	10
86	1	>	+	1	8	-8	4	4	8	-16	2053	17911	2
86	2	<	-	1	8	-8	4	4	8	-16	4730	45641	18
87	1	>	+	1	10	-6	-2	-2	14	-4	2096	18289	2
87	2	<	+	1	-10	6	2	2	-14	4	4312	41201	2
88	1	>	+	1	-2	-2	14	-4	0	2	2098	18307	6
88	2	>	+	2	-2	-2	14	-4	0	2	3901	36787	6
89	1	>	+	1	-10	4	10	-14	8	2	2104	18367	14
89	2	<	+	1	10	-4	-10	14	-8	-2	4699	45293	14
90	1	>	+	1	4	-2	-2	16	-8	-2	2113	18443	4
90	2	>	+	2	4	-2	-2	16	-8	-2	9167	95093	4
91	1	>	+	1	-4	14	-12	8	4	-14	2160	19009	8
91	2	<	-	1	-4	14	-12	8	4	-14	3402	31627	16

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
92	1	>	+	1	-2	-2	10	-4	-4	2	2184	19259	10
92	2	>	+	2	-2	-2	10	-4	-4	2	4175	39719	10
93	1	>	+	1	-2	10	-4	-4	2	4	2185	19267	8
93	2	>	-	1	2	-10	4	4	-2	-4	3738	35069	10
93	3	>	-	2	2	-10	4	4	-2	-4	5728	56489	10
94	1	>	+	1	-2	2	4	-2	4	-4	2201	19427	4
94	2	<	+	1	2	-2	-4	2	-4	4	3827	36013	4
95	1	>	+	1	-2	2	2	6	-10	14	2336	20747	4
95	2	<	+	1	2	-2	-2	-6	10	-14	3784	35533	4
96	1	>	+	1	2	2	2	2	-8	8	2419	21559	2
96	2	>	+	2	2	2	2	2	-8	8	3079	28279	2
97	1	>	+	1	2	-8	8	-8	8	-8	2422	21577	8
97	2	<	-	1	2	-8	8	-8	8	-8	2428	21613	4
98	1	>	+	1	-8	0	4	4	-10	2	2463	21991	14
98	2	<	+	1	8	0	-4	-4	10	-2	2829	25679	14
99	1	>	+	1	0	4	4	-10	2	-4	2464	21997	6
99	2	>	+	2	0	4	4	-10	2	-4	7034	71011	12
100	1	>	+	1	12	-16	10	-2	-4	6	2502	22349	6
100	2	<	+	1	-12	16	-10	2	4	-6	9202	95461	6
101	1	>	+	1	2	6	-10	8	8	-10	2539	22721	4
101	2	>	+	2	2	6	-10	8	8	-10	8238	84503	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
102	1	>	+	1	2	10	-2	-6	-2	2	2621	23563	2
102	2	>	+	2	2	10	-2	-6	-2	2	3467	32323	2
103	1	>	+	1	-4	0	2	-2	0	-2	2677	24071	10
103	2	<	+	1	4	0	-2	2	0	2	4901	47533	10
104	1	>	+	1	4	4	-8	10	4	-8	2685	24113	4
104	2	<	+	1	-4	-4	8	-10	-4	8	6061	60037	4
105	1	>	+	1	4	6	4	-10	0	-4	2706	24373	2
105	2	>	-	1	-4	-6	-4	10	0	4	7404	75149	16
106	1	>	+	1	4	-10	0	-4	16	-14	2708	24391	12
106	2	>	+	2	4	-10	0	-4	16	-14	4339	41491	12
107	1	>	+	1	-10	10	-2	-6	4	2	2739	24763	14
107	2	>	-	1	10	-10	2	6	-4	-2	6768	67943	4
108	1	>	+	1	-20	-2	-2	-2	2	2	2782	25219	30
108	2	>	+	2	-20	-2	-2	-2	2	2	4604	44249	28
109	1	>	+	1	10	4	-8	-2	-2	2	2802	25411	2
109	2	>	+	2	10	4	-8	-2	-2	2	3935	37123	6
109	3	>	+	3	10	4	-8	-2	-2	2	4375	41851	2
110	1	>	+	1	6	0	-6	4	-8	8	3061	28057	6
110	2	>	+	2	6	0	-6	4	-8	8	3344	31039	6
111	1	>	+	1	10	-10	-4	14	-4	-10	3528	32917	6
111	2	<	-	1	10	-10	-4	14	-4	-10	3534	32971	12
112	1	>	+	1	2	0	8	-4	-4	2	3536	32987	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	g for >, g for <
112	2	<	+	1	-2	0	-8	4	4	-2	5978	59119	4
113	1	>	+	1	6	-10	10	-8	-2	2	3567	33317	6
113	2	<	+	1	-6	10	-10	8	2	-2	8928	92413	6
114	1	>	+	1	4	0	4	4	-10	-2	3660	34261	2
114	2	>	+	2	4	0	4	4	-10	-2	8011	81931	2
115	1	>	+	1	2	-2	20	-16	0	8	3719	34843	2
115	2	>	+	2	2	-2	20	-16	0	8	7933	81043	2
116	1	>	+	1	-4	4	4	-8	8	-4	3876	36559	8
116	2	<	-	1	-4	4	4	-8	8	-4	4190	39857	6
117	1	>	+	1	2	-8	10	-6	-2	-2	3974	37537	8
117	2	<	+	1	-2	8	-10	6	2	2	4314	41213	8
118	1	>	+	1	-2	-2	4	4	-8	14	3978	37567	6
118	2	<	+	1	2	2	-4	-4	8	-14	6848	68903	6
119	1	>	+	1	-4	-4	16	-8	2	-10	4066	38603	10
119	2	<	+	1	4	4	-16	8	-2	10	6489	64927	10
120	1	>	+	1	2	-4	14	-16	-4	8	4181	39779	10
120	2	>	+	2	2	-4	14	-16	-4	8	4516	43271	10
121	1	>	+	1	8	-2	-8	0	-2	-2	4382	41911	8
121	2	<	+	1	-8	2	8	0	2	2	4634	44579	8
122	1	>	+	1	8	2	-10	14	-2	-10	4388	41959	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
122	2	<	+	1	-8	-2	10	-14	2	10	7856	80231	2
123	1	>	+	1	2	2	-2	-2	-2	2	4437	42437	4
123	2	<	-	1	2	2	-2	-2	-2	2	4443	42467	6
124	1	>	+	1	26	-16	-4	2	2	-10	4595	44131	2
124	2	>	+	2	26	-16	-4	2	2	-10	7698	78439	2
125	1	>	+	1	-2	-2	-2	2	2	-4	4605	44257	8
125	2	<	-	1	-2	-2	-2	2	2	-4	4865	47147	2
126	1	>	+	1	-2	8	-2	-2	-2	2	4637	44621	4
126	2	<	+	1	2	-8	2	2	2	-2	6900	69493	4
127	1	>	+	1	4	-8	16	-14	34	-32	4673	44971	8
127	2	<	+	1	-4	8	-16	14	-34	32	6150	61043	8
128	1	>	+	1	-4	2	-2	4	-8	-2	4869	47207	18
128	2	>	-	1	4	-2	2	-4	8	2	5260	51421	2
129	1	>	+	1	6	-10	4	6	-2	-2	5014	48767	6
129	2	>	+	2	6	-10	4	6	-2	-2	7113	71867	6
130	1	>	+	1	-16	2	-4	-2	14	2	5046	49103	22
130	2	>	+	2	-16	2	-4	-2	14	2	8721	90053	22
131	1	>	+	1	-2	20	-20	14	-14	4	5072	49367	4
131	2	>	+	2	-2	20	-20	14	-14	4	7149	72227	4
132	1	>	+	1	0	-10	-4	22	-16	-8	5578	54851	18
132	2	<	+	1	0	10	4	-22	16	8	7685	78259	18

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	g for >, g for <
133	1	>	+	1	-8	8	-8	4	16	-20	5642	55619	10
133	2	<	+	1	8	-8	8	-4	-16	20	8814	91141	10
134	1	>	+	1	8	2	-10	4	4	-2	5727	56479	2
134	2	>	+	2	8	2	-10	4	4	-2	7070	71389	2
135	1	>	+	1	-10	4	4	-2	-4	-2	5729	56501	12
135	2	<	+	1	10	-4	-4	2	4	2	8025	82039	12
136	1	>	+	1	4	6	-2	-4	0	14	5773	56923	2
136	2	<	+	1	-4	-6	2	4	0	-14	6075	60167	2
137	1	>	+	1	10	-2	-2	-2	4	-8	5840	57653	4
137	2	<	+	1	-10	2	2	2	-4	8	7780	79393	4
138	1	>	+	1	4	-8	2	2	-4	2	5844	57697	8
138	2	<	+	1	-4	8	-2	-2	4	-2	7210	72923	8
139	1	>	+	1	2	2	-4	2	6	-10	5893	58193	4
139	2	<	+	1	-2	-2	4	-2	-6	10	7208	72907	4
140	1	>	+	1	18	-6	-10	2	-8	10	6684	67079	6
140	2	<	+	1	-18	6	10	-2	8	-10	7377	74821	6
141	1	>	+	1	4	4	2	-4	-4	-2	7316	74161	2
141	2	>	-	1	-4	-4	-2	4	4	2	7319	74189	12
142	1	>	+	1	2	-4	8	-4	2	-10	7423	75337	8
142	2	<	+	1	-2	4	-8	4	-2	10	9126	94613	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	Ord#	P	G for >, g for <
143	1	>	+	1	-2	16	-14	6	10	-16	7628	77617	6
143	2	>	+	2	-2	16	-14	6	10	-16	8043	82237	6
144	1	>	+	1	-4	-2	2	10	2	-2	7665	78031	14
144	2	<	-	1	-4	-2	2	10	2	-2	7671	78121	16
145	1	>	+	1	2	8	-8	4	2	-10	7907	80783	4
145	2	>	+	2	2	8	-8	4	2	-10	9512	99083	4
146	1	>	+	1	-10	4	10	-14	4	-4	9063	93937	14
146	2	<	+	1	10	-4	-10	14	-4	4	9143	94823	14