

Q7-foursomes in the range of primes until 100,000

Foursomes 88
 Groups 182

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	V7	Ord#	P	G for >, g for <
1	1	>	+	1	2	-2	2	2	-4	4	-2	6	13	2
1	2	<	+	1	-2	2	-2	-2	4	-4	2	8604	88817	2
2	1	>	+	1	-2	2	2	-4	4	-2	-2	7	17	4
2	2	<	+	1	2	-2	-2	4	-4	2	2	14	43	4
2	3	<	+	2	2	-2	-2	4	-4	2	2	213	1303	4
3	1	>	+	1	4	-2	2	2	-4	-2	2	21	73	2
3	2	>	+	2	4	-2	2	2	-4	-2	2	84	433	2
4	1	>	+	1	2	-4	-2	2	-2	2	10	24	89	6
4	2	<	+	1	-2	4	2	-2	2	-2	-10	2204	19441	6
5	1	>	+	1	-2	2	-2	2	10	-10	2	26	101	4
5	2	>	+	2	-2	2	-2	2	10	-10	2	1867	16061	4
6	1	>	+	1	8	-8	4	0	-2	2	0	34	139	2
6	2	<	+	1	-8	8	-4	0	2	-2	0	43	191	2
7	1	>	+	1	-8	4	0	-2	2	0	-4	35	149	10
7	2	<	+	1	8	-4	0	2	-2	0	4	42	181	10
8	1	>	+	1	0	0	-4	4	-2	-2	8	55	257	6
8	2	<	+	1	0	0	4	-4	2	2	-8	7066	71353	6
9	1	>	+	1	-2	8	4	-10	-2	2	10	60	281	4
9	2	>	+	2	-2	8	4	-10	-2	2	10	144	827	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	V7	Ord#	P	G for >, g for <
10	1	>	+	1	2	2	-4	-2	2	8	-4	86	443	4
10	2	<	+	1	-2	-2	4	2	-2	-8	4	9169	95107	4
11	1	>	+	1	-4	4	-4	2	6	-10	16	93	487	8
11	2	<	+	1	4	-4	4	-2	-6	10	-16	1691	14423	8
12	1	>	+	1	4	-4	0	-4	4	4	-4	101	547	6
12	2	<	-	1	4	-4	0	-4	4	4	-4	110	601	6
13	1	>	+	1	-4	0	-4	4	4	-4	0	102	557	10
13	2	<	-	1	-4	0	-4	4	4	-4	0	109	599	2
14	1	>	+	1	0	2	-2	6	-8	2	-4	165	977	6
14	2	>	+	2	0	2	-2	6	-8	2	-4	762	5807	6
15	1	>	+	1	8	-8	4	4	-8	8	-8	172	1021	2
15	2	>	-	1	-8	8	-4	-4	8	-8	8	581	4241	10
15	3	<	+	1	-8	8	-4	-4	8	-8	8	586	4271	2
15	4	<	-	1	8	-8	4	4	-8	8	-8	3330	30871	10
16	1	>	+	1	-8	4	4	-8	8	-8	4	173	1031	10
16	2	>	-	1	8	-4	-4	8	-8	8	-4	582	4243	2
17	1	>	+	1	-2	2	2	0	2	-2	0	182	1091	4
17	2	<	+	1	2	-2	-2	0	-2	2	0	2684	24109	4
18	1	>	+	1	-20	8	-2	2	-4	0	2	190	1151	22

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	V7	Ord#	P	G for >, g for <
18	2	<	+	1	20	-8	2	-2	4	0	-2	9320	96799	22
19	1	>	+	1	6	-2	8	-16	2	2	-4	203	1237	6
19	2	>	+	2	6	-2	8	-16	2	2	-4	9562	99667	6
20	1	>	+	1	-2	2	2	2	-4	-2	4	225	1427	4
20	2	>	+	2	-2	2	2	2	-4	-2	4	390	2687	4
21	1	>	+	1	6	-2	-8	2	-2	2	2	232	1459	6
21	2	<	+	1	-6	2	8	-2	2	-2	-2	291	1901	6
22	1	>	+	1	-2	8	2	-10	8	-2	-2	265	1697	4
22	2	>	+	2	-2	8	2	-10	8	-2	-2	5908	58367	4
23	1	>	+	1	-2	2	-2	8	2	-6	0	286	1871	4
23	2	>	+	2	-2	2	-2	8	2	-6	0	1833	15731	4
24	1	>	+	1	-4	4	-2	2	8	-8	-2	346	2339	6
24	2	>	+	2	-4	4	-2	2	8	-8	-2	4351	41609	6
25	1	>	+	1	-2	4	-2	2	6	-6	0	353	2381	4
25	2	<	+	1	2	-4	2	-2	-6	6	0	8718	90019	4
26	1	>	+	1	4	-2	2	6	-6	0	8	354	2383	2
26	2	<	+	1	-4	2	-2	-6	6	0	-8	8717	90017	2
27	1	>	+	1	-2	2	6	-6	0	8	-10	355	2389	6
27	2	<	+	1	2	-2	-6	6	0	-8	10	8716	90011	6
28	1	>	+	1	-4	-4	8	-8	8	-8	8	576	4211	10
28	2	<	-	1	-4	-4	8	-8	8	-8	8	584	4259	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	V7	Ord#	P	G for >, g for <
29	1	>	+	1	2	-4	2	-8	8	-2	4	796	6101	10
29	2	<	+	1	-2	4	-2	8	-8	2	-4	803	6163	10
30	1	>	+	1	-4	0	0	2	-2	4	-4	821	6311	10
30	2	<	+	1	4	0	0	-2	2	-4	4	8148	83449	10
31	1	>	+	1	0	0	2	-2	4	-4	-4	822	6317	6
31	2	<	+	1	0	0	-2	2	-4	4	4	8147	83443	6
32	1	>	+	1	8	-4	-4	4	-2	14	-10	847	6553	2
32	2	<	+	1	-8	4	4	-4	2	-14	10	1785	15287	2
33	1	>	+	1	8	-8	4	-2	2	0	2	892	6949	2
33	2	<	-	1	8	-8	4	-2	2	0	2	6114	60649	10
34	1	>	+	1	-8	4	-2	2	0	2	-2	893	6959	10
34	2	<	-	1	-8	4	-2	2	0	2	-2	6113	60647	2
35	1	>	+	1	-4	8	-2	2	-4	0	2	948	7487	6
35	2	>	+	2	-4	8	-2	2	-4	0	2	5999	59357	6
36	1	>	+	1	2	-4	2	-4	8	-8	10	954	7529	6
36	2	>	+	2	2	-4	2	-4	8	-8	10	3593	33569	6
37	1	>	+	1	-4	2	-4	8	-8	10	-8	955	7537	8
37	2	>	+	2	-4	2	-4	8	-8	10	-8	3594	33577	8
38	1	>	+	1	2	2	-2	0	6	-6	-2	1083	8693	4
38	2	<	+	1	-2	-2	2	0	-6	6	2	1418	11827	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	V7	Ord#	P	G for >, g for <
39	1	>	+	1	-4	-4	8	2	-10	2	16	1100	8831	10
39	2	<	+	1	4	4	-8	-2	10	-2	-16	7188	72679	10
40	1	>	+	1	-4	8	2	-10	2	16	-14	1101	8837	6
40	2	<	+	1	4	-8	-2	10	-2	-16	14	7187	72673	6
41	1	>	+	1	-8	-2	8	-4	-2	6	-8	1134	9151	14
41	2	>	+	2	-8	-2	8	-4	-2	6	-8	2665	23971	14
42	1	>	+	1	-2	8	-4	-2	6	-8	2	1135	9157	6
42	2	>	+	2	-2	8	-4	-2	6	-8	2	1207	9787	6
42	3	>	+	3	-2	8	-4	-2	6	-8	2	2666	23977	6
42	4	>	+	4	-2	8	-4	-2	6	-8	2	7208	72907	6
43	1	>	+	1	8	-4	-2	6	-8	2	6	1136	9161	4
43	2	>	+	2	8	-4	-2	6	-8	2	6	1208	9791	4
44	1	>	+	1	-4	-2	6	-8	2	6	-6	1137	9173	12
44	2	>	+	2	-4	-2	6	-8	2	6	-6	1209	9803	12
45	1	>	+	1	2	2	0	6	-6	8	-4	1172	9463	2
45	2	<	+	1	-2	-2	0	-6	6	-8	4	4434	42407	2
46	1	>	+	1	2	0	6	-6	8	-4	2	1173	9467	4
46	2	<	+	1	-2	0	-6	6	-8	4	-2	4433	42403	4
47	1	>	+	1	0	6	-6	8	-4	2	-6	1174	9473	6
47	2	<	+	1	0	-6	6	-8	4	-2	6	4432	42397	6
48	1	>	+	1	6	-6	8	-4	2	-6	2	1175	9479	6
48	2	<	+	1	-6	6	-8	4	-2	6	-2	4431	42391	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	V7	Ord#	P	G for >, g for <
49	1	>	+	1	-2	2	12	-16	10	-6	-2	1201	9739	6
49	2	<	+	1	2	-2	-12	16	-10	6	2	1953	16931	6
50	1	>	+	1	-16	-4	8	2	-10	4	-2	1234	10061	22
50	2	>	+	2	-16	-4	8	2	-10	4	-2	7633	77681	22
51	1	>	+	1	-4	8	2	-10	4	-2	4	1235	10067	6
51	2	>	+	2	-4	8	2	-10	4	-2	4	7634	77687	6
52	1	>	+	1	8	-10	22	-22	-2	10	-2	1473	12329	6
52	2	>	+	2	8	-10	22	-22	-2	10	-2	3868	36479	6
53	1	>	+	1	-10	22	-22	-2	10	-2	-2	1474	12343	14
53	2	>	+	2	-10	22	-22	-2	10	-2	-2	3869	36493	14
54	1	>	+	1	22	-22	-2	10	-2	-2	-4	1475	12347	4
54	2	>	+	2	22	-22	-2	10	-2	-2	-4	3870	36497	4
55	1	>	+	1	-22	-2	10	-2	-2	-4	4	1476	12373	26
55	2	>	+	2	-22	-2	10	-2	-2	-4	4	3871	36523	26
56	1	>	+	1	-2	10	-2	-2	-4	4	4	1477	12377	4
56	2	>	+	2	-2	10	-2	-2	-4	4	4	3872	36527	4
57	1	>	+	1	10	-2	-2	-4	4	4	-8	1478	12379	2
57	2	>	+	2	10	-2	-2	-4	4	4	-8	3873	36529	2
58	1	>	+	1	10	-6	-2	16	-10	-4	0	1589	13399	2
58	2	>	+	2	10	-6	-2	16	-10	-4	0	7349	74509	2
59	1	>	+	1	-2	10	4	-10	-8	4	-2	1611	13627	8
59	2	>	+	2	-2	10	4	-10	-8	4	-2	9075	94057	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	V7	Ord#	P	G for >, g for <
60	1	>	+	1	-2	-2	2	8	-10	8	-8	1617	13687	6
60	2	<	+	1	2	2	-2	-8	10	-8	8	3603	33623	6
61	1	>	+	1	-2	2	8	-10	8	-8	4	1618	13691	4
61	2	<	+	1	2	-2	-8	10	-8	8	-4	2575	23059	4
61	3	<	+	2	2	-2	-8	10	-8	8	-4	3602	33619	4
62	1	>	+	1	4	-8	8	-2	-2	0	4	1784	15277	6
62	2	>	-	1	-4	8	-8	2	2	0	-4	2928	26699	6
63	1	>	+	1	-2	-2	16	-20	20	-16	2	2246	19853	10
63	2	<	+	1	2	2	-16	20	-20	16	-2	2253	19927	10
64	1	>	+	1	0	-10	8	-4	6	-10	2	2255	19949	12
64	2	<	+	1	0	10	-8	4	-6	10	-2	3652	34171	12
65	1	>	+	1	-10	-2	10	0	-8	2	12	2278	20143	14
65	2	>	+	2	-10	-2	10	0	-8	2	12	7780	79393	14
66	1	>	+	1	2	-4	8	-8	10	-8	-2	2568	23021	4
66	2	>	+	2	2	-4	8	-8	10	-8	-2	3595	33581	4
67	1	>	+	1	8	-4	-2	6	-8	2	8	2667	23981	4
67	2	>	+	2	8	-4	-2	6	-8	2	8	7209	72911	4
68	1	>	+	1	2	-4	10	-8	2	0	6	3026	27743	4
68	2	<	+	1	-2	4	-10	8	-2	0	-6	3117	28627	4
69	1	>	+	1	4	0	0	-2	2	8	-10	3253	30091	2
69	2	>	+	2	4	0	0	-2	2	8	-10	5463	53611	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	V7	Ord#	P	G for >, g for <
70	1	>	+	1	14	-14	4	10	-10	2	-4	4072	38653	2
70	2	>	+	2	14	-14	4	10	-10	2	-4	6956	70183	2
71	1	>	+	1	-2	10	-4	-4	2	2	-4	4176	39727	8
71	2	>	-	1	2	-10	4	4	-2	-2	4	7071	71399	10
72	1	>	+	1	14	-16	-4	8	-8	4	4	4183	39799	8
72	2	<	+	1	-14	16	4	-8	8	-4	-4	8513	87671	8
73	1	>	+	1	-10	-4	2	14	-16	14	-12	4200	39971	18
73	2	<	+	1	10	4	-2	-14	16	-14	12	5448	53419	18
74	1	>	+	1	8	-2	14	-2	-14	-2	28	4549	43651	2
74	2	<	+	1	-8	2	-14	2	14	2	-28	6713	67409	2
75	1	>	+	1	-8	4	-2	10	-10	2	14	4573	43961	10
75	2	<	+	1	8	-4	2	-10	10	-2	-14	4942	47951	12
76	1	>	+	1	14	-10	-4	10	-4	-8	8	4696	45263	4
76	2	<	+	1	-14	10	4	-10	4	8	-8	9066	93967	4
77	1	>	+	1	-10	-4	10	-4	-8	8	-2	4697	45281	18
77	2	<	+	1	10	4	-10	4	8	-8	2	9065	93949	18
78	1	>	+	1	-4	10	-4	-8	8	-2	-4	4698	45289	8
78	2	<	+	1	4	-10	4	8	-8	2	4	9064	93941	8
79	1	>	+	1	10	-4	-8	8	-2	-4	-2	4699	45293	4
79	2	<	+	1	-10	4	8	-8	2	4	2	9063	93937	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	V6	V7	Ord#	P	G for >, g for <
80	1	>	+	1	-4	8	-4	-8	8	4	-8	5299	51797	10
80	2	<	+	1	4	-8	4	8	-8	-4	8	5306	51859	10
81	1	>	+	1	0	2	-2	-2	-2	2	2	5660	55793	6
81	2	<	+	1	0	-2	2	2	2	-2	-2	5669	55843	6
82	1	>	+	1	2	-2	-2	-2	2	2	2	5661	55799	6
82	2	<	+	1	-2	2	2	2	-2	-2	-2	5668	55837	6
83	1	>	+	1	-4	2	4	8	-10	14	-16	5953	58907	6
83	2	>	+	2	-4	2	4	8	-10	14	-16	8676	89597	6
84	1	>	+	1	8	-2	2	-4	0	2	2	6000	59359	2
84	2	<	+	1	-8	2	-2	4	0	-2	-2	9319	96797	2
85	1	>	+	1	-2	2	-4	0	2	2	-8	6001	59369	10
85	2	<	+	1	2	-2	4	0	-2	-2	8	9318	96787	10
86	1	>	+	1	2	-4	2	-8	8	2	-6	6730	67547	10
86	2	<	+	1	-2	4	-2	8	-8	-2	6	8968	92821	10
87	1	>	+	1	-8	14	-16	2	-4	-2	4	7094	71663	16
87	2	>	+	2	-8	14	-16	2	-4	-2	4	7752	79103	16
88	1	>	+	1	14	-16	2	-4	-2	4	16	7095	71671	8
88	2	>	+	2	14	-16	2	-4	-2	4	16	7753	79111	8