

Q5-foursomes in the range of primes until 100,000

Foursomes 871
 Groups 2092

Ord#, P, and pregap of the beginning member of a group (>)
 Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
1	1	>	+	1	-2	2	-2	2	2	5	11	4
1	2	>	-	1	2	-2	2	-2	-2	125	691	8
1	3	<	-	1	-2	2	-2	2	2	128	719	8
1	4	<	-	2	-2	2	-2	2	2	4007	37889	8
2	1	>	+	1	2	-2	2	2	-4	6	13	2
2	2	<	+	1	-2	2	-2	-2	4	745	5657	2
2	3	<	+	2	-2	2	-2	-2	4	8604	88817	2
3	1	>	+	1	-2	2	2	-4	4	7	17	4
3	2	>	+	2	-2	2	2	-4	4	75	379	6
3	3	>	+	3	-2	2	2	-4	4	244	1549	6
3	4	<	+	1	2	-2	-2	4	-4	14	43	4
3	5	<	+	2	2	-2	-2	4	-4	213	1303	4
3	6	<	+	3	2	-2	-2	4	-4	8603	88813	4
3	7	<	-	1	-2	2	2	-4	4	1085	8707	6
4	1	>	+	1	2	2	-4	4	-2	8	19	2
4	2	>	+	2	2	2	-4	4	-2	207	1279	2
4	3	<	+	1	-2	-2	4	-4	2	13	41	2
4	4	<	+	2	-2	-2	4	-4	2	212	1301	2
4	5	<	+	3	-2	-2	4	-4	2	7485	76001	2
4	6	<	+	4	-2	-2	4	-4	2	8602	88811	2
5	1	>	+	1	4	-2	-2	2	2	11	31	2
5	2	>	+	2	4	-2	-2	2	2	9026	93481	2
5	3	>	-	1	-4	2	2	-2	-2	4860	47119	8
5	4	<	+	1	-4	2	2	-2	-2	4610	44279	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
6	1	>	+	1	-2	-2	2	2	0	12	37	6
6	2	<	+	1	2	2	-2	-2	0	392	2693	6
7	1	>	+	1	2	2	0	-4	4	14	43	2
7	2	>	+	2	2	2	0	-4	4	552	4003	2
7	3	>	+	3	2	2	0	-4	4	2931	26713	2
7	4	<	+	1	-2	-2	0	4	-4	113	617	2
8	1	>	+	1	2	0	-4	4	-2	15	47	4
8	2	>	+	2	2	0	-4	4	-2	1702	14537	4
8	3	>	+	3	2	0	-4	4	-2	4349	41597	4
9	1	>	+	1	0	-4	4	-2	-2	16	53	6
9	2	>	+	2	0	-4	4	-2	-2	56	263	6
9	3	>	+	3	0	-4	4	-2	-2	1703	14543	6
9	4	<	+	1	0	4	-4	2	2	630	4657	6
9	5	<	+	2	0	4	-4	2	2	7065	71347	6
10	1	>	+	1	-4	4	-2	-2	4	17	59	6
10	2	<	+	1	4	-4	2	2	-4	257	1621	6
10	3	<	-	1	-4	4	-2	-2	4	136	769	4
10	4	<	-	2	-4	4	-2	-2	4	977	7699	4
11	1	>	+	1	4	-2	-2	4	-2	18	61	2
11	2	<	+	1	-4	2	2	-4	2	256	1619	2
11	3	<	+	2	-4	2	2	-4	2	545	3929	2
11	4	<	-	1	4	-2	-2	4	-2	135	761	8
12	1	>	+	1	-2	-2	4	-2	2	19	67	6
12	2	>	+	2	-2	-2	4	-2	2	352	2377	6
12	3	>	-	1	2	2	-4	2	-2	2900	26399	6
12	4	<	-	1	-2	-2	4	-2	2	4491	42961	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
13	1	>	+	1	4	-2	2	2	-4	21	73	2
13	2	>	+	2	4	-2	2	2	-4	84	433	2
13	3	<	+	1	-4	2	-2	-2	4	8885	91967	2
14	1	>	+	1	-2	2	2	-4	-2	22	79	6
14	2	>	+	2	-2	2	2	-4	-2	85	439	6
14	3	<	+	1	2	-2	-2	4	2	2403	21401	6
15	1	>	+	1	2	2	-4	-2	2	23	83	4
15	2	>	+	2	2	2	-4	-2	2	86	443	4
15	3	>	-	1	-2	-2	4	2	-2	9288	96451	8
15	4	<	+	1	-2	-2	4	2	-2	9169	95107	4
16	1	>	+	1	2	-4	-2	2	-2	24	89	6
16	2	<	+	1	-2	4	2	-2	2	2204	19441	6
17	1	>	+	1	-4	-2	2	-2	2	25	97	8
17	2	<	+	1	4	2	-2	2	-2	2203	19433	8
17	3	<	+	2	4	2	-2	2	-2	4563	43793	8
18	1	>	+	1	-2	2	-2	2	10	26	101	4
18	2	>	+	2	-2	2	-2	2	10	1867	16061	4
18	3	<	+	1	2	-2	2	-2	-10	2202	19429	4
19	1	>	+	1	2	-2	2	10	-10	27	103	2
19	2	>	+	2	2	-2	2	10	-10	1868	16063	2
20	1	>	+	1	-2	2	10	-10	2	28	107	4
20	2	>	+	2	-2	2	10	-10	2	1869	16067	4
20	3	>	-	1	2	-2	-10	10	-2	3229	29803	14
20	4	<	+	1	2	-2	-10	10	-2	1041	8293	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
21	1	>	+	1	2	10	-10	2	-4	29	109	2
21	2	<	+	1	-2	-10	10	-2	4	2415	21521	2
22	1	>	+	1	10	-10	2	-4	8	30	113	4
22	2	>	+	2	10	-10	2	-4	8	4938	47917	6
22	3	>	-	1	-10	10	-2	4	-8	9120	94559	12
22	4	<	+	1	-10	10	-2	4	-8	4577	43987	4
22	5	<	-	1	10	-10	2	-4	8	7360	74611	12
23	1	>	+	1	2	-4	8	-8	4	32	131	4
23	2	>	+	2	2	-4	8	-8	4	170	1013	4
24	1	>	+	1	8	-8	4	0	-2	34	139	2
24	2	>	+	2	8	-8	4	0	-2	8349	85819	2
24	3	<	+	1	-8	8	-4	0	2	43	191	2
24	4	<	+	2	-8	8	-4	0	2	2930	26711	2
25	1	>	+	1	-8	4	0	-2	2	35	149	10
25	2	>	+	2	-8	4	0	-2	2	8350	85829	10
25	3	<	+	1	8	-4	0	2	-2	42	181	10
25	4	<	-	1	-8	4	0	-2	2	2660	23909	2
26	1	>	+	1	4	0	-2	2	0	36	151	2
26	2	>	-	1	-4	0	2	-2	0	2677	24071	10
26	3	<	+	1	-4	0	2	-2	0	41	179	2
26	4	<	-	1	4	0	-2	2	0	4901	47533	10
27	1	>	+	1	0	-4	8	-8	2	40	173	6
27	2	>	+	2	0	-4	8	-8	2	2927	26693	6
27	3	>	+	3	0	-4	8	-8	2	6064	60083	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
28	1	>	+	1	-4	8	-8	2	-2	41	179	6
28	2	>	+	2	-4	8	-8	2	-2	1165	9419	6
28	3	>	+	3	-4	8	-8	2	-2	8740	90239	12
28	4	>	-	1	4	-8	8	-2	2	2228	19687	6
29	1	>	+	1	8	-8	2	-2	10	42	181	2
29	2	<	+	1	-8	8	-2	2	-10	9406	97859	2
30	1	>	+	1	10	0	-8	-2	2	46	199	2
30	2	>	+	2	10	0	-8	-2	2	2333	20719	2
31	1	>	+	1	0	-8	-2	2	2	47	211	12
31	2	>	+	2	0	-8	-2	2	2	2334	20731	12
32	1	>	+	1	-8	-2	2	2	-4	48	223	12
32	2	<	+	1	8	2	-2	-2	4	214	1307	12
32	3	<	+	2	8	2	-2	-2	4	1620	13697	12
33	1	>	+	1	-2	2	2	-4	8	49	227	4
33	2	<	+	1	2	-2	-2	4	-8	1619	13693	4
34	1	>	+	1	2	2	-4	8	-4	50	229	2
34	2	>	+	2	2	2	-4	8	-4	1762	15083	6
34	3	>	+	3	2	2	-4	8	-4	7422	75329	6
35	1	>	+	1	-4	0	0	-4	4	54	251	10
35	2	<	+	1	4	0	0	4	-4	832	6379	10
36	1	>	+	1	0	0	-4	4	-2	55	257	6
36	2	<	+	1	0	0	4	-4	2	7066	71353	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
37	1	>	+	1	-4	4	-2	-2	8	57	269	6
37	2	<	+	1	4	-4	2	2	-8	496	3541	6
37	3	<	+	2	4	-4	2	2	-8	7064	71341	6
38	1	>	+	1	4	-2	-2	8	4	58	271	2
38	2	>	+	2	4	-2	-2	8	4	8124	83221	2
39	1	>	+	1	-2	-2	8	4	-10	59	277	6
39	2	>	+	2	-2	-2	8	4	-10	8870	91807	6
40	1	>	+	1	-2	8	4	-10	-2	60	281	4
40	2	>	+	2	-2	8	4	-10	-2	144	827	4
40	3	<	+	1	2	-8	-4	10	2	3395	31543	4
41	1	>	+	1	8	4	-10	-2	2	61	283	2
41	2	>	+	2	8	4	-10	-2	2	145	829	2
42	1	>	+	1	4	-10	-2	2	10	62	293	10
42	2	>	+	2	4	-10	-2	2	10	146	839	10
43	1	>	+	1	-10	-2	2	10	-8	63	307	14
43	2	>	+	2	-10	-2	2	10	-8	1039	8287	14
44	1	>	+	1	-2	2	10	-8	4	64	311	4
44	2	>	+	2	-2	2	10	-8	4	6139	60917	4
45	1	>	+	1	10	-8	4	-8	2	66	317	4
45	2	>	+	2	10	-8	4	-8	2	7122	71947	6
46	1	>	+	1	-8	4	-8	2	2	67	331	14
46	2	<	+	1	8	-4	8	-2	-2	1740	14851	16
47	1	>	+	1	4	-8	2	2	2	68	337	6
47	2	>	+	2	4	-8	2	2	2	1759	15061	8
47	3	>	+	3	4	-8	2	2	2	3366	31237	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for > g for <
47	4	<	+	1	-4	8	-2	-2	-2	5857	57803	6
48	1	>	+	1	-8	2	2	2	-2	69	347	10
48	2	>	+	2	-8	2	2	2	-2	122	673	12
48	3	>	-	1	8	-2	-2	-2	2	4638	44623	2
48	4	<	-	1	-8	2	2	2	-2	6899	69491	2
49	1	>	+	1	2	2	2	-2	0	70	349	2
49	2	>	+	2	2	2	2	-2	0	2640	23743	2
49	3	>	+	3	2	2	2	-2	0	3439	32059	2
49	4	>	+	4	2	2	2	-2	0	5665	55819	2
49	5	>	-	1	-2	-2	-2	2	0	4114	39089	10
49	6	>	-	2	-2	-2	-2	2	0	4874	47279	10
49	7	<	+	1	-2	-2	-2	2	0	715	5417	2
49	8	<	+	2	-2	-2	-2	2	0	1419	11831	2
49	9	<	+	3	-2	-2	-2	2	0	5664	55817	2
50	1	>	+	1	2	2	-2	0	-2	71	353	4
50	2	>	+	2	2	2	-2	0	-2	2295	20327	4
50	3	>	-	1	-2	-2	2	0	2	4875	47287	8
50	4	<	+	1	-2	-2	2	0	2	900	6997	4
50	5	<	-	1	2	2	-2	0	-2	77	389	8
51	1	>	+	1	0	-2	2	2	-4	74	373	6
51	2	<	-	1	0	-2	2	2	-4	1086	8713	6
52	1	>	+	1	2	2	-4	4	2	76	383	4
52	2	>	+	2	2	2	-4	4	2	1599	13487	10
53	1	>	+	1	4	2	-8	8	-8	79	401	4
53	2	<	+	1	-4	-2	8	-8	8	9409	97879	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
54	1	>	+	1	-8	8	-8	4	-2	81	419	10
54	2	>	+	2	-8	8	-8	4	-2	6372	63587	10
54	3	>	+	3	-8	8	-8	4	-2	8813	91139	10
54	4	>	-	1	8	-8	8	-4	2	585	4261	2
54	5	>	-	2	8	-8	8	-4	2	1463	12241	2
54	6	>	-	3	8	-8	8	-4	2	8951	92671	2
54	7	<	-	1	-8	8	-8	4	-2	6115	60659	2
55	1	>	+	1	8	-8	4	-2	2	82	421	2
55	2	>	+	2	8	-8	4	-2	2	892	6949	2
55	3	>	+	3	8	-8	4	-2	2	6373	63589	2
55	4	<	+	1	-8	8	-4	2	-2	673	5021	2
55	5	<	+	2	-8	8	-4	2	-2	774	5879	2
55	6	<	+	3	-8	8	-4	2	-2	2571	23039	2
55	7	<	-	1	8	-8	4	-2	2	6114	60649	10
56	1	>	+	1	-8	4	-2	2	2	83	431	10
56	2	<	+	1	8	-4	2	-2	-2	2570	23029	10
56	3	<	-	1	-8	4	-2	2	2	664	4967	2
57	1	>	+	1	2	-4	-2	2	8	87	449	6
57	2	>	+	2	2	-4	-2	2	8	8921	92369	6
57	3	<	+	1	-2	4	2	-2	-8	9168	95101	6
58	1	>	+	1	-4	-2	2	8	-4	88	457	8
58	2	<	+	1	4	2	-2	-8	4	9167	95093	8
59	1	>	+	1	-4	4	-4	2	6	93	487	8
59	2	<	+	1	4	-4	4	-2	-6	1691	14423	8
60	1	>	+	1	4	-4	2	6	-10	94	491	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
60	2	<	+	1	-4	4	-2	-6	10	1690	14419	4
60	3	<	+	2	-4	4	-2	-6	10	1830	15679	4
61	1	>	+	1	-4	2	6	-10	16	95	499	8
61	2	>	+	2	-4	2	6	-10	16	1946	16879	8
61	3	<	+	1	4	-2	-6	10	-16	1689	14411	8
62	1	>	+	1	2	6	-10	16	-12	96	503	4
62	2	>	+	2	2	6	-10	16	-12	1947	16883	4
62	3	<	+	1	-2	-6	10	-16	12	1207	9787	4
63	1	>	+	1	-4	0	-4	4	4	102	557	10
63	2	>	+	2	-4	0	-4	4	4	813	6257	10
63	3	<	-	1	-4	0	-4	4	4	109	599	2
64	1	>	+	1	0	-4	4	4	-4	103	563	6
64	2	<	+	1	0	4	-4	-4	4	830	6367	6
64	3	<	-	1	0	-4	4	4	-4	108	593	6
65	1	>	+	1	-4	0	-4	4	0	107	587	10
65	2	>	+	2	-4	0	-4	4	0	2206	19457	10
66	1	>	+	1	4	0	-2	-2	10	110	601	2
66	2	<	+	1	-4	0	2	2	-10	555	4019	2
66	3	<	+	2	-4	0	2	2	-10	2928	26699	2
67	1	>	+	1	10	-2	-8	2	2	114	619	2
67	2	<	+	1	-10	2	8	-2	-2	4390	41981	2
67	3	<	+	2	-10	2	8	-2	-2	5729	56501	2
68	1	>	+	1	-2	-8	2	2	0	115	631	12
68	2	<	+	1	2	8	-2	-2	0	4389	41969	12

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for > g for <
69	1	>	+	1	-8	2	2	0	-4	116	641	10
69	2	>	+	2	-8	2	2	0	-4	2930	26711	10
69	3	>	-	1	8	-2	-2	0	4	1786	15289	2
69	4	>	-	2	8	-2	-2	0	4	9312	96739	2
69	5	<	+	1	8	-2	-2	0	4	6567	65719	10
69	6	<	-	1	-8	2	2	0	-4	6007	59417	2
70	1	>	+	1	2	2	0	-4	10	117	643	2
70	2	<	+	1	-2	-2	0	4	-10	6566	65717	2
71	1	>	+	1	2	0	-4	10	-8	118	647	4
71	2	>	+	2	2	0	-4	10	-8	962	7577	4
72	1	>	+	1	0	-4	10	-8	2	119	653	6
72	2	>	+	2	0	-4	10	-8	2	8059	82463	6
73	1	>	+	1	10	-8	2	2	2	121	661	2
73	2	>	+	2	10	-8	2	2	2	1795	15361	2
73	3	>	+	3	10	-8	2	2	2	4665	44893	6
73	4	>	-	1	-10	8	-2	-2	-2	4312	41201	12
73	5	>	-	2	-10	8	-2	-2	-2	5364	52541	12
74	1	>	+	1	2	-2	-2	0	-2	127	709	8
74	2	>	-	1	-2	2	2	0	2	182	1091	4
74	3	<	+	1	-2	2	2	0	2	1995	17351	8
74	4	<	-	1	2	-2	-2	0	-2	391	2689	4
74	5	<	-	2	2	-2	-2	0	-2	2684	24109	4
75	1	>	+	1	-2	-2	0	-2	4	128	719	10
75	2	<	-	1	-2	-2	0	-2	4	390	2687	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
76	1	>	+	1	-2	0	-2	4	-2	129	727	8
76	2	<	+	1	2	0	2	-4	2	1493	12503	8
77	1	>	+	1	0	-2	4	-2	-2	130	733	6
77	2	>	+	2	0	-2	4	-2	-2	2111	18433	6
78	1	>	+	1	-2	-2	4	-4	10	133	751	8
78	2	>	+	2	-2	-2	4	-4	10	974	7681	8
79	1	>	+	1	-4	10	-4	2	-10	136	769	8
79	2	>	+	2	-4	10	-4	2	-10	401	2749	8
80	1	>	+	1	-4	2	-10	8	-8	138	787	14
80	2	>	+	2	-4	2	-10	8	-8	7426	75367	14
81	1	>	+	1	2	-10	8	-8	2	139	797	10
81	2	>	+	2	2	-10	8	-8	2	2883	26237	10
81	3	>	+	3	2	-10	8	-8	2	7427	75377	10
82	1	>	+	1	-10	-2	2	10	-10	147	853	14
82	2	<	+	1	10	2	-2	-10	10	1042	8297	14
83	1	>	+	1	-2	2	10	-10	-2	148	857	4
83	2	<	+	1	2	-2	-10	10	2	153	883	4
84	1	>	+	1	-10	-2	2	16	-16	151	877	14
84	2	<	+	1	10	2	-2	-16	16	1281	10463	14
84	3	<	+	2	10	2	-2	-16	16	4017	37997	14
85	1	>	+	1	2	-2	-4	2	0	157	919	8
85	2	<	-	1	2	-2	-4	2	0	8924	92383	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
86	1	>	+	1	-4	2	0	8	-10	159	937	8
86	2	>	+	2	-4	2	0	8	-10	1292	10597	8
87	1	>	+	1	0	8	-10	2	0	161	947	6
87	2	>	+	2	0	8	-10	2	0	1426	11903	6
87	3	>	+	3	0	8	-10	2	0	1839	15767	6
88	1	>	+	1	-10	2	0	2	-2	163	967	14
88	2	>	+	2	-10	2	0	2	-2	6199	61627	14
89	1	>	+	1	2	0	2	-2	6	164	971	4
89	2	<	+	1	-2	0	-2	2	-6	1546	12979	4
90	1	>	+	1	0	2	-2	6	-8	165	977	6
90	2	>	+	2	0	2	-2	6	-8	762	5807	6
90	3	>	+	3	0	2	-2	6	-8	3888	36677	6
91	1	>	+	1	2	-2	6	-8	2	166	983	6
91	2	>	+	2	2	-2	6	-8	2	763	5813	6
92	1	>	+	1	-2	6	-8	2	-4	167	991	8
92	2	>	+	2	-2	6	-8	2	-4	764	5821	8
92	3	<	+	1	2	-6	8	-2	4	3120	28649	8
93	1	>	+	1	-4	8	-8	4	4	171	1019	6
93	2	>	+	2	-4	8	-8	4	4	2052	17909	6
93	3	>	+	3	-4	8	-8	4	4	4185	39827	6
93	4	>	+	4	-4	8	-8	4	4	9348	97157	6
93	5	<	+	1	4	-8	8	-4	-4	8511	87643	6
93	6	<	-	1	-4	8	-8	4	4	3881	36599	8
94	1	>	+	1	8	-8	4	4	-8	172	1021	2
94	2	>	+	2	8	-8	4	4	-8	3325	30841	2
94	3	>	-	1	-8	8	-4	-4	8	581	4241	10

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
94	4	<	+	1	-8	8	-4	-4	8	586	4271	2
94	5	<	-	1	8	-8	4	4	-8	177	1051	10
94	6	<	-	2	8	-8	4	4	-8	3330	30871	10
95	1	>	+	1	4	4	-8	8	-8	174	1033	2
95	2	>	-	1	-4	-4	8	-8	8	576	4211	10
95	3	>	-	2	-4	-4	8	-8	8	583	4253	10
95	4	>	-	3	-4	-4	8	-8	8	9231	95783	10
95	5	<	+	1	-4	-4	8	-8	8	584	4259	2
95	6	<	-	1	4	4	-8	8	-8	866	6709	10
95	7	<	-	2	4	4	-8	8	-8	3328	30859	10
96	1	>	+	1	-8	4	12	-14	-2	178	1061	10
96	2	>	+	2	-8	4	12	-14	-2	2519	22541	10
97	1	>	+	1	4	12	-14	-2	2	179	1063	2
97	2	>	+	2	4	12	-14	-2	2	8750	90373	2
98	1	>	+	1	12	-14	-2	2	2	180	1069	6
98	2	<	+	1	-12	14	2	-2	-2	998	7901	6
99	1	>	+	1	2	2	0	2	-2	183	1093	2
99	2	<	+	1	-2	-2	0	-2	2	2300	20357	2
99	3	<	+	2	-2	-2	0	-2	2	2683	24107	2
100	1	>	+	1	2	0	2	-2	0	184	1097	4
100	2	>	+	2	2	0	2	-2	0	4896	47501	4
100	3	<	+	1	-2	0	-2	2	0	2682	24103	4
101	1	>	+	1	2	-2	0	16	-20	186	1109	6
101	2	>	+	2	2	-2	0	16	-20	3852	36299	6
102	1	>	+	1	-2	0	16	-20	8	187	1117	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
102	2	>	+	2	-2	0	16	-20	8	3853	36307	8
103	1	>	+	1	-20	8	-2	2	-4	190	1151	22
103	2	<	+	1	20	-8	2	-2	4	9320	96799	22
104	1	>	+	1	8	-2	2	-4	0	191	1153	2
104	2	>	+	2	8	-2	2	-4	0	949	7489	2
104	3	>	+	3	8	-2	2	-4	0	6000	59359	2
104	4	<	+	1	-8	2	-2	4	0	9319	96797	2
105	1	>	+	1	-2	2	-4	0	2	192	1163	10
105	2	>	+	2	-2	2	-4	0	2	950	7499	10
105	3	>	+	3	-2	2	-4	0	2	6001	59369	10
105	4	<	+	1	2	-2	4	0	-2	9318	96787	10
106	1	>	+	1	0	-4	4	6	-2	200	1223	6
106	2	>	+	2	0	-4	4	6	-2	2011	17483	6
106	3	<	+	1	0	4	-4	-6	2	8670	89527	6
107	1	>	+	1	6	-2	8	-16	2	203	1237	6
107	2	>	+	2	6	-2	8	-16	2	9562	99667	6
108	1	>	+	1	-2	8	-16	2	2	204	1249	12
108	2	>	+	2	-2	8	-16	2	2	9563	99679	12
109	1	>	+	1	8	-16	2	2	-4	205	1259	10
109	2	>	+	2	8	-16	2	2	-4	9564	99689	10
109	3	<	+	1	-8	16	-2	-2	4	2117	18481	12
109	4	<	+	2	-8	16	-2	-2	4	9171	95131	12
110	1	>	+	1	-2	-2	2	8	-10	211	1297	6
110	2	>	+	2	-2	-2	2	8	-10	1617	13687	6
110	3	>	+	3	-2	-2	2	8	-10	6271	62467	8
110	4	<	+	1	2	2	-2	-8	10	3573	33353	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
110	5	<	+	2	2	2	-2	-8	10	3603	33623	6
111	1	>	+	1	8	-10	4	28	-28	214	1307	4
111	2	<	+	1	-8	10	-4	-28	28	3696	34603	4
112	1	>	+	1	-10	4	28	-28	0	215	1319	12
112	2	<	+	1	10	-4	-28	28	0	3695	34591	12
113	1	>	+	1	-10	-2	2	2	2	224	1423	14
113	2	<	+	1	10	2	-2	-2	-2	8590	88667	14
114	1	>	+	1	-2	2	2	2	-4	225	1427	4
114	2	>	+	2	-2	2	2	2	-4	390	2687	4
114	3	>	+	3	-2	2	2	2	-4	3601	33617	4
114	4	>	-	1	2	-2	-2	-2	4	1416	11813	6
114	5	<	+	1	2	-2	-2	-2	4	927	7247	6
114	6	<	-	1	-2	2	2	2	-4	3442	32077	6
115	1	>	+	1	2	2	2	-4	-2	226	1429	2
115	2	>	+	2	2	2	2	-4	-2	391	2689	2
116	1	>	+	1	2	2	-4	-2	4	227	1433	4
116	2	>	+	2	2	2	-4	-2	4	392	2693	4
117	1	>	+	1	-4	-2	4	6	-2	229	1447	8
117	2	<	+	1	4	2	-4	-6	2	1018	8093	8
118	1	>	+	1	6	-2	-8	2	-2	232	1459	6
118	2	<	+	1	-6	2	8	-2	2	291	1901	6
118	3	<	+	2	-6	2	8	-2	2	1838	15761	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for > g for <
119	1	>	+	1	-2	-8	2	-2	2	233	1471	12
119	2	<	+	1	2	8	-2	2	-2	290	1889	12
119	3	<	+	2	2	8	-2	2	-2	1837	15749	12
120	1	>	+	1	-8	2	-2	2	2	234	1481	10
120	2	<	+	1	8	-2	2	-2	-2	289	1879	10
120	3	<	+	2	8	-2	2	-2	-2	746	5659	10
121	1	>	+	1	-4	4	-6	-2	2	241	1523	12
121	2	>	+	2	-4	4	-6	-2	2	6395	63773	12
122	1	>	+	1	4	-6	-2	2	2	242	1531	8
122	2	<	+	1	-4	6	2	-2	-2	3973	37529	8
123	1	>	+	1	-6	-2	2	2	-4	243	1543	12
123	2	<	+	1	6	2	-2	-2	4	2404	21407	12
123	3	<	+	2	6	2	-2	-2	4	3972	37517	12
124	1	>	+	1	2	2	-4	4	-4	245	1553	4
124	2	<	-	1	2	2	-4	4	-4	1084	8699	8
125	1	>	+	1	2	-4	4	-4	10	246	1559	6
125	2	>	+	2	2	-4	4	-4	10	1729	14759	6
126	1	>	+	1	4	-4	10	-10	2	248	1571	4
126	2	>	+	2	4	-4	10	-10	2	7382	74861	4
127	1	>	+	1	-4	10	-10	2	-4	249	1579	8
127	2	>	+	2	-4	10	-10	2	-4	9142	94819	8
128	1	>	+	1	10	-10	2	-4	2	250	1583	4
128	2	>	+	2	10	-10	2	-4	2	1487	12457	6
128	3	>	+	3	10	-10	2	-4	2	4043	38303	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
128	4	<	+	1	-10	10	-2	4	-2	2414	21517	4
128	5	<	+	2	-10	10	-2	4	-2	6769	67957	4
129	1	>	+	1	-10	2	-4	2	2	251	1597	14
129	2	<	+	1	10	-2	4	-2	-2	2413	21503	14
130	1	>	+	1	2	2	-4	4	4	254	1609	2
130	2	>	+	2	2	2	-4	4	4	493	3529	2
130	3	>	+	3	2	2	-4	4	4	9210	95539	8
130	4	>	+	4	2	2	-4	4	4	9363	97369	2
130	5	<	+	1	-2	-2	4	-4	-4	7801	79627	4
131	1	>	+	1	2	-4	4	4	10	255	1613	4
131	2	>	+	2	2	-4	4	4	10	1467	12269	6
132	1	>	+	1	-2	-2	22	-20	-2	261	1663	6
132	2	>	+	2	-2	-2	22	-20	-2	8500	87553	6
133	1	>	+	1	-2	8	2	-10	8	265	1697	4
133	2	>	+	2	-2	8	2	-10	8	5908	58367	4
134	1	>	+	1	8	2	-10	8	-2	266	1699	2
134	2	>	+	2	8	2	-10	8	-2	5909	58369	2
135	1	>	+	1	2	-10	8	-2	-2	267	1709	10
135	2	>	+	2	2	-10	8	-2	-2	5910	58379	10
135	3	>	-	1	-2	10	-8	2	2	4664	44887	8
136	1	>	+	1	-2	10	-2	2	-4	277	1787	4
136	2	<	-	1	-2	10	-2	2	-4	6209	61703	14
137	1	>	+	1	10	-2	2	-4	8	278	1789	2
137	2	>	-	1	-10	2	-2	4	-8	2353	20921	18

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
138	1	>	+	1	-2	2	-4	8	-2	279	1801	12
138	2	>	-	1	2	-2	4	-8	2	661	4943	6
139	1	>	+	1	-2	8	2	-6	0	288	1877	4
139	2	>	+	2	-2	8	2	-6	0	1835	15737	4
139	3	<	-	1	-2	8	2	-6	0	2142	18773	14
140	1	>	+	1	-2	-2	-2	2	4	300	1987	8
140	2	<	-	1	-2	-2	-2	2	4	9294	96493	4
141	1	>	+	1	-2	-2	2	4	-2	301	1993	6
141	2	>	-	1	2	2	-2	-4	2	5143	50093	6
141	3	<	-	1	-2	-2	2	4	-2	520	3727	6
141	4	<	-	2	-2	-2	2	4	-2	9293	96487	6
142	1	>	+	1	-2	2	4	-2	4	302	1997	4
142	2	>	+	2	-2	2	4	-2	4	2201	19427	4
142	3	>	-	1	2	-2	-4	2	-4	5144	50101	8
142	4	<	+	1	2	-2	-4	2	-4	3827	36013	4
143	1	>	+	1	2	4	-2	4	-8	303	1999	2
143	2	>	-	1	-2	-4	2	-4	8	6678	67033	12
144	1	>	+	1	4	-2	4	-8	8	304	2003	4
144	2	>	-	1	-4	2	-4	8	-8	955	7537	8
144	3	>	-	2	-4	2	-4	8	-8	3594	33577	8
144	4	>	-	3	-4	2	-4	8	-8	8738	90217	14
144	5	<	+	1	-4	2	-4	8	-8	1468	12277	4
145	1	>	+	1	6	-10	2	-2	8	312	2069	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
145	2	>	+	2	6	-10	2	-2	8	7589	77249	6
146	1	>	+	1	-10	2	-2	8	2	313	2081	12
146	2	>	+	2	-10	2	-2	8	2	7590	77261	12
146	3	<	-	1	-10	2	-2	8	2	3099	28493	6
147	1	>	+	1	-2	8	2	-10	14	315	2087	4
147	2	>	+	2	-2	8	2	-10	14	4387	41957	4
148	1	>	+	1	8	2	-10	14	-14	316	2089	2
148	2	<	-	1	8	2	-10	14	-14	6641	66601	16
149	1	>	+	1	2	-10	14	-14	4	317	2099	10
149	2	>	+	2	2	-10	14	-14	4	4070	38639	10
149	3	<	-	1	2	-10	14	-14	4	6640	66593	8
150	1	>	+	1	-10	14	-14	4	-2	318	2111	12
150	2	>	+	2	-10	14	-14	4	-2	1923	16631	12
150	3	>	+	3	-10	14	-14	4	-2	2693	24197	16
151	1	>	+	1	4	-2	-2	8	-2	321	2131	2
151	2	<	+	1	-4	2	2	-8	2	4133	39239	2
152	1	>	+	1	10	6	-20	2	2	326	2161	8
152	2	<	+	1	-10	-6	20	-2	-2	4965	48239	8
153	1	>	+	1	6	-20	2	2	8	327	2179	18
153	2	<	+	1	-6	20	-2	-2	-8	4964	48221	18
154	1	>	+	1	-14	2	4	-2	0	336	2267	16
154	2	>	+	2	-14	2	4	-2	0	6543	65537	16
154	3	<	+	1	14	-2	-4	2	0	1261	10273	16

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
155	1	>	+	1	2	4	-2	0	-2	337	2269	2
155	2	>	+	2	2	4	-2	0	-2	385	2659	2
155	3	>	+	3	2	4	-2	0	-2	8834	91369	2
155	4	<	+	1	-2	-4	2	0	2	1260	10271	2
155	5	<	+	2	-2	-4	2	0	2	8923	92381	2
156	1	>	+	1	-2	0	-2	8	-10	339	2281	8
156	2	<	+	1	2	0	2	-8	10	8065	82499	8
157	1	>	+	1	-4	4	-2	2	8	346	2339	6
157	2	>	+	2	-4	4	-2	2	8	4351	41609	6
158	1	>	+	1	4	-2	2	8	-8	347	2341	2
158	2	>	+	2	4	-2	2	8	-8	4352	41611	2
158	3	>	+	3	4	-2	2	8	-8	4799	46441	2
159	1	>	+	1	-2	2	8	-8	-2	348	2347	6
159	2	>	+	2	-2	2	8	-8	-2	4353	41617	6
160	1	>	+	1	-8	-2	-2	4	-2	351	2371	14
160	2	>	+	2	-8	-2	-2	4	-2	2408	21481	14
161	1	>	+	1	-2	4	-2	2	6	353	2381	4
161	2	<	+	1	2	-4	2	-2	-6	8718	90019	4
162	1	>	+	1	4	-2	2	6	-6	354	2383	2
162	2	<	+	1	-4	2	-2	-6	6	8717	90017	2
163	1	>	+	1	-2	2	6	-6	0	355	2389	6
163	2	<	+	1	2	-2	-6	6	0	1090	8741	6
163	3	<	+	2	2	-2	-6	6	0	8716	90011	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
164	1	>	+	1	2	6	-6	0	8	356	2393	4
164	2	<	+	1	-2	-6	6	0	-8	8715	90007	4
165	1	>	+	1	6	-6	0	8	-10	357	2399	6
165	2	>	-	1	-6	6	0	-8	10	5511	54133	12
165	3	<	+	1	-6	6	0	-8	10	6754	67801	6
165	4	<	+	2	-6	6	0	-8	10	8714	90001	6
166	1	>	+	1	-6	0	8	-10	2	358	2411	12
166	2	>	+	2	-6	0	8	-10	2	1838	15761	12
166	3	>	-	1	6	0	-8	10	-2	5512	54139	6
167	1	>	+	1	-10	2	6	-4	-2	361	2437	14
167	2	>	+	2	-10	2	6	-4	-2	6769	67957	14
167	3	>	-	1	10	-2	-6	4	2	2740	24767	4
168	1	>	+	1	-2	-4	2	-4	4	370	2531	10
168	2	>	+	2	-2	-4	2	-4	4	4707	45361	18
168	3	>	-	1	2	4	-2	4	-4	2202	19429	2
168	4	<	-	1	-2	-4	2	-4	4	3826	36011	2
169	1	>	+	1	-8	-4	8	2	-4	379	2609	16
169	2	>	-	1	8	4	-8	-2	4	746	5659	2
170	1	>	+	1	2	-4	-8	2	4	382	2633	12
170	2	<	+	1	-2	4	8	-2	-4	4148	39397	12
171	1	>	+	1	-4	-8	2	4	-2	383	2647	14
171	2	>	+	2	-4	-8	2	4	-2	8038	82207	14
172	1	>	+	1	-2	-2	2	2	2	389	2683	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
172	2	>	+	2	-2	-2	2	2	2	5663	55813	6
172	3	>	-	1	2	2	-2	-2	-2	4437	42437	4
172	4	>	-	2	2	2	-2	-2	-2	4861	47123	4
172	5	<	+	1	2	2	-2	-2	-2	2787	25253	8
172	6	<	+	2	2	2	-2	-2	-2	4443	42467	6
172	7	<	+	3	2	2	-2	-2	-2	4609	44273	6
172	8	<	+	4	2	2	-2	-2	-2	5666	55823	6
173	1	>	+	1	2	-4	-2	4	4	393	2699	6
173	2	>	+	2	2	-4	-2	4	4	4462	42689	6
173	3	<	+	1	-2	4	2	-4	-4	1966	17041	6
173	4	<	-	1	2	-4	-2	4	4	3744	35111	6
174	1	>	+	1	-4	-2	4	4	-8	394	2707	8
174	2	<	+	1	4	2	-4	-4	8	3542	33037	12
175	1	>	+	1	-2	4	4	-8	8	395	2711	4
175	2	<	+	1	2	-4	-4	8	-8	6717	67429	4
176	1	>	+	1	4	4	-8	8	-2	396	2713	2
176	2	>	+	2	4	4	-8	8	-2	1783	15271	2
176	3	>	-	1	-4	-4	8	-8	2	1164	9413	10
176	4	<	+	1	-4	-4	8	-8	2	6716	67427	2
177	1	>	+	1	10	-4	2	-10	4	402	2753	4
177	2	<	-	1	10	-4	2	-10	4	2470	22039	12
178	1	>	+	1	-10	4	-2	-2	14	405	2789	12
178	2	>	+	2	-10	4	-2	-2	14	3899	36779	12
179	1	>	+	1	-2	-10	2	2	-2	410	2819	16
179	2	>	+	2	-2	-10	2	2	-2	1720	14699	16

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
179	3	>	+	3	-2	-10	2	2	-2	4001	37831	18
180	1	>	+	1	-10	2	2	-2	-2	411	2833	14
180	2	>	+	2	-10	2	2	-2	-2	1721	14713	14
180	3	>	+	3	-10	2	2	-2	-2	7043	71143	14
181	1	>	+	1	2	-4	0	2	2	418	2887	8
181	2	>	+	2	2	-4	0	2	2	6002	59377	8
181	3	<	+	1	-2	4	0	-2	-2	9317	96779	8
182	1	>	+	1	0	2	2	2	2	420	2903	6
182	2	>	+	2	0	2	2	2	2	1596	13463	6
183	1	>	+	1	2	2	2	-10	2	422	2917	8
183	2	<	-	1	2	2	2	-10	2	661	4943	8
184	1	>	+	1	2	2	-10	2	0	423	2927	10
184	2	<	+	1	-2	-2	10	-2	0	8841	91423	10
185	1	>	+	1	2	-10	2	0	-4	424	2939	12
185	2	<	+	1	-2	10	-2	0	4	2971	27091	12
186	1	>	+	1	-2	-4	10	-10	4	432	3011	10
186	2	>	+	2	-2	-4	10	-10	4	8377	86171	10
187	1	>	+	1	-22	-2	10	-6	-2	447	3163	26
187	2	>	+	2	-22	-2	10	-6	-2	5111	49783	26
188	1	>	+	1	-2	10	-6	-2	8	448	3167	4
188	2	>	+	2	-2	10	-6	-2	8	5112	49787	4
189	1	>	+	1	10	-6	-2	8	-6	449	3169	2
189	2	>	+	2	10	-6	-2	8	-6	9095	94309	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
190	1	>	+	1	-6	-2	8	-6	2	450	3181	12
190	2	<	+	1	6	2	-8	6	-2	1142	9209	12
190	3	<	+	2	6	2	-8	6	-2	1214	9839	12
191	1	>	+	1	-2	8	-6	2	-4	451	3187	6
191	2	>	+	2	-2	8	-6	2	-4	2433	21673	12
191	3	>	+	3	-2	8	-6	2	-4	3117	28627	6
192	1	>	+	1	2	-4	4	14	-20	454	3209	6
192	2	<	+	1	-2	4	-4	-14	20	9554	99571	6
193	1	>	+	1	-4	4	14	-20	2	455	3217	8
193	2	>	+	2	-4	4	14	-20	2	3387	31477	8
193	3	<	+	1	4	-4	-14	20	-2	9553	99563	8
194	1	>	+	1	-2	10	16	-26	4	460	3257	4
194	2	>	+	2	-2	10	16	-26	4	3578	33409	6
195	1	>	+	1	4	0	0	-2	2	464	3301	2
195	2	>	+	2	4	0	0	-2	2	3253	30091	2
195	3	>	+	3	4	0	0	-2	2	5463	53611	2
195	4	>	-	1	-4	0	0	2	-2	821	6311	10
195	5	>	-	2	-4	0	0	2	-2	8229	84431	10
195	6	<	-	1	4	0	0	-2	2	8148	83449	10
196	1	>	+	1	0	0	-2	2	-4	465	3307	6
196	2	>	-	1	0	0	2	-2	4	822	6317	6
196	3	<	+	1	0	0	2	-2	4	7730	78803	6
196	4	<	-	1	0	0	-2	2	-4	8147	83443	6
197	1	>	+	1	-2	2	-4	10	-8	467	3319	6
197	2	>	+	2	-2	2	-4	10	-8	3915	36919	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
198	1	>	+	1	10	-8	8	-10	8	470	3331	2
198	2	>	+	2	10	-8	8	-10	8	3682	34471	2
199	1	>	+	1	-2	20	-14	4	-6	486	3467	4
199	2	>	+	2	-2	20	-14	4	-6	3260	30137	4
200	1	>	+	1	20	-14	4	-6	4	487	3469	2
200	2	>	+	2	20	-14	4	-6	4	3261	30139	2
201	1	>	+	1	-6	4	-8	2	2	490	3511	12
201	2	<	+	1	6	-4	8	-2	-2	8289	85109	12
202	1	>	+	1	4	-8	2	2	-4	491	3517	6
202	2	>	+	2	4	-8	2	2	-4	5844	57697	8
202	3	<	+	1	-4	8	-2	-2	4	2080	18143	6
202	4	<	+	2	-4	8	-2	-2	4	7210	72923	8
203	1	>	+	1	2	-4	4	4	-8	494	3533	4
203	2	>	+	2	2	-4	4	4	-8	1781	15263	4
203	3	<	+	1	-2	4	-4	-4	8	851	6577	4
203	4	<	-	1	2	-4	4	4	-8	8144	83423	8
204	1	>	+	1	-4	4	4	-8	10	495	3539	6
204	2	>	+	2	-4	4	4	-8	10	1481	12409	8
205	1	>	+	1	4	4	-8	10	-2	496	3541	2
205	2	>	+	2	4	4	-8	10	-2	7640	77723	4
206	1	>	+	1	4	-8	10	-2	-8	497	3547	6
206	2	<	-	1	4	-8	10	-2	-8	7124	71971	12
207	1	>	+	1	-8	10	-2	-8	8	498	3557	10

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
207	2	<	-	1	-8	10	-2	-8	8	7123	71963	8
208	1	>	+	1	8	4	-8	-2	2	502	3583	2
208	2	>	+	2	8	4	-8	-2	2	1310	10739	6
209	1	>	+	1	4	-8	-2	2	2	503	3593	10
209	2	<	-	1	4	-8	-2	2	2	1804	15443	8
210	1	>	+	1	-2	2	2	-2	0	505	3613	6
210	2	>	-	1	2	-2	-2	2	0	1723	14723	6
210	3	<	-	1	-2	2	2	-2	0	9227	95731	6
211	1	>	+	1	2	2	-2	0	10	506	3617	4
211	2	>	+	2	2	2	-2	0	10	2641	23747	4
212	1	>	+	1	2	-2	0	10	-4	507	3623	6
212	2	>	+	2	2	-2	0	10	-4	2642	23753	6
213	1	>	+	1	-2	0	10	-4	-10	508	3631	8
213	2	>	+	2	-2	0	10	-4	-10	2510	22441	8
214	1	>	+	1	0	10	-4	-10	2	509	3637	6
214	2	>	+	2	0	10	-4	-10	2	7824	79867	6
215	1	>	+	1	-10	2	10	-8	-2	512	3671	12
215	2	<	+	1	10	-2	-10	8	2	7460	75709	12
216	1	>	+	1	10	-8	-2	4	2	514	3677	4
216	2	<	-	1	10	-8	-2	4	2	4250	40531	12
217	1	>	+	1	4	2	-2	-2	0	517	3701	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
217	2	<	-	1	4	2	-2	-2	0	2685	24113	8
218	1	>	+	1	-2	0	16	-16	-4	520	3727	8
218	2	<	+	1	2	0	-16	16	4	7762	79193	8
219	1	>	+	1	-16	8	4	-10	-2	530	3821	18
219	2	<	+	1	16	-8	-4	10	2	6926	69859	18
220	1	>	+	1	8	4	-10	4	10	535	3853	2
220	2	>	+	2	8	4	-10	4	10	9061	93913	2
220	3	<	+	1	-8	-4	10	-4	-10	4701	45317	2
221	1	>	+	1	4	-10	4	10	-14	536	3863	10
221	2	>	+	2	4	-10	4	10	-14	9062	93923	10
221	3	<	+	1	-4	10	-4	-10	14	4700	45307	10
222	1	>	+	1	2	2	-4	10	-8	543	3919	2
222	2	>	+	2	2	2	-4	10	-8	644	4789	2
222	3	>	+	3	2	2	-4	10	-8	3025	27739	2
222	4	>	-	1	-2	-2	4	-10	8	7644	77761	14
222	5	<	+	1	-2	-2	4	-10	8	8126	83231	2
223	1	>	+	1	16	2	-10	-10	2	548	3947	4
223	2	>	+	2	16	2	-10	-10	2	5248	51287	4
224	1	>	+	1	-10	-10	2	2	0	550	3989	22
224	2	>	+	2	-10	-10	2	2	0	2923	26669	22
225	1	>	+	1	2	0	-4	4	16	553	4007	4
225	2	>	+	2	2	0	-4	4	16	2932	26717	4
226	1	>	+	1	4	6	4	-14	2	564	4093	2
226	2	>	+	2	4	6	4	-14	2	4305	41143	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
227	1	>	+	1	6	4	-14	2	2	565	4099	6
227	2	>	+	2	6	4	-14	2	2	4306	41149	6
228	1	>	+	1	4	-14	2	2	8	566	4111	12
228	2	>	+	2	4	-14	2	2	8	7904	80761	12
229	1	>	+	1	-14	2	2	8	-10	567	4127	16
229	2	<	+	1	14	-2	-2	-8	10	5274	51521	18
230	1	>	+	1	2	2	8	-10	-2	568	4129	2
230	2	>	+	2	2	2	8	-10	-2	6010	59443	2
230	3	<	+	1	-2	-2	-8	10	2	9493	98897	2
231	1	>	+	1	2	8	-10	-2	16	569	4133	4
231	2	<	+	1	-2	-8	10	2	-16	9492	98893	4
232	1	>	+	1	-14	-4	-4	8	-8	575	4201	24
232	2	>	+	2	-14	-4	-4	8	-8	8506	87613	24
233	1	>	+	1	-4	8	-8	8	-8	577	4217	6
233	2	>	+	2	-4	8	-8	8	-8	8811	91127	6
233	3	<	+	1	4	-8	8	-8	8	8816	91153	6
233	4	<	-	1	-4	8	-8	8	-8	583	4253	6
234	1	>	+	1	-20	-8	8	-2	-2	591	4327	30
234	2	<	+	1	20	8	-8	2	2	3085	28319	30
235	1	>	+	1	8	-2	-2	4	8	593	4339	2
235	2	>	+	2	8	-2	-2	4	8	9498	98929	2
236	1	>	+	1	-10	16	-12	-2	2	601	4421	12

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
236	2	>	+	2	-10	16	-12	-2	2	1949	16901	12
236	3	<	+	1	10	-16	12	2	-2	1205	9769	12
237	1	>	+	1	16	-12	-2	2	0	602	4423	2
237	2	>	+	2	16	-12	-2	2	0	1950	16903	2
237	3	>	+	3	16	-12	-2	2	0	7673	78139	2
238	1	>	+	1	12	-16	8	4	-8	607	4463	6
238	2	<	+	1	-12	16	-8	-4	8	5752	56731	6
239	1	>	+	1	4	-8	-2	-2	2	610	4493	10
239	2	>	+	2	4	-8	-2	-2	2	2803	25423	12
239	3	>	+	3	4	-8	-2	-2	2	3936	37139	16
239	4	>	+	4	4	-8	-2	-2	2	4376	41863	12
240	1	>	+	1	-2	-2	2	20	-22	612	4513	6
240	2	>	+	2	-2	-2	2	20	-22	4640	44641	8
241	1	>	+	1	-14	2	2	-4	4	625	4637	16
241	2	<	+	1	14	-2	-2	4	-4	8518	87701	18
242	1	>	+	1	2	-4	4	0	4	627	4643	4
242	2	>	-	1	-2	4	-4	0	-4	2204	19441	8
243	1	>	+	1	-2	2	2	-4	10	643	4787	4
243	2	>	+	2	-2	2	2	-4	10	3024	27737	4
243	3	>	+	3	-2	2	2	-4	10	4607	44267	4
243	4	<	+	1	2	-2	-2	4	-10	7897	80683	4
244	1	>	+	1	2	-4	10	-8	10	645	4793	4
244	2	>	+	2	2	-4	10	-8	10	1053	8423	4
245	1	>	+	1	6	2	-8	4	2	653	4877	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
245	2	>	-	1	-6	-2	8	-4	-2	1206	9781	12
246	1	>	+	1	-8	4	2	-10	2	655	4903	14
246	2	>	+	2	-8	4	2	-10	2	9514	99103	14
247	1	>	+	1	4	2	-10	2	2	656	4909	6
247	2	>	+	2	4	2	-10	2	2	5037	49009	6
248	1	>	+	1	-10	2	2	2	-2	658	4931	12
248	2	<	+	1	10	-2	-2	-2	2	716	5419	12
248	3	<	+	2	10	-2	-2	-2	2	4866	47149	12
249	1	>	+	1	2	2	2	-2	4	659	4933	2
249	2	>	-	1	-2	-2	-2	2	-4	2565	23003	10
250	1	>	+	1	-2	4	-8	2	10	662	4951	8
250	2	<	+	1	2	-4	8	-2	-10	3668	34319	8
251	1	>	+	1	4	-8	2	10	-8	663	4957	6
251	2	>	+	2	4	-8	2	10	-8	4542	43597	6
252	1	>	+	1	2	10	-8	0	-2	665	4969	2
252	2	<	+	1	-2	-10	8	0	2	1907	16451	2
252	3	<	+	2	-2	-10	8	0	2	2279	20147	2
253	1	>	+	1	10	-8	0	-2	2	666	4973	4
253	2	<	+	1	-10	8	0	2	-2	1906	16447	4
253	3	<	+	2	-10	8	0	2	-2	2278	20143	4
254	1	>	+	1	0	-2	2	-4	8	668	4993	6
254	2	>	-	1	0	2	-2	4	-8	6109	60617	6
254	3	<	+	1	0	2	-2	4	-8	897	6977	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
255	1	>	+	1	2	-4	8	-8	14	670	5003	4
255	2	>	+	2	2	-4	8	-8	14	771	5861	4
256	1	>	+	1	8	-8	14	-4	-4	672	5011	2
256	2	>	+	2	8	-8	14	-4	-4	2069	18049	2
257	1	>	+	1	2	6	-10	4	0	679	5081	4
257	2	>	+	2	2	6	-10	4	0	5896	58211	4
258	1	>	+	1	-10	4	0	0	22	681	5099	12
258	2	<	+	1	10	-4	0	0	-22	5693	56101	12
259	1	>	+	1	-2	2	20	-12	-6	695	5231	4
259	2	<	+	1	2	-2	-20	12	6	5239	51199	4
260	1	>	+	1	-6	-4	14	-10	0	699	5273	12
260	2	<	+	1	6	4	-14	10	0	6551	65587	12
261	1	>	+	1	-4	14	-10	0	8	700	5279	6
261	2	>	-	1	4	-14	10	0	-8	9250	95971	12
262	1	>	+	1	0	0	2	-2	-2	710	5387	6
262	2	>	+	2	0	0	2	-2	-2	8230	84437	6
262	3	<	-	1	0	0	2	-2	-2	1728	14753	6
263	1	>	+	1	-2	10	-6	-2	-2	715	5417	4
263	2	<	+	1	2	-10	6	2	2	3467	32323	4
263	3	<	+	2	2	-10	6	2	2	7591	77263	4
264	1	>	+	1	10	-6	-2	-2	4	716	5419	2
264	2	>	+	2	10	-6	-2	-2	4	3976	37549	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
265	1	>	+	1	-2	4	16	-16	-4	719	5441	4
265	2	>	+	2	-2	4	16	-16	-4	3803	35801	4
265	3	>	+	3	-2	4	16	-16	-4	9227	95731	8
265	4	<	+	1	2	-4	-16	16	4	724	5479	4
265	5	<	+	2	2	-4	-16	16	4	1628	13759	4
266	1	>	+	1	16	-16	-4	2	14	721	5449	6
266	2	>	+	2	16	-16	-4	2	14	1625	13729	6
267	1	>	+	1	14	-16	2	8	-10	725	5483	4
267	2	>	+	2	14	-16	2	8	-10	7454	75659	6
267	3	<	+	1	-14	16	-2	-8	10	3140	28837	6
268	1	>	+	1	-14	4	-2	-2	2	740	5639	16
268	2	>	+	2	-14	4	-2	-2	2	8880	91939	18
268	3	>	+	3	-14	4	-2	-2	2	9025	93479	16
269	1	>	+	1	4	2	-4	0	2	759	5783	4
269	2	<	+	1	-4	-2	4	0	-2	2382	21187	4
270	1	>	+	1	2	-4	0	2	-2	760	5791	8
270	2	<	+	1	-2	4	0	-2	2	2381	21179	8
271	1	>	+	1	-4	0	2	-2	6	761	5801	10
271	2	>	-	1	4	0	-2	2	-6	3844	36217	8
272	1	>	+	1	-8	2	-4	4	-2	766	5839	12
272	2	>	+	2	-8	2	-4	4	-2	7480	75979	12
273	1	>	+	1	2	-4	4	-2	2	767	5843	4
273	2	>	-	1	-2	4	-4	2	-2	6203	61651	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
273	3	<	+	1	-2	4	-4	2	-2	3475	32377	4
273	4	<	-	1	2	-4	4	-2	2	3824	35999	8
273	5	<	-	2	2	-4	4	-2	2	6206	61673	8
274	1	>	+	1	-4	4	-2	2	-4	768	5849	6
274	2	>	+	2	-4	4	-2	2	-4	5259	51419	6
274	3	>	-	1	4	-4	2	-2	4	6346	63337	6
275	1	>	+	1	4	-2	2	-4	8	769	5851	2
275	2	>	+	2	4	-2	2	-4	8	5260	51421	2
275	3	>	-	1	-4	2	-2	4	-8	4869	47207	18
275	4	<	-	1	4	-2	2	-4	8	5974	59083	10
276	1	>	+	1	-8	14	-10	14	-16	774	5879	10
276	2	>	+	2	-8	14	-10	14	-16	5243	51239	10
277	1	>	+	1	14	-10	-2	-2	2	785	6011	4
277	2	<	+	1	-14	10	2	2	-2	5408	52999	4
278	1	>	+	1	8	2	-4	2	-8	795	6091	2
278	2	<	+	1	-8	-2	4	-2	8	8210	84221	2
279	1	>	+	1	2	-4	2	-8	8	796	6101	10
279	2	>	+	2	2	-4	2	-8	8	6730	67547	10
279	3	<	+	1	-2	4	-2	8	-8	803	6163	10
279	4	<	+	2	-2	4	-2	8	-8	8968	92821	10
280	1	>	+	1	-4	2	-8	8	-2	797	6113	12
280	2	<	+	1	4	-2	8	-8	2	802	6151	12
281	1	>	+	1	2	4	-2	-2	4	806	6199	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
281	2	>	-	1	-2	-4	2	2	-4	1246	10151	10
281	3	<	+	1	-2	-4	2	2	-4	3518	32801	2
282	1	>	+	1	4	4	2	-10	8	816	6271	2
282	2	>	+	2	4	4	2	-10	8	8947	92641	2
282	3	>	-	1	-4	-4	-2	10	-8	4662	44867	16
283	1	>	+	1	0	2	-2	4	-4	823	6323	6
283	2	>	+	2	0	2	-2	4	-4	6201	61637	6
283	3	<	+	1	0	-2	2	-4	4	8146	83437	6
284	1	>	+	1	2	-2	4	-4	-4	824	6329	6
284	2	<	+	1	-2	2	-4	4	4	8145	83431	6
284	3	<	-	1	2	-2	4	-4	-4	4989	48491	6
285	1	>	+	1	4	0	0	4	-2	829	6361	2
285	2	>	+	2	4	0	0	4	-2	6386	63691	2
285	3	<	+	1	-4	0	0	-4	2	7441	75539	2
286	1	>	+	1	0	0	4	-2	16	830	6367	6
286	2	<	+	1	0	0	-4	2	-16	7440	75533	6
287	1	>	+	1	-14	-2	8	-4	-4	845	6547	18
287	2	<	+	1	14	2	-8	4	4	3618	33773	18
288	1	>	+	1	-4	-4	4	-2	14	848	6563	10
288	2	<	+	1	4	4	-4	2	-14	1784	15277	10
289	1	>	+	1	-4	4	-2	14	-10	849	6569	6
289	2	<	+	1	4	-4	2	-14	10	1783	15271	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
290	1	>	+	1	-4	10	-6	4	-8	858	6659	6
290	2	>	+	2	-4	10	-6	4	-8	1431	11939	6
291	1	>	+	1	10	-6	4	-8	8	859	6661	2
291	2	>	+	2	10	-6	4	-8	8	1432	11941	2
291	3	>	+	3	10	-6	4	-8	8	4925	47779	2
291	4	<	+	1	-10	6	-4	8	-8	3482	32441	2
292	1	>	+	1	-6	4	-8	8	-8	860	6673	12
292	2	>	+	2	-6	4	-8	8	-8	3063	28081	12
293	1	>	+	1	14	-14	8	-8	8	871	6763	2
293	2	>	+	2	14	-14	8	-8	8	2947	26863	2
294	1	>	+	1	8	-10	0	-4	10	881	6841	8
294	2	<	+	1	-8	10	0	4	-10	1501	12569	8
295	1	>	+	1	4	-2	2	0	2	894	6961	2
295	2	<	-	1	4	-2	2	0	2	1495	12517	10
295	3	<	-	2	4	-2	2	0	2	6112	60637	10
295	4	<	-	3	4	-2	2	0	2	6204	61657	10
296	1	>	+	1	0	2	-2	-2	8	897	6977	6
296	2	<	+	1	0	-2	2	2	-8	2658	23893	6
297	1	>	+	1	-2	-2	8	-6	2	899	6991	8
297	2	>	+	2	-2	-2	8	-6	2	1360	11251	8
298	1	>	+	1	-2	8	-6	2	4	900	6997	6
298	2	>	+	2	-2	8	-6	2	4	1361	11257	6
298	3	<	+	1	2	-8	6	-2	-4	1141	9203	6
298	4	<	+	2	2	-8	6	-2	-4	1213	9833	6
298	5	<	+	3	2	-8	6	-2	-4	2672	24023	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
298	6	<	+	4	2	-8	6	-2	-4	7214	72953	6
299	1	>	+	1	8	-6	2	4	-8	901	7001	4
299	2	<	+	1	-8	6	-2	-4	8	1140	9199	4
299	3	<	+	2	-8	6	-2	-4	8	1212	9829	4
299	4	<	+	3	-8	6	-2	-4	8	2671	24019	4
299	5	<	+	4	-8	6	-2	-4	8	7213	72949	4
300	1	>	+	1	2	4	-8	10	-2	903	7019	6
300	2	>	+	2	2	4	-8	10	-2	8690	89759	6
301	1	>	+	1	4	-8	10	-2	-2	904	7027	8
301	2	>	+	2	4	-8	10	-2	-2	7641	77731	8
301	3	>	+	3	4	-8	10	-2	-2	8691	89767	8
301	4	<	-	1	4	-8	10	-2	-2	4736	45697	10
302	1	>	+	1	-4	8	-10	-2	4	918	7187	10
302	2	>	+	2	-4	8	-10	-2	4	7973	81527	10
302	3	>	-	1	4	-8	10	2	-4	8611	88883	10
303	1	>	+	1	8	-10	-2	4	4	919	7193	6
303	2	<	+	1	-8	10	2	-4	-4	6719	67447	6
303	3	<	+	2	-8	10	2	-4	-4	6751	67777	6
304	1	>	+	1	-10	-2	4	4	-2	920	7207	14
304	2	<	+	1	10	2	-4	-4	2	6750	67763	14
305	1	>	+	1	4	4	-2	-2	-2	922	7213	2
305	2	>	-	1	-4	-4	2	2	2	6845	68891	10
306	1	>	+	1	-4	-8	10	-2	-8	930	7297	14
306	2	<	-	1	-4	-8	10	-2	-8	2588	23197	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
307	1	>	+	1	-8	10	-2	-8	14	931	7307	10
307	2	>	-	1	8	-10	2	8	-14	5943	58741	8
308	1	>	+	1	2	-4	8	-2	2	947	7481	4
308	2	<	+	1	-2	4	-8	2	-2	4575	43969	4
309	1	>	+	1	-4	8	-2	2	-4	948	7487	6
309	2	>	+	2	-4	8	-2	2	-4	5999	59357	6
310	1	>	+	1	2	-4	2	-4	8	954	7529	6
310	2	>	+	2	2	-4	2	-4	8	3593	33569	6
311	1	>	+	1	2	-4	8	-8	10	956	7541	4
311	2	>	+	2	2	-4	8	-8	10	2568	23021	4
311	3	>	+	3	2	-4	8	-8	10	3595	33581	4
312	1	>	+	1	-4	8	-8	10	-8	957	7547	6
312	2	>	+	2	-4	8	-8	10	-8	2569	23027	6
312	3	>	+	3	-4	8	-8	10	-8	3596	33587	6
312	4	<	+	1	4	-8	8	-10	8	1624	13723	6
312	5	<	+	2	4	-8	8	-10	8	3688	34513	6
312	6	<	+	3	4	-8	8	-10	8	5773	56923	6
312	7	<	+	4	4	-8	8	-10	8	7139	72103	6
313	1	>	+	1	8	-8	10	-8	2	958	7549	2
313	2	>	+	2	8	-8	10	-8	2	1340	11059	2
313	3	<	-	1	8	-8	10	-8	2	6691	67157	12
314	1	>	+	1	-8	2	0	-4	10	961	7573	12
314	2	<	+	1	8	-2	0	4	-10	4969	48281	18
315	1	>	+	1	0	-4	10	-8	10	963	7583	6
315	2	>	+	2	0	-4	10	-8	10	7440	75533	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
316	1	>	+	1	-8	10	4	-14	2	966	7603	12
316	2	>	+	2	-8	10	4	-14	2	7902	80747	10
316	3	<	+	1	8	-10	-4	14	-2	1264	10303	10
317	1	>	+	1	-2	10	-2	-8	-2	980	7723	6
317	2	>	+	2	-2	10	-2	-8	-2	2969	27073	6
318	1	>	+	1	6	0	2	-8	-2	990	7829	6
318	2	>	+	2	6	0	2	-8	-2	1376	11399	6
319	1	>	+	1	0	2	-8	-2	-2	991	7841	12
319	2	>	-	1	0	-2	8	2	2	7412	75217	6
319	3	<	+	1	0	-2	8	2	2	5044	49069	12
320	1	>	+	1	2	-8	-2	-2	2	992	7853	12
320	2	<	+	1	-2	8	2	2	-2	4383	41927	14
321	1	>	+	1	2	4	2	-4	0	1017	8089	2
321	2	<	+	1	-2	-4	-2	4	0	2383	21191	2
322	1	>	+	1	6	-8	-8	8	-8	1028	8191	12
322	2	>	+	2	6	-8	-8	8	-8	1349	11131	12
323	1	>	+	1	-8	-8	8	-8	2	1029	8209	18
323	2	>	+	2	-8	-8	8	-8	2	1350	11149	18
324	1	>	+	1	-8	8	-8	2	2	1030	8219	10
324	2	>	+	2	-8	8	-8	2	2	9004	93239	10
324	3	<	-	1	-8	8	-8	2	2	2425	21599	2
325	1	>	+	1	2	10	-8	6	12	1041	8293	2
325	2	>	+	2	2	10	-8	6	12	5232	51133	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
326	1	>	+	1	2	2	-8	28	-26	1048	8369	6
326	2	>	+	2	2	2	-8	28	-26	1645	13913	6
327	1	>	+	1	-4	10	-8	10	-8	1054	8429	6
327	2	>	+	2	-4	10	-8	10	-8	7441	75539	6
328	1	>	+	1	8	4	-10	-2	10	1071	8599	2
328	2	<	+	1	-8	-4	10	2	-10	2264	20021	2
329	1	>	+	1	4	-10	-2	10	-6	1072	8609	10
329	2	<	+	1	-4	10	2	-10	6	2263	20011	10
330	1	>	+	1	10	-10	2	-4	4	1077	8647	6
330	2	>	+	2	10	-10	2	-4	4	6959	70207	6
331	1	>	+	1	2	2	-2	0	6	1083	8693	4
331	2	<	+	1	-2	-2	2	0	-6	1418	11827	4
332	1	>	+	1	2	-2	0	6	-6	1084	8699	6
332	2	<	+	1	-2	2	0	-6	6	1417	11821	6
333	1	>	+	1	-2	0	6	-6	-2	1085	8707	8
333	2	<	+	1	2	0	-6	6	2	1416	11813	8
334	1	>	+	1	-6	-2	2	0	2	1088	8731	12
334	2	>	+	2	-6	-2	2	0	2	6106	60601	12
335	1	>	+	1	8	-10	8	-4	-4	1097	8807	4
335	2	<	+	1	-8	10	-8	4	4	1486	12451	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
336	1	>	+	1	-4	-4	8	2	-10	1100	8831	10
336	2	<	+	1	4	4	-8	-2	10	7188	72679	10
337	1	>	+	1	-4	8	2	-10	2	1101	8837	6
337	2	<	+	1	4	-8	-2	10	-2	7187	72673	6
338	1	>	+	1	8	2	-10	2	16	1102	8839	2
338	2	<	+	1	-8	-2	10	-2	-16	7186	72671	2
339	1	>	+	1	2	-10	2	16	-14	1103	8849	10
339	2	<	+	1	-2	10	-2	-16	14	7185	72661	10
340	1	>	+	1	-2	4	2	2	-6	1110	8929	6
340	2	>	+	2	-2	4	2	2	-6	4357	41647	6
341	1	>	+	1	4	2	2	-6	-4	1111	8933	4
341	2	<	+	1	-4	-2	-2	6	4	5020	48817	4
342	1	>	+	1	4	-2	-2	14	-4	1118	9001	2
342	2	>	+	2	4	-2	-2	14	-4	3900	36781	2
343	1	>	+	1	-2	-2	14	-4	-10	1119	9007	6
343	2	<	+	1	2	2	-14	4	10	7907	80783	6
344	1	>	+	1	-4	-10	4	4	-2	1122	9029	16
344	2	<	+	1	4	10	-4	-4	2	8026	82051	16
345	1	>	+	1	10	-8	-2	8	-4	1133	9137	4
345	2	<	-	1	10	-8	-2	8	-4	2446	21803	14

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
346	1	>	+	1	-8	-2	8	-4	-2	1134	9151	14
346	2	>	+	2	-8	-2	8	-4	-2	2665	23971	14
347	1	>	+	1	-2	8	-4	-2	6	1135	9157	6
347	2	>	+	2	-2	8	-4	-2	6	1207	9787	6
347	3	>	+	3	-2	8	-4	-2	6	2666	23977	6
347	4	>	+	4	-2	8	-4	-2	6	7208	72907	6
348	1	>	+	1	6	-8	2	6	-6	1139	9187	6
348	2	>	+	2	6	-8	2	6	-6	1211	9817	6
349	1	>	+	1	2	6	-6	6	-10	1141	9203	4
349	2	<	+	1	-2	-6	6	-6	10	2986	27277	4
350	1	>	+	1	0	4	-4	-4	8	1162	9397	6
350	2	<	+	1	0	-4	4	4	-8	4191	39863	6
351	1	>	+	1	4	-4	-4	8	-8	1163	9403	6
351	2	>	-	1	-4	4	4	-8	8	1782	15269	6
351	3	>	-	2	-4	4	4	-8	8	3876	36559	8
351	4	>	-	3	-4	4	4	-8	8	5088	49529	6
351	5	<	+	1	-4	4	4	-8	8	4190	39857	6
352	1	>	+	1	-8	2	-2	20	-20	1167	9431	10
352	2	>	+	2	-8	2	-2	20	-20	7147	72221	10
353	1	>	+	1	2	2	0	6	-6	1172	9463	2
353	2	<	+	1	-2	-2	0	-6	6	4434	42407	2
354	1	>	+	1	2	0	6	-6	8	1173	9467	4
354	2	<	+	1	-2	0	-6	6	-8	4433	42403	4
355	1	>	+	1	0	6	-6	8	-4	1174	9473	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
355	2	<	+	1	0	-6	6	-8	4	4432	42397	6
356	1	>	+	1	6	-6	8	-4	2	1175	9479	6
356	2	<	+	1	-6	6	-8	4	-2	4431	42391	6
357	1	>	+	1	-6	8	-4	2	-6	1176	9491	12
357	2	<	+	1	6	-8	4	-2	6	4430	42379	12
358	1	>	+	1	8	-4	2	-6	2	1177	9497	6
358	2	<	+	1	-8	4	-2	6	-2	4429	42373	6
359	1	>	+	1	-2	-6	-2	2	-4	1185	9601	14
359	2	>	+	2	-2	-6	-2	2	-4	3469	32341	14
360	1	>	+	1	-6	-2	2	-4	10	1186	9613	12
360	2	>	+	2	-6	-2	2	-4	10	3914	36913	12
361	1	>	+	1	-2	2	-4	10	-6	1187	9619	6
361	2	<	+	1	2	-2	4	-10	6	3036	27803	6
362	1	>	+	1	2	-4	10	-6	6	1188	9623	4
362	2	<	+	1	-2	4	-10	6	-6	3901	36787	4
362	3	<	+	2	-2	4	-10	6	-6	6231	61987	4
363	1	>	+	1	-4	10	-6	6	4	1189	9629	6
363	2	<	+	1	4	-10	6	-6	-4	6230	61981	6
364	1	>	+	1	10	-6	-2	2	12	1199	9721	2
364	2	<	+	1	-10	6	2	-2	-12	5015	48779	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
365	1	>	+	1	-6	-2	2	12	-16	1200	9733	12
365	2	<	+	1	6	2	-2	-12	16	5014	48767	12
366	1	>	+	1	2	12	-16	10	-6	1202	9743	4
366	2	<	+	1	-2	-12	16	-10	6	1952	16927	4
367	1	>	+	1	10	-6	-2	8	-4	1205	9769	2
367	2	>	+	2	10	-6	-2	8	-4	5113	49789	2
368	1	>	+	1	-4	10	0	-8	10	1216	9857	6
368	2	<	-	1	-4	10	0	-8	10	7826	79889	12
369	1	>	+	1	0	-8	10	-8	10	1218	9871	12
369	2	<	-	1	0	-8	10	-8	10	7446	75577	6
369	3	<	-	2	0	-8	10	-8	10	8632	89107	6
370	1	>	+	1	-8	10	-8	10	-10	1219	9883	12
370	2	>	+	2	-8	10	-8	10	-10	1484	12433	12
370	3	<	-	1	-8	10	-8	10	-10	8631	89101	6
371	1	>	+	1	10	-12	28	-32	26	1227	9949	8
371	2	>	+	2	10	-12	28	-32	26	8551	88093	14
372	1	>	+	1	-16	-4	8	2	-10	1234	10061	22
372	2	>	+	2	-16	-4	8	2	-10	7633	77681	22
373	1	>	+	1	-4	8	2	-10	4	1235	10067	6
373	2	>	+	2	-4	8	2	-10	4	3105	28547	6
373	3	>	+	3	-4	8	2	-10	4	7634	77687	6
374	1	>	+	1	8	2	-10	4	-2	1236	10069	2
374	2	>	+	2	8	2	-10	4	-2	7635	77689	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
375	1	>	+	1	2	-10	4	-2	4	1237	10079	10
375	2	>	+	2	2	-10	4	-2	4	7636	77699	10
376	1	>	+	1	-2	4	14	-16	-4	1240	10099	6
376	2	>	+	2	-2	4	14	-16	-4	5289	51679	6
377	1	>	+	1	4	14	-16	-4	8	1241	10103	4
377	2	<	+	1	-4	-14	16	4	-8	8514	87679	4
378	1	>	+	1	-16	-4	8	-2	-4	1243	10133	22
378	2	>	+	2	-16	-4	8	-2	-4	2615	23531	22
379	1	>	+	1	-4	8	-2	-4	2	1244	10139	6
379	2	>	+	2	-4	8	-2	-4	2	2535	22697	6
379	3	<	-	1	-4	8	-2	-4	2	4081	38723	6
380	1	>	+	1	8	-2	-4	2	2	1245	10141	2
380	2	>	-	1	-8	2	4	-2	-2	8039	82217	10
381	1	>	+	1	-4	2	2	-4	8	1247	10159	8
381	2	>	+	2	-4	2	2	-4	8	8954	92693	10
381	3	<	-	1	-4	2	2	-4	8	8957	92717	6
382	1	>	+	1	14	-4	-10	8	-2	1261	10273	2
382	2	>	+	2	14	-4	-10	8	-2	7370	74731	2
383	1	>	+	1	-2	2	-8	2	2	1265	10313	10
383	2	>	+	2	-2	2	-8	2	2	4128	39209	10
383	3	<	-	1	-2	2	-8	2	2	6901	69497	2
384	1	>	+	1	-8	2	2	8	-2	1267	10331	10
384	2	<	+	1	8	-2	-2	-8	2	1738	14831	12

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
384	3	<	-	1	-8	2	2	8	-2	7417	75269	8
385	1	>	+	1	-4	2	-10	10	4	1282	10477	14
385	2	>	-	1	4	-2	10	-10	-4	7615	77513	4
385	3	<	-	1	-4	2	-10	10	4	4078	38707	4
385	4	<	-	2	-4	2	-10	10	4	6962	70237	4
386	1	>	+	1	2	-10	10	4	-14	1283	10487	10
386	2	<	-	1	2	-10	10	4	-14	4077	38699	8
386	3	<	-	2	2	-10	10	4	-14	6961	70229	8
387	1	>	+	1	-10	10	4	-14	26	1284	10499	12
387	2	>	+	2	-10	10	4	-14	26	8460	87119	12
388	1	>	+	1	4	4	-6	0	-2	1297	10631	4
388	2	>	-	1	-4	-4	6	0	2	1374	11383	14
389	1	>	+	1	-2	16	-16	14	-16	1301	10663	6
389	2	<	+	1	2	-16	16	-14	16	6361	63467	6
390	1	>	+	1	-16	10	-6	-2	2	1305	10709	18
390	2	>	+	2	-16	10	-6	-2	2	2058	17957	18
391	1	>	+	1	-2	2	8	4	-8	1308	10729	6
391	2	<	+	1	2	-2	-8	-4	8	4820	46643	6
392	1	>	+	1	0	-4	4	10	-10	1319	10853	6
392	2	<	+	1	0	4	-4	-10	10	7621	77557	6
393	1	>	+	1	-4	4	10	-10	-4	1320	10859	6
393	2	<	+	1	4	-4	-10	10	4	5058	49201	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
394	1	>	+	1	4	10	-10	-4	10	1321	10861	2
394	2	<	+	1	-4	-10	10	4	-10	5057	49199	2
395	1	>	+	1	2	14	-16	-2	10	1344	11087	4
395	2	>	+	2	2	14	-16	-2	10	7180	72617	4
396	1	>	+	1	-8	8	-8	2	16	1351	11159	10
396	2	<	+	1	8	-8	8	-2	-16	3195	29401	10
396	3	<	+	2	8	-8	8	-2	-16	8686	89671	10
397	1	>	+	1	8	-8	2	16	-4	1352	11161	2
397	2	<	+	1	-8	8	-2	-16	4	3194	29399	2
398	1	>	+	1	8	-6	2	4	0	1362	11261	4
398	2	>	-	1	-8	6	-2	-4	0	2674	24043	14
399	1	>	+	1	2	4	0	-6	-2	1364	11279	6
399	2	<	+	1	-2	-4	0	6	2	6728	67531	6
400	1	>	+	1	4	0	-6	-2	4	1365	11287	8
400	2	<	+	1	-4	0	6	2	-4	3747	35141	8
400	3	<	+	2	-4	0	6	2	-4	6727	67523	8
401	1	>	+	1	-20	14	-2	-4	-4	1371	11351	22
401	2	>	+	2	-20	14	-2	-4	-4	3448	32141	22
402	1	>	+	1	2	-8	-2	16	-16	1378	11423	12
402	2	>	-	1	-2	8	2	-16	16	7515	76379	10
403	1	>	+	1	-6	-4	4	0	10	1384	11483	12

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
403	2	>	-	1	6	4	-4	0	-10	6778	68059	6
404	1	>	+	1	16	-10	-4	0	8	1423	11867	4
404	2	>	+	2	16	-10	-4	0	8	7352	74531	4
405	1	>	+	1	-10	-4	0	8	-10	1424	11887	20
405	2	>	+	2	-10	-4	0	8	-10	6413	63997	20
406	1	>	+	1	4	-8	8	-4	14	1434	11959	6
406	2	>	+	2	4	-8	8	-4	14	3878	36571	8
407	1	>	+	1	2	8	-4	-10	8	1459	12203	6
407	2	<	-	1	2	8	-4	-10	8	3502	32621	12
408	1	>	+	1	-10	8	-8	8	-4	1462	12239	12
408	2	>	+	2	-10	8	-8	8	-4	8950	92669	12
408	3	<	+	1	10	-8	8	-8	4	3068	28111	12
409	1	>	+	1	8	-4	2	-4	4	1465	12253	2
409	2	<	+	1	-8	4	-2	4	-4	1694	14447	2
409	3	<	-	1	8	-4	2	-4	4	9463	98543	18
410	1	>	+	1	4	10	-16	8	-10	1470	12289	8
410	2	>	-	1	-4	-10	16	-8	10	2513	22469	16
411	1	>	+	1	8	-10	22	-22	-2	1473	12329	6
411	2	>	+	2	8	-10	22	-22	-2	3868	36479	6
412	1	>	+	1	-10	22	-22	-2	10	1474	12343	14
412	2	>	+	2	-10	22	-22	-2	10	3869	36493	14
413	1	>	+	1	22	-22	-2	10	-2	1475	12347	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for > g for <
413	2	>	+	2	22	-22	-2	10	-2	3870	36497	4
414	1	>	+	1	-22	-2	10	-2	-2	1476	12373	26
414	2	>	+	2	-22	-2	10	-2	-2	3871	36523	26
415	1	>	+	1	-2	10	-2	-2	-4	1477	12377	4
415	2	>	+	2	-2	10	-2	-2	-4	3872	36527	4
416	1	>	+	1	10	-2	-2	-4	4	1478	12379	2
416	2	>	+	2	10	-2	-2	-4	4	3873	36529	2
416	3	>	+	3	10	-2	-2	-4	4	6458	64579	2
417	1	>	+	1	-2	-2	-4	4	4	1479	12391	12
417	2	>	+	2	-2	-2	-4	4	4	3874	36541	12
417	3	>	-	1	2	2	4	-4	-4	3668	34319	6
418	1	>	+	1	-2	-4	4	4	-8	1480	12401	10
418	2	>	+	2	-2	-4	4	4	-8	3875	36551	10
419	1	>	+	1	-8	10	-10	2	-4	1486	12451	14
419	2	>	+	2	-8	10	-10	2	-4	1580	13309	12
419	3	>	+	3	-8	10	-10	2	-4	4042	38299	12
419	4	>	-	1	8	-10	10	-2	4	9119	94547	4
420	1	>	+	1	-4	2	0	2	-2	1490	12487	8
420	2	<	-	1	-4	2	0	2	-2	8922	92377	4
421	1	>	+	1	2	-2	4	2	-10	1493	12503	6
421	2	>	+	2	2	-2	4	2	-10	6348	63353	6
421	3	<	+	1	-2	2	-4	-2	10	8300	85237	6
422	1	>	+	1	-2	4	2	-10	4	1494	12511	8
422	2	>	+	2	-2	4	2	-10	4	6349	63361	8
422	3	<	+	1	2	-4	-2	10	-4	8299	85229	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
423	1	>	+	1	4	12	-14	2	0	1507	12613	2
423	2	>	+	2	4	12	-14	2	0	1988	17293	2
423	3	>	+	3	4	12	-14	2	0	9181	95233	2
424	1	>	+	1	12	-14	2	0	0	1508	12619	6
424	2	>	+	2	12	-14	2	0	0	2007	17449	6
424	3	>	+	3	12	-14	2	0	0	9182	95239	6
425	1	>	+	1	-14	2	0	0	6	1509	12637	18
425	2	<	+	1	14	-2	0	0	-6	2090	18233	18
426	1	>	+	1	-10	-2	4	-2	10	1515	12689	18
426	2	<	+	1	10	2	-4	2	-10	8737	90203	14
427	1	>	+	1	-2	2	2	-10	4	1525	12791	10
427	2	<	-	1	-2	2	2	-10	4	7046	71161	6
428	1	>	+	1	2	-10	4	6	0	1527	12809	10
428	2	<	-	1	2	-10	4	6	0	5942	58733	8
429	1	>	+	1	0	-2	14	-16	2	1545	12973	6
429	2	>	+	2	0	-2	14	-16	2	2088	18223	6
430	1	>	+	1	-2	22	-20	2	0	1550	13007	4
430	2	>	+	2	-2	22	-20	2	0	1907	16451	4
430	3	>	+	3	-2	22	-20	2	0	6805	68447	4
430	4	<	+	1	2	-22	20	-2	0	3491	32533	4
430	5	<	+	2	2	-22	20	-2	0	5760	56809	4
431	1	>	+	1	8	16	-24	-2	2	1555	13049	6
431	2	>	+	2	8	16	-24	-2	2	6022	59567	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
432	1	>	+	1	2	6	-6	14	-16	1559	13103	4
432	2	>	+	2	2	6	-6	14	-16	6507	65123	4
433	1	>	+	1	4	-4	4	-2	0	1564	13151	4
433	2	<	+	1	-4	4	-4	2	0	1732	14779	4
434	1	>	+	1	8	2	-4	2	-2	1572	13219	2
434	2	<	-	1	8	2	-4	2	-2	4471	42751	16
435	1	>	+	1	2	-4	2	-2	16	1573	13229	10
435	2	<	+	1	-2	4	-2	2	-16	4490	42953	8
436	1	>	+	1	6	-8	10	-10	2	1579	13297	6
436	2	>	+	2	6	-8	10	-10	2	4041	38287	6
437	1	>	+	1	10	-6	-2	16	-10	1589	13399	2
437	2	>	+	2	10	-6	-2	16	-10	5989	59221	2
437	3	>	+	3	10	-6	-2	16	-10	7349	74509	2
438	1	>	+	1	-6	-2	16	-10	-4	1590	13411	12
438	2	>	+	2	-6	-2	16	-10	-4	7350	74521	12
439	1	>	+	1	-2	16	-10	-4	0	1591	13417	6
439	2	>	+	2	-2	16	-10	-4	0	7351	74527	6
440	1	>	+	1	2	2	2	2	-4	1597	13469	6
440	2	>	+	2	2	2	2	2	-4	5648	55663	2
440	3	<	-	1	2	2	2	2	-4	6850	68917	10
441	1	>	+	1	2	2	2	-4	4	1598	13477	8
441	2	>	-	1	-2	-2	-2	4	-4	5366	52553	10
441	3	<	+	1	-2	-2	-2	4	-4	7802	79631	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
442	1	>	+	1	-4	4	2	-2	-4	1601	13513	14
442	2	<	+	1	4	-4	-2	2	4	1606	13577	14
443	1	>	+	1	2	-2	-4	4	-8	1603	13537	14
443	2	>	-	1	-2	2	4	-4	8	8401	86381	10
444	1	>	+	1	4	-8	10	-10	2	1606	13577	10
444	2	>	+	2	4	-8	10	-10	2	6554	65617	8
445	1	>	+	1	-2	10	4	-10	-8	1611	13627	8
445	2	>	+	2	-2	10	4	-10	-8	9075	94057	8
446	1	>	+	1	10	4	-10	-8	4	1612	13633	6
446	2	>	+	2	10	4	-10	-8	4	9076	94063	6
447	1	>	+	1	4	-10	-8	4	-2	1613	13649	16
447	2	>	+	2	4	-10	-8	4	-2	9077	94079	16
448	1	>	+	1	-10	-8	4	-2	-2	1614	13669	20
448	2	>	+	2	-10	-8	4	-2	-2	6243	62119	20
449	1	>	+	1	-2	2	8	-10	8	1618	13691	4
449	2	<	+	1	2	-2	-8	10	-8	2575	23059	4
449	3	<	+	2	2	-2	-8	10	-8	3602	33619	4
449	4	<	+	3	2	-2	-8	10	-8	6140	60919	4
450	1	>	+	1	2	8	-10	8	-8	1619	13693	2
450	2	>	+	2	2	8	-10	8	-8	4470	42743	6
450	3	>	+	3	2	8	-10	8	-8	5768	56893	2
450	4	<	+	1	-2	-8	10	-8	8	2574	23057	2
450	5	<	+	2	-2	-8	10	-8	8	3601	33617	2
450	6	<	+	3	-2	-8	10	-8	8	6139	60917	2
451	1	>	+	1	-10	8	-8	4	16	1621	13709	12

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
451	2	>	+	2	-10	8	-8	4	16	5964	59009	12
452	1	>	+	1	-8	4	16	-16	-4	1623	13721	10
452	2	>	+	2	-8	4	16	-16	-4	4785	46271	10
453	1	>	+	1	2	14	-10	2	-2	1628	13759	2
453	2	>	+	2	2	14	-10	2	-2	2351	20899	2
454	1	>	+	1	2	2	2	2	-8	1643	13903	2
454	2	>	+	2	2	2	2	2	-8	2419	21559	2
454	3	>	+	3	2	2	2	2	-8	3079	28279	2
454	4	>	-	1	-2	-2	-2	-2	8	4314	41213	10
454	5	<	+	1	-2	-2	-2	-2	8	4317	41231	2
454	6	<	-	1	2	2	2	2	-8	1800	15401	12
455	1	>	+	1	-8	28	-26	26	-28	1647	13931	10
455	2	<	+	1	8	-28	26	-26	28	1652	13999	10
456	1	>	+	1	16	-30	-2	2	8	1663	14107	20
456	2	<	+	1	-16	30	2	-2	-8	2147	18839	20
457	1	>	+	1	2	8	-10	16	-10	1666	14153	4
457	2	<	+	1	-2	-8	10	-16	10	3460	32257	4
458	1	>	+	1	-10	16	-10	4	8	1668	14173	14
458	2	<	-	1	-10	16	-10	4	8	5163	50311	10
459	1	>	+	1	-10	4	8	-16	-4	1670	14197	20
459	2	>	-	1	10	-4	-8	16	4	6923	69833	4
460	1	>	+	1	4	2	-2	-10	2	1698	14489	10

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
460	2	>	-	1	-4	-2	2	10	-2	2619	23557	8
461	1	>	+	1	-10	2	0	-4	4	1701	14533	14
461	2	>	+	2	-10	2	0	-4	4	4348	41593	14
462	1	>	+	1	-4	4	-2	-2	26	1704	14549	6
462	2	>	+	2	-4	4	-2	-2	26	7482	75989	6
463	1	>	+	1	-2	-2	26	-26	26	1706	14557	6
463	2	>	+	2	-2	-2	26	-26	26	8218	84313	6
464	1	>	+	1	2	2	8	-10	8	1713	14629	2
464	2	<	-	1	2	2	8	-10	8	1719	14683	16
465	1	>	+	1	-10	8	2	2	-2	1716	14653	14
465	2	<	-	1	-10	8	2	2	-2	3499	32603	6
465	3	<	-	2	-10	8	2	2	-2	4445	42487	4
466	1	>	+	1	2	2	-2	-10	2	1718	14669	12
466	2	>	-	1	-2	-2	2	10	-2	7895	80677	6
467	1	>	+	1	2	-2	-10	2	2	1719	14683	14
467	2	>	-	1	-2	2	10	-2	-2	5238	51197	4
468	1	>	+	1	2	2	-2	-2	2	1722	14717	4
468	2	<	+	1	-2	-2	2	2	-2	3039	27823	4
469	1	>	+	1	-2	2	0	0	2	1725	14737	6
469	2	<	-	1	-2	2	0	0	2	1846	15817	6
470	1	>	+	1	-8	-2	-2	8	-4	1735	14813	16

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
470	2	>	-	1	8	2	2	-8	4	7414	75227	4
470	3	<	+	1	8	2	2	-8	4	3868	36479	14
471	1	>	+	1	4	-2	-4	2	6	1748	14929	6
471	2	>	+	2	4	-2	-4	2	6	3741	35089	6
472	1	>	+	1	8	-14	4	-8	2	1757	15031	14
472	2	<	+	1	-8	14	-4	8	-2	2082	18169	12
473	1	>	+	1	-14	4	-8	2	2	1758	15053	22
473	2	<	+	1	14	-4	8	-2	-2	2081	18149	20
473	3	<	+	2	14	-4	8	-2	-2	5858	57809	20
474	1	>	+	1	-8	2	2	2	-4	1760	15073	12
474	2	>	+	2	-8	2	2	2	-4	3367	31247	10
474	3	>	-	1	8	-2	-2	-2	4	5365	52543	2
475	1	>	+	1	2	2	2	-4	8	1761	15077	4
475	2	>	+	2	2	2	2	-4	8	5649	55667	4
475	3	>	-	1	-2	-2	-2	4	-8	5841	57667	14
475	4	<	-	1	2	2	2	-4	8	7779	79379	14
476	1	>	+	1	-4	8	2	0	2	1768	15137	6
476	2	<	-	1	-4	8	2	0	2	1877	16127	12
477	1	>	+	1	2	0	2	-8	0	1770	15149	10
477	2	<	-	1	2	0	2	-8	0	4246	40499	8
478	1	>	+	1	0	12	-8	-4	2	1774	15193	6
478	2	<	+	1	0	-12	8	4	-2	3888	36677	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
479	1	>	+	1	4	-8	8	-2	-2	1784	15277	6
479	2	>	-	1	-4	8	-8	2	2	2928	26699	6
480	1	>	+	1	-8	8	-2	-2	0	1785	15287	10
480	2	>	-	1	8	-8	2	2	0	2929	26701	2
480	3	<	-	1	-8	8	-2	-2	0	6568	65729	2
481	1	>	+	1	-2	-2	0	4	-8	1787	15299	10
481	2	>	-	1	2	2	0	-4	8	2925	26683	2
482	1	>	+	1	2	2	2	-2	-8	1799	15391	8
482	2	<	-	1	2	2	2	-2	-8	3604	33629	8
483	1	>	+	1	10	2	-2	-4	-2	1810	15497	4
483	2	<	-	1	10	2	-2	-4	-2	2622	23567	14
483	3	<	-	2	10	2	-2	-4	-2	9339	97007	14
484	1	>	+	1	2	-2	10	-6	-2	1824	15643	2
484	2	<	+	1	-2	2	-10	6	2	7592	77267	2
485	1	>	+	1	2	-4	10	-6	0	1850	15881	4
485	2	<	+	1	-2	4	-10	6	0	3035	27799	4
486	1	>	+	1	10	-10	2	0	2	1871	16073	4
486	2	>	+	2	10	-10	2	0	2	6198	61613	4
487	1	>	+	1	4	2	-10	4	6	1895	16339	6
487	2	>	+	2	4	2	-10	4	6	6350	63367	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
488	1	>	+	1	-2	2	0	14	-4	1952	16927	6
488	2	>	+	2	-2	2	0	14	-4	8200	84127	6
489	1	>	+	1	2	0	14	-4	-14	1953	16931	4
489	2	>	+	2	2	0	14	-4	-14	8201	84131	4
490	1	>	+	1	0	14	-4	-14	4	1954	16937	6
490	2	<	+	1	0	-14	4	14	-4	5564	54673	6
491	1	>	+	1	14	-4	-14	4	0	1955	16943	6
491	2	<	+	1	-14	4	14	-4	0	5563	54667	6
492	1	>	+	1	-4	2	4	-2	0	1963	17027	6
492	2	<	+	1	4	-2	-4	2	0	4465	42703	6
493	1	>	+	1	-10	2	2	-4	8	1970	17093	16
493	2	>	+	2	-10	2	2	-4	8	7421	75323	16
494	1	>	+	1	-4	10	-8	-2	20	1979	17189	6
494	2	<	+	1	4	-10	8	2	-20	5463	53611	6
494	3	<	+	2	4	-10	8	2	-20	9479	98731	6
495	1	>	+	1	2	0	0	-4	4	2009	17471	4
495	2	<	+	1	-2	0	0	4	-4	7067	71359	4
495	3	<	+	2	-2	0	0	4	-4	7623	77569	4
496	1	>	+	1	-8	2	-6	-4	8	2049	17881	18
496	2	>	+	2	-8	2	-6	-4	8	2532	22669	18
497	1	>	+	1	2	-6	-4	8	-8	2050	17891	10
497	2	<	+	1	-2	6	4	-8	8	5775	56941	10

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
498	1	>	+	1	8	-8	4	4	8	2053	17911	2
498	2	<	-	1	8	-8	4	4	8	4730	45641	18
499	1	>	+	1	-8	4	4	8	-16	2054	17921	10
499	2	<	-	1	-8	4	4	8	-16	4729	45631	10
500	1	>	+	1	10	-6	-2	2	-4	2059	17959	2
500	2	>	+	2	10	-6	-2	2	-4	3913	36901	2
501	1	>	+	1	-2	8	-8	14	-4	2068	18047	4
501	2	>	+	2	-2	8	-8	14	-4	7367	74717	4
502	1	>	+	1	10	-6	-2	-2	14	2096	18289	2
502	2	<	+	1	-10	6	2	2	-14	2819	25601	2
502	3	<	+	2	-10	6	2	2	-14	4312	41201	2
503	1	>	+	1	-6	-2	-2	14	-4	2097	18301	12
503	2	<	+	1	6	2	2	-14	4	4311	41189	12
504	1	>	+	1	-2	-2	14	-4	0	2098	18307	6
504	2	>	+	2	-2	-2	14	-4	0	3901	36787	6
505	1	>	+	1	-2	14	-4	0	2	2099	18311	4
505	2	>	+	2	-2	14	-4	0	2	3902	36791	4
505	3	>	-	1	2	-14	4	0	-2	8904	92203	14
506	1	>	+	1	14	-4	0	2	-10	2100	18313	2
506	2	>	-	1	-14	4	0	-2	10	2966	27059	16
507	1	>	+	1	-10	4	10	-14	8	2104	18367	14
507	2	<	+	1	10	-4	-10	14	-8	4699	45293	14
507	3	<	+	2	10	-4	-10	14	-8	5083	49463	14

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
508	1	>	+	1	4	10	-14	8	2	2105	18371	4
508	2	<	+	1	-4	-10	14	-8	-2	4698	45289	4
509	1	>	+	1	-2	-2	16	-8	-2	2114	18451	8
509	2	>	+	2	-2	-2	16	-8	-2	9168	95101	8
510	1	>	+	1	-8	-2	4	-10	-2	2117	18481	20
510	2	<	-	1	-8	-2	4	-10	-2	8180	83869	4
511	1	>	+	1	4	-14	-2	4	-2	2130	18637	20
511	2	>	+	2	4	-14	-2	4	-2	3965	37463	16
512	1	>	+	1	-2	4	-2	2	-6	2132	18671	10
512	2	>	-	1	2	-4	2	-2	6	2901	26407	8
513	1	>	+	1	-6	2	8	-2	-8	2139	18743	12
513	2	<	+	1	6	-2	-8	2	8	8962	92767	12
514	1	>	+	1	8	-2	-8	-2	2	2141	18757	8
514	2	>	+	2	8	-2	-8	-2	2	5527	54331	8
515	1	>	+	1	-4	14	-12	8	4	2160	19009	8
515	2	<	-	1	-4	14	-12	8	4	3402	31627	16
516	1	>	+	1	14	-12	8	4	-14	2161	19013	4
516	2	<	-	1	14	-12	8	4	-14	3401	31607	20
517	1	>	+	1	-2	-2	-2	10	-4	2183	19249	12
517	2	<	-	1	-2	-2	-2	10	-4	5843	57689	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
518	1	>	+	1	-2	-2	10	-4	-4	2184	19259	10
518	2	>	+	2	-2	-2	10	-4	-4	4175	39719	10
519	1	>	+	1	-2	10	-4	-4	2	2185	19267	8
519	2	>	+	2	-2	10	-4	-4	2	4176	39727	8
519	3	>	-	1	2	-10	4	4	-2	3738	35069	10
519	4	>	-	2	2	-10	4	4	-2	5728	56489	10
519	5	>	-	3	2	-10	4	4	-2	7071	71399	10
520	1	>	+	1	10	-4	-4	2	4	2186	19273	6
520	2	>	-	1	-10	4	4	-2	-4	3739	35081	12
520	3	>	-	2	-10	4	4	-2	-4	5729	56501	12
520	4	<	-	1	10	-4	-4	2	4	8025	82039	12
521	1	>	+	1	0	-10	4	-2	10	2234	19739	12
521	2	<	+	1	0	10	-4	2	-10	2471	22051	12
522	1	>	+	1	10	2	-8	4	-6	2238	19763	4
522	2	<	-	1	10	2	-8	4	-6	4545	43613	14
523	1	>	+	1	-2	-2	16	-20	20	2246	19853	10
523	2	<	+	1	2	2	-16	20	-20	2253	19927	10
524	1	>	+	1	-2	16	-20	20	-16	2247	19861	8
524	2	<	+	1	2	-16	20	-20	16	2252	19919	8
525	1	>	+	1	0	-10	8	-4	6	2255	19949	12
525	2	<	+	1	0	10	-8	4	-6	3652	34171	12
526	1	>	+	1	-10	8	-4	6	-10	2256	19961	12

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
526	2	<	+	1	10	-8	4	-6	10	3651	34159	12
527	1	>	+	1	8	-4	6	-10	2	2257	19963	2
527	2	<	+	1	-8	4	-6	10	-2	3650	34157	2
527	3	<	+	2	-8	4	-6	10	-2	4543	43607	2
528	1	>	+	1	0	8	-10	-2	10	2276	20123	6
528	2	<	+	1	0	-8	10	2	-10	7824	79867	6
529	1	>	+	1	-10	-2	10	0	-8	2278	20143	14
529	2	>	+	2	-10	-2	10	0	-8	7780	79393	14
530	1	>	+	1	-2	10	0	-8	2	2279	20147	4
530	2	>	+	2	-2	10	0	-8	2	7781	79397	4
530	3	<	+	1	2	-10	0	8	-2	4415	42223	4
531	1	>	+	1	10	0	-8	2	12	2280	20149	2
531	2	>	+	2	10	0	-8	2	12	7782	79399	2
532	1	>	+	1	0	-8	2	12	0	2281	20161	12
532	2	>	-	1	0	8	-2	-12	0	4289	40961	12
533	1	>	+	1	-4	-10	20	-4	-6	2325	20627	16
533	2	<	-	1	-4	-10	20	-4	-6	4039	38273	8
534	1	>	+	1	-6	2	-4	-8	10	2329	20681	18
534	2	>	+	2	-6	2	-4	-8	10	2435	21701	18
535	1	>	+	1	2	-4	-8	10	0	2330	20693	12
535	2	<	-	1	2	-4	-8	10	0	4297	41051	6
536	1	>	+	1	-2	2	2	6	-10	2336	20747	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
536	2	<	+	1	2	-2	-2	-6	10	3784	35533	4
537	1	>	+	1	2	2	6	-10	14	2337	20749	2
537	2	<	+	1	-2	-2	-6	10	-14	3783	35531	2
538	1	>	+	1	2	6	-10	14	2	2338	20753	4
538	2	>	+	2	2	6	-10	14	2	5396	52883	4
538	3	<	+	1	-2	-6	10	-14	-2	9097	94327	4
539	1	>	+	1	-16	16	-8	-8	2	2359	20981	18
539	2	<	+	1	16	-16	8	8	-2	4829	46727	20
540	1	>	+	1	2	2	-2	0	4	2376	21143	4
540	2	>	+	2	2	2	-2	0	4	2655	23873	4
540	3	>	+	3	2	2	-2	0	4	3440	32063	4
540	4	>	-	1	-2	-2	2	0	-4	2805	25447	8
540	5	<	+	1	-2	-2	2	0	-4	4194	39883	4
540	6	<	-	1	2	2	-2	0	4	8910	92243	8
541	1	>	+	1	-26	-2	2	14	-12	2392	21313	30
541	2	<	+	1	26	2	-2	-14	12	8755	90407	30
542	1	>	+	1	24	-28	2	4	-2	2397	21347	6
542	2	>	+	2	24	-28	2	4	-2	3207	29537	6
543	1	>	+	1	4	22	-26	2	2	2416	21523	2
543	2	>	+	2	4	22	-26	2	2	8381	86201	4
544	1	>	+	1	2	2	2	-8	8	2420	21563	4
544	2	>	+	2	2	2	2	-8	8	3080	28283	4
544	3	>	-	1	-2	-2	-2	8	-8	7365	74707	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
545	1	>	+	1	2	-8	8	-8	8	2422	21577	8
545	2	<	-	1	2	-8	8	-8	8	2428	21613	4
546	1	>	+	1	10	0	-2	8	-6	2431	21649	2
546	2	>	+	2	10	0	-2	8	-6	3814	35899	2
547	1	>	+	1	8	-2	-8	10	-10	2443	21773	6
547	2	>	-	1	-8	2	8	-10	10	9117	94541	10
548	1	>	+	1	-10	14	-16	8	-2	2447	21817	14
548	2	<	-	1	-10	14	-16	8	-2	6824	68659	10
549	1	>	+	1	-16	8	-2	-4	4	2449	21839	18
549	2	>	+	2	-16	8	-2	-4	4	3555	33179	18
550	1	>	+	1	8	-2	-4	4	2	2450	21841	2
550	2	>	-	1	-8	2	4	-4	-2	7662	77999	16
551	1	>	+	1	-2	-8	0	4	4	2462	21977	16
551	2	>	+	2	-2	-8	0	4	4	5719	56417	16
552	1	>	+	1	-8	0	4	4	-10	2463	21991	14
552	2	<	+	1	8	0	-4	-4	10	2829	25679	14
553	1	>	+	1	0	4	4	-10	2	2464	21997	6
553	2	>	+	2	0	4	4	-10	2	7034	71011	12
553	3	<	+	1	0	-4	-4	10	-2	2828	25673	6
554	1	>	+	1	4	4	-10	2	-4	2465	22003	6
554	2	>	+	2	4	4	-10	2	-4	7035	71023	12

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
555	1	>	+	1	2	-4	10	0	-8	2468	22031	4
555	2	>	+	2	2	-4	10	0	-8	3178	29231	10
556	1	>	+	1	-4	10	0	-8	2	2469	22037	6
556	2	>	+	2	-4	10	0	-8	2	7168	72467	6
557	1	>	+	1	10	0	-8	2	0	2470	22039	2
557	2	<	+	1	-10	0	8	-2	0	4414	42221	2
558	1	>	+	1	-8	2	0	6	-10	2472	22063	12
558	2	>	+	2	-8	2	0	6	-10	3029	27763	12
559	1	>	+	1	6	-10	14	-14	10	2475	22079	6
559	2	<	+	1	-6	10	-14	14	-10	2480	22123	6
560	1	>	+	1	10	-8	-2	-2	10	2482	22133	4
560	2	<	-	1	10	-8	-2	-2	10	8697	89821	12
561	1	>	+	1	-10	2	-2	2	4	2493	22271	12
561	2	<	-	1	-10	2	-2	2	4	6096	60443	6
562	1	>	+	1	-2	2	4	4	-8	2495	22277	4
562	2	>	+	2	-2	2	4	4	-8	2683	24107	4
563	1	>	+	1	12	-16	10	-2	-4	2502	22349	6
563	2	<	+	1	-12	16	-10	2	4	9202	95461	6
564	1	>	+	1	-16	10	-2	-4	6	2503	22367	18
564	2	>	+	2	-16	10	-2	-4	6	8770	90617	18
564	3	<	+	1	16	-10	2	4	-6	9201	95443	18

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
565	1	>	+	1	0	10	-4	-10	16	2511	22447	6
565	2	<	+	1	0	-10	4	10	-16	7110	71843	6
566	1	>	+	1	2	4	10	-8	2	2529	22639	2
566	2	>	+	2	2	4	10	-8	2	7738	78889	2
566	3	<	+	1	-2	-4	-10	8	-2	8972	92861	2
567	1	>	+	1	4	10	-8	2	-6	2530	22643	4
567	2	>	+	2	4	10	-8	2	-6	3893	36713	4
568	1	>	+	1	2	-6	-4	8	-2	2533	22679	10
568	2	<	+	1	-2	6	4	-8	2	7420	75307	16
569	1	>	+	1	8	-2	-4	2	6	2536	22699	2
569	2	>	+	2	8	-2	-4	2	6	6504	65101	2
570	1	>	+	1	-4	2	6	-10	8	2538	22717	8
570	2	<	+	1	4	-2	-6	10	-8	7206	72893	8
571	1	>	+	1	2	6	-10	8	8	2539	22721	4
571	2	>	+	2	2	6	-10	8	8	8238	84503	4
572	1	>	+	1	6	-10	8	8	-10	2540	22727	6
572	2	>	+	2	6	-10	8	8	-10	8239	84509	6
573	1	>	+	1	2	-10	12	-16	8	2558	22921	14
573	2	<	+	1	-2	10	-12	16	-8	6524	65309	14
574	1	>	+	1	10	-8	-2	2	4	2572	23041	2
574	2	<	+	1	-10	8	2	-2	-4	8926	92399	2
575	1	>	+	1	-8	-2	2	4	2	2573	23053	12

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
575	2	>	+	2	-8	-2	2	4	2	7927	81013	12
576	1	>	+	1	-2	2	4	2	-4	2574	23057	4
576	2	>	+	2	-2	2	4	2	-4	8019	82007	4
576	3	<	+	1	2	-2	-4	-2	4	9338	97003	4
577	1	>	+	1	-2	4	-8	-2	10	2582	23131	14
577	2	>	-	1	2	-4	8	2	-10	3104	28541	4
577	3	<	+	1	2	-4	8	2	-10	6643	66629	14
578	1	>	+	1	10	-8	-4	-2	4	2586	23173	6
578	2	<	+	1	-10	8	4	2	-4	5957	58937	6
578	3	<	+	2	-10	8	4	2	-4	8680	89627	6
579	1	>	+	1	-8	-4	-2	4	12	2587	23189	16
579	2	>	+	2	-8	-4	-2	4	12	3353	31139	16
580	1	>	+	1	2	-10	2	10	-4	2595	23279	10
580	2	<	-	1	2	-10	2	10	-4	3593	33569	8
581	1	>	+	1	2	10	-4	-4	0	2597	23293	2
581	2	<	+	1	-2	-10	4	4	0	3665	34301	2
581	3	<	+	2	-2	-10	4	4	0	8016	81971	2
582	1	>	+	1	8	-2	-4	-2	2	2617	23539	2
582	2	<	+	1	-8	2	4	2	-2	7932	81041	2
583	1	>	+	1	2	10	-2	-6	-2	2621	23563	2
583	2	>	+	2	2	10	-2	-6	-2	3467	32323	2
584	1	>	+	1	10	-2	-6	-2	2	2622	23567	4
584	2	>	+	2	10	-2	-6	-2	2	3468	32327	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
585	1	>	+	1	-2	2	8	-10	-2	2625	23599	6
585	2	>	+	2	-2	2	8	-10	-2	3256	30109	6
586	1	>	+	1	-20	2	2	2	-2	2639	23741	22
586	2	>	+	2	-20	2	2	2	-2	3048	27941	22
587	1	>	+	1	0	-6	2	-4	-2	2647	23801	12
587	2	<	+	1	0	6	-2	4	2	3213	29599	12
588	1	>	+	1	-2	0	4	-8	4	2657	23887	8
588	2	>	-	1	2	0	-4	8	-4	6808	68477	4
589	1	>	+	1	-2	6	-8	2	8	2669	24001	8
589	2	>	+	2	-2	6	-8	2	8	7211	72931	8
590	1	>	+	1	2	8	-8	6	-2	2672	24023	4
590	2	>	+	2	2	8	-8	6	-2	4801	46451	4
591	1	>	+	1	4	4	-8	10	4	2685	24113	4
591	2	<	+	1	-4	-4	8	-10	-4	6061	60037	4
592	1	>	+	1	4	-8	10	4	-8	2686	24121	8
592	2	<	+	1	-4	8	-10	-4	8	6060	60029	8
593	1	>	+	1	4	-8	-8	14	-10	2689	24151	14
593	2	<	+	1	-4	8	8	-14	10	4817	46619	14
594	1	>	+	1	4	6	4	-10	0	2706	24373	2
594	2	>	-	1	-4	-6	-4	10	0	7404	75149	16

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
595	1	>	+	1	6	4	-10	0	-4	2707	24379	6
595	2	>	-	1	-6	-4	10	0	4	7405	75161	12
596	1	>	+	1	4	-10	0	-4	16	2708	24391	12
596	2	>	+	2	4	-10	0	-4	16	4339	41491	12
597	1	>	+	1	-10	0	-4	16	-14	2709	24407	16
597	2	>	+	2	-10	0	-4	16	-14	4340	41507	16
598	1	>	+	1	-10	10	-2	-6	4	2739	24763	14
598	2	>	+	2	-10	10	-2	-6	4	8658	89413	14
598	3	>	-	1	10	-10	2	6	-4	6768	67943	4
599	1	>	+	1	2	16	-10	4	-10	2754	24919	2
599	2	>	-	1	-2	-16	10	-4	10	8864	91733	22
600	1	>	+	1	-20	-2	-2	-2	2	2782	25219	30
600	2	>	+	2	-20	-2	-2	-2	2	4604	44249	28
601	1	>	+	1	10	4	-8	-2	-2	2802	25411	2
601	2	>	+	2	10	4	-8	-2	-2	3935	37123	6
601	3	>	+	3	10	4	-8	-2	-2	4375	41851	2
601	4	>	-	1	-10	-4	8	2	2	3499	32603	16
602	1	>	+	1	2	6	-10	4	6	2817	25583	4
602	2	>	+	2	2	6	-10	4	6	5013	48761	4
602	3	>	+	3	2	6	-10	4	6	8330	85601	4
603	1	>	+	1	-16	-4	16	4	-16	2839	25793	22
603	2	>	-	1	16	4	-16	-4	16	2841	25801	2
604	1	>	+	1	2	-4	0	0	8	2875	26161	8
604	2	>	+	2	2	-4	0	0	8	8653	89371	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
605	1	>	+	1	0	2	2	-4	2	2899	26393	6
605	2	<	-	1	0	2	2	-4	2	8449	86981	12
606	1	>	+	1	-4	2	-2	6	-2	2902	26417	10
606	2	<	+	1	4	-2	2	-6	2	3200	29443	10
607	1	>	+	1	12	-6	-4	4	-6	2939	26783	6
607	2	>	+	2	12	-6	-4	4	-6	6393	63743	6
608	1	>	+	1	4	-6	4	2	-10	2942	26821	8
608	2	>	+	2	4	-6	4	2	-10	9196	95401	8
609	1	>	+	1	8	8	-12	14	-16	2951	26893	2
609	2	<	+	1	-8	-8	12	-14	16	7497	76157	2
610	1	>	+	1	-2	4	16	-16	0	2956	26951	4
610	2	>	+	2	-2	4	16	-16	0	7757	79151	4
611	1	>	+	1	4	-14	4	0	-2	2965	27043	12
611	2	>	+	2	4	-14	4	0	-2	7409	75193	12
612	1	>	+	1	-8	16	-14	2	6	2995	27407	10
612	2	>	+	2	-8	16	-14	2	6	7985	81647	10
613	1	>	+	1	2	-4	10	-8	2	3026	27743	4
613	2	<	+	1	-2	4	-10	8	-2	3117	28627	4
614	1	>	+	1	-4	10	-8	2	0	3027	27749	6
614	2	>	+	2	-4	10	-8	2	0	8060	82469	6
614	3	<	+	1	4	-10	8	-2	0	3116	28621	6
615	1	>	+	1	10	-8	2	0	6	3028	27751	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
615	2	<	+	1	-10	8	-2	0	-6	3115	28619	2
616	1	>	+	1	4	-2	2	2	-2	3034	27793	2
616	2	<	-	1	4	-2	2	2	-2	9228	95737	10
617	1	>	+	1	2	2	-2	-2	16	3036	27803	4
617	2	>	+	2	2	2	-2	-2	16	7044	71147	4
618	1	>	+	1	2	2	-2	10	-2	3050	27947	4
618	2	<	-	1	2	2	-2	10	-2	5766	56873	18
619	1	>	+	1	2	-2	10	-2	-10	3051	27953	6
619	2	<	-	1	2	-2	10	-2	-10	7462	75731	12
620	1	>	+	1	6	0	-6	4	-8	3061	28057	6
620	2	>	+	2	6	0	-6	4	-8	3344	31039	6
621	1	>	+	1	0	-6	4	-8	8	3062	28069	12
621	2	>	+	2	0	-6	4	-8	8	3345	31051	12
622	1	>	+	1	6	-16	16	-8	-2	3071	28163	12
622	2	<	-	1	6	-16	16	-8	-2	5218	50957	12
623	1	>	+	1	-16	16	-8	-2	2	3072	28181	18
623	2	>	+	2	-16	16	-8	-2	2	5803	57221	18
624	1	>	+	1	8	2	-10	4	6	3106	28549	2
624	2	<	-	1	8	2	-10	4	6	5943	58741	16
625	1	>	+	1	-20	4	6	6	-14	3131	28751	22
625	2	<	+	1	20	-4	-6	-6	14	4037	38239	22

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
626	1	>	+	1	16	-14	10	-8	-4	3139	28817	4
626	2	<	+	1	-16	14	-10	8	4	5959	58963	4
626	3	<	+	2	-16	14	-10	8	4	8682	89653	4
627	1	>	+	1	4	-6	0	10	-4	3147	28909	8
627	2	<	-	1	4	-6	0	10	-4	3811	35869	10
628	1	>	+	1	-2	2	2	20	-22	3156	29021	4
628	2	>	+	2	-2	2	2	20	-22	3783	35531	4
629	1	>	+	1	-4	-4	10	-2	2	3174	29201	10
629	2	<	-	1	-4	-4	10	-2	2	5314	51941	8
630	1	>	+	1	-8	8	2	-6	2	3194	29399	10
630	2	>	-	1	8	-8	-2	6	-2	4423	42307	8
630	3	<	+	1	8	-8	-2	6	-2	8965	92791	10
631	1	>	+	1	8	2	-6	2	-2	3195	29401	2
631	2	<	-	1	8	2	-6	2	-2	3850	36277	16
632	1	>	+	1	-14	4	14	-16	-4	3215	29629	18
632	2	<	+	1	14	-4	-14	16	4	7345	74453	18
633	1	>	+	1	-2	-8	2	0	-4	3233	29851	14
633	2	<	+	1	2	8	-2	0	4	7415	75239	14
634	1	>	+	1	0	0	-2	2	8	3254	30097	6
634	2	>	+	2	0	0	-2	2	8	5464	53617	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
635	1	>	+	1	0	-2	2	8	-10	3255	30103	6
635	2	>	+	2	0	-2	2	8	-10	5465	53623	6
636	1	>	+	1	-10	-2	20	-14	4	3259	30133	14
636	2	<	+	1	10	2	-20	14	-4	5318	51977	14
637	1	>	+	1	2	8	-4	4	-2	3292	30493	2
637	2	>	+	2	2	8	-4	4	-2	4653	44773	2
638	1	>	+	1	8	-4	4	-2	4	3293	30497	4
638	2	<	+	1	-8	4	-4	2	-4	4712	45427	6
639	1	>	+	1	4	-2	4	-10	-2	3295	30517	8
639	2	<	+	1	-4	2	-4	10	2	8740	90239	8
640	1	>	+	1	2	4	-2	-8	8	3321	30809	6
640	2	<	-	1	2	4	-2	-8	8	4359	41659	10
641	1	>	+	1	4	4	-8	8	2	3327	30853	2
641	2	<	+	1	-4	-4	8	-8	-2	7032	70997	2
642	1	>	+	1	14	-8	-4	-2	4	3352	31123	2
642	2	<	-	1	14	-8	-4	-2	4	6704	67273	16
643	1	>	+	1	-2	4	-8	2	2	3365	31231	8
643	2	>	+	2	-2	4	-8	2	2	5843	57689	10
644	1	>	+	1	2	2	2	-4	2	3368	31249	2
644	2	>	+	2	2	2	2	-4	2	3602	33619	2
645	1	>	+	1	-10	2	-2	-2	16	3403	31643	16

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for > g for <
645	2	>	-	1	10	-2	2	2	-16	5763	56827	6
646	1	>	+	1	20	-16	-4	2	2	3436	32029	2
646	2	<	-	1	20	-16	-4	2	2	7875	80449	22
647	1	>	+	1	-2	20	-22	2	20	3488	32503	6
647	2	>	-	1	2	-20	22	-2	-20	9047	93739	20
648	1	>	+	1	2	2	8	-10	-4	3496	32573	4
648	2	<	+	1	-2	-2	-8	10	4	5273	51517	4
649	1	>	+	1	-4	8	2	2	-8	3500	32609	6
649	2	>	-	1	4	-8	-2	-2	8	5723	56453	10
650	1	>	+	1	10	-10	-4	14	-4	3528	32917	6
650	2	<	-	1	10	-10	-4	14	-4	3534	32971	12
651	1	>	+	1	14	-4	-10	10	-8	3531	32941	2
651	2	<	+	1	-14	4	10	-10	8	8463	87149	2
652	1	>	+	1	2	0	8	-4	-4	3536	32987	4
652	2	<	+	1	-2	0	-8	4	4	5978	59119	4
653	1	>	+	1	0	8	-4	-4	2	3537	32993	6
653	2	<	+	1	0	-8	4	4	-2	5977	59113	6
654	1	>	+	1	10	-2	-4	6	-10	3564	33289	2
654	2	>	+	2	10	-2	-4	6	-10	9176	95191	2
654	3	<	+	1	-10	2	4	-6	10	5039	49031	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
655	1	>	+	1	-4	6	-10	10	-8	3566	33311	10
655	2	>	+	2	-4	6	-10	10	-8	8625	89051	10
656	1	>	+	1	6	-10	10	-8	-2	3567	33317	6
656	2	<	+	1	-6	10	-10	8	2	8928	92413	6
657	1	>	+	1	-10	10	-8	-2	2	3568	33329	12
657	2	<	+	1	10	-10	8	2	-2	8927	92401	12
658	1	>	+	1	4	2	-2	-2	4	3582	33461	4
658	2	<	+	1	-4	-2	2	2	-4	5146	50119	4
659	1	>	+	1	-10	-10	4	12	-14	3639	34019	22
659	2	>	-	1	10	10	-4	-12	14	5326	52069	2
660	1	>	+	1	4	0	4	4	-10	3660	34261	2
660	2	>	+	2	4	0	4	4	-10	8011	81931	2
661	1	>	+	1	-2	8	-4	2	2	3665	34301	4
661	2	>	+	2	-2	8	-4	2	2	4079	38711	4
661	3	<	+	1	2	-8	4	-2	-2	5846	57713	6
662	1	>	+	1	10	-4	-10	2	8	3675	34381	12
662	2	<	+	1	-10	4	10	-2	-8	9078	94099	10
663	1	>	+	1	12	-12	0	28	-28	3689	34519	6
663	2	<	+	1	-12	12	0	-28	28	7261	73547	6
664	1	>	+	1	0	2	-2	4	8	3703	34673	6
664	2	>	+	2	0	2	-2	4	8	8990	93083	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
665	1	>	+	1	4	8	-10	2	-2	3706	34693	6
665	2	>	-	1	-4	-8	10	-2	2	7016	70867	14
666	1	>	+	1	2	-2	2	-8	2	3709	34729	8
666	2	>	+	2	2	-2	2	-8	2	4127	39199	8
667	1	>	+	1	2	-2	20	-16	0	3719	34843	2
667	2	>	+	2	2	-2	20	-16	0	7933	81043	2
668	1	>	+	1	-2	20	-16	0	8	3720	34847	4
668	2	>	+	2	-2	20	-16	0	8	7934	81047	4
669	1	>	+	1	-16	0	8	2	-10	3722	34871	22
669	2	<	+	1	16	0	-8	-2	10	6212	61729	22
670	1	>	+	1	-4	8	-6	-4	-2	3766	35353	14
670	2	>	+	2	-4	8	-6	-4	-2	8404	86413	14
671	1	>	+	1	-4	-2	6	-8	10	3769	35393	12
671	2	>	+	2	-4	-2	6	-8	10	4039	38273	12
672	1	>	+	1	-16	10	0	-2	8	3813	35897	18
672	2	<	-	1	-16	10	0	-2	8	5046	49103	6
673	1	>	+	1	8	-6	-6	2	-2	3817	35933	10
673	2	<	+	1	-8	6	6	-2	2	4258	40627	10
674	1	>	+	1	-8	2	2	8	-10	3865	36467	10
674	2	<	+	1	8	-2	-2	-8	10	9494	98899	10
675	1	>	+	1	-4	14	-14	-2	4	3881	36599	12

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
675	2	<	+	1	4	-14	14	2	-4	7865	80317	12
676	1	>	+	1	6	-10	4	-2	-2	3898	36767	6
676	2	>	+	2	6	-10	4	-2	-2	7892	80657	6
677	1	>	+	1	2	-4	10	-8	22	3916	36923	4
677	2	<	+	1	-2	4	-10	8	-22	8125	83227	4
678	1	>	+	1	2	4	8	-14	16	3950	37309	2
678	2	<	+	1	-2	-4	-8	14	-16	4145	39371	2
679	1	>	+	1	-14	16	-14	-2	4	3953	37337	16
679	2	>	+	2	-14	16	-14	-2	4	5443	53377	18
679	3	<	+	1	14	-16	14	2	-4	4205	40013	18
680	1	>	+	1	-2	4	-2	-2	2	3967	37489	6
680	2	>	-	1	2	-4	2	2	-2	5141	50077	8
681	1	>	+	1	-2	2	6	-4	2	3970	37507	6
681	2	>	+	2	-2	2	6	-4	2	4756	45949	6
682	1	>	+	1	2	-8	10	-6	-2	3974	37537	8
682	2	>	+	2	2	-8	10	-6	-2	4478	42829	8
682	3	<	+	1	-2	8	-10	6	2	4314	41213	8
683	1	>	+	1	-8	10	-6	-2	-2	3975	37547	10
683	2	<	+	1	8	-10	6	2	2	4313	41203	10
684	1	>	+	1	-2	-2	4	4	-8	3978	37567	6
684	2	<	+	1	2	2	-4	-4	8	6848	68903	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
685	1	>	+	1	-2	4	4	-8	14	3979	37571	4
685	2	<	+	1	2	-4	-4	8	-14	6847	68899	4
686	1	>	+	1	2	-4	-4	2	-2	3985	37619	12
686	2	>	-	1	-2	4	4	-2	2	4464	42701	4
686	3	<	-	1	2	-4	-4	2	-2	6749	67759	4
687	1	>	+	1	2	10	14	-20	-2	4016	37993	2
687	2	>	+	2	2	10	14	-20	-2	4601	44203	2
688	1	>	+	1	-4	20	-10	-4	-2	4036	38237	6
688	2	>	+	2	-4	20	-10	-4	-2	8338	85667	6
689	1	>	+	1	-4	-4	16	-8	2	4066	38603	10
689	2	<	+	1	4	4	-16	8	-2	6489	64927	10
690	1	>	+	1	-4	16	-8	2	-10	4067	38609	6
690	2	>	+	2	-4	16	-8	2	-10	4789	46307	6
690	3	<	+	1	4	-16	8	-2	10	6488	64921	6
691	1	>	+	1	14	-14	4	10	-10	4072	38653	2
691	2	>	+	2	14	-14	4	10	-10	6956	70183	2
692	1	>	+	1	8	-4	2	2	-8	4080	38713	2
692	2	<	-	1	8	-4	2	2	-8	4134	39241	10
693	1	>	+	1	-2	-2	2	0	8	4115	39097	8
693	2	<	+	1	2	2	-2	0	-8	5406	52973	8
694	1	>	+	1	4	-2	-2	10	-16	4147	39383	10
694	2	>	-	1	-4	2	2	-10	16	9262	96149	12

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
695	1	>	+	1	4	-2	-2	10	-4	4174	39709	6
695	2	>	-	1	-4	2	2	-10	4	7700	78479	12
696	1	>	+	1	10	-4	-4	2	2	4177	39733	6
696	2	>	-	1	-10	4	4	-2	-2	7072	71411	12
697	1	>	+	1	-4	-4	2	2	-4	4178	39749	16
697	2	>	-	1	4	4	-2	-2	4	7073	71413	2
698	1	>	+	1	-4	2	2	-4	14	4179	39761	12
698	2	<	+	1	4	-2	-2	4	-14	6299	62761	12
699	1	>	+	1	2	-4	14	-16	-4	4181	39779	10
699	2	>	+	2	2	-4	14	-16	-4	4516	43271	10
700	1	>	+	1	-4	14	-16	-4	8	4182	39791	12
700	2	>	+	2	-4	14	-16	-4	8	4517	43283	12
701	1	>	+	1	14	-16	-4	8	-8	4183	39799	8
701	2	<	+	1	-14	16	4	-8	8	8513	87671	8
702	1	>	+	1	-16	-4	8	-8	4	4184	39821	22
702	2	<	+	1	16	4	-8	8	-4	8512	87649	22
703	1	>	+	1	0	2	-2	-2	10	4191	39863	6
703	2	>	+	2	0	2	-2	-2	10	8231	84443	6
704	1	>	+	1	-10	-4	2	14	-16	4200	39971	18
704	2	<	+	1	10	4	-2	-14	16	5448	53419	18

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
705	1	>	+	1	2	14	-16	14	-12	4202	39983	4
705	2	<	+	1	-2	-14	16	-14	12	5446	53407	4
706	1	>	+	1	-4	4	8	-2	-2	4267	40759	8
706	2	<	-	1	-4	4	8	-2	-2	8129	83257	10
707	1	>	+	1	2	10	-2	-8	10	4278	40849	2
707	2	<	-	1	2	10	-2	-8	10	7852	80191	16
708	1	>	+	1	-2	-2	8	4	-8	4316	41227	6
708	2	>	+	2	-2	-2	8	4	-8	5609	55213	6
709	1	>	+	1	0	-4	4	-2	2	4350	41603	6
709	2	>	+	2	0	-4	4	-2	2	5258	51413	6
710	1	>	+	1	2	8	-8	-2	4	4354	41621	4
710	2	>	+	2	2	8	-8	-2	4	9537	99371	4
710	3	<	+	1	-2	-8	8	2	-4	4425	42331	6
711	1	>	+	1	-8	-2	-2	2	2	4377	41879	16
711	2	<	+	1	8	2	2	-2	-2	4382	41911	16
711	3	<	+	2	8	2	2	-2	-2	4444	42473	14
712	1	>	+	1	8	-2	-8	0	-2	4382	41911	8
712	2	<	+	1	-8	2	8	0	2	4634	44579	8
713	1	>	+	1	-2	-8	0	-2	-2	4383	41927	16
713	2	<	+	1	2	8	0	2	2	4633	44563	16
714	1	>	+	1	8	2	-10	14	-2	4388	41959	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
714	2	<	+	1	-8	-2	10	-14	2	7856	80231	2
715	1	>	+	1	2	-10	14	-2	-10	4389	41969	10
715	2	<	+	1	-2	10	-14	2	10	7855	80221	10
716	1	>	+	1	-8	-8	8	-4	6	4398	42061	18
716	2	<	+	1	8	8	-8	4	-6	4930	47819	18
717	1	>	+	1	0	-2	-2	22	-20	4432	42397	6
717	2	>	+	2	0	-2	-2	22	-20	8499	87547	6
718	1	>	+	1	-2	-2	22	-20	2	4433	42403	6
718	2	>	+	2	-2	-2	22	-20	2	6804	68443	6
719	1	>	+	1	-4	-2	4	4	-2	4463	42697	8
719	2	>	-	1	4	2	-4	-4	2	9381	97553	4
720	1	>	+	1	4	4	-2	2	-4	4465	42703	2
720	2	<	-	1	4	4	-2	2	-4	5975	59093	14
721	1	>	+	1	-4	2	4	8	-2	4524	43397	6
721	2	>	+	2	-4	2	4	8	-2	6576	65837	6
722	1	>	+	1	-4	18	-18	6	6	4530	43451	10
722	2	<	+	1	4	-18	18	-6	-6	5324	52057	10
723	1	>	+	1	2	10	-8	10	-14	4544	43609	2
723	2	<	+	1	-2	-10	8	-10	14	6955	70181	2
724	1	>	+	1	8	-2	14	-2	-14	4549	43651	2
724	2	<	+	1	-8	2	-14	2	14	6713	67409	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
725	1	>	+	1	-2	14	-2	-14	-2	4550	43661	10
725	2	<	+	1	2	-14	2	14	2	6712	67399	10
726	1	>	+	1	14	-2	-14	-2	28	4551	43669	8
726	2	<	+	1	-14	2	14	2	-28	6711	67391	8
727	1	>	+	1	4	-2	10	-10	2	4574	43963	2
727	2	>	+	2	4	-2	10	-10	2	6766	67933	2
727	3	<	+	1	-4	2	-10	10	-2	4941	47947	4
728	1	>	+	1	-2	10	-10	2	14	4575	43969	6
728	2	<	+	1	2	-10	10	-2	-14	4940	47939	8
728	3	<	+	2	2	-10	10	-2	-14	6200	61631	6
729	1	>	+	1	-4	10	0	-6	6	4582	44027	6
729	2	>	-	1	4	-10	0	6	-6	7108	71821	12
730	1	>	+	1	2	-4	26	-16	-4	4593	44123	4
730	2	<	+	1	-2	4	-26	16	4	5596	55057	4
731	1	>	+	1	26	-16	-4	2	2	4595	44131	2
731	2	>	+	2	26	-16	-4	2	2	7698	78439	2
732	1	>	+	1	-16	-4	2	2	-10	4596	44159	28
732	2	>	+	2	-16	-4	2	2	-10	7699	78467	28
733	1	>	+	1	2	6	0	-10	2	4625	44501	4
733	2	>	+	2	2	6	0	-10	2	7988	81671	4
734	1	>	+	1	-2	8	-2	-2	-2	4637	44621	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
734	2	<	+	1	2	-8	2	2	2	6900	69493	4
735	1	>	+	1	2	2	-8	-2	4	4668	44927	10
735	2	>	+	2	2	2	-8	-2	4	5286	51647	10
736	1	>	+	1	2	-8	-2	4	4	4669	44939	12
736	2	<	-	1	2	-8	-2	4	4	5184	50543	6
737	1	>	+	1	4	-8	16	-14	34	4673	44971	8
737	2	<	+	1	-4	8	-16	14	-34	6150	61043	8
738	1	>	+	1	-8	16	-14	34	-32	4674	44983	12
738	2	<	+	1	8	-16	14	-34	32	6149	61031	12
739	1	>	+	1	-4	10	-4	-8	8	4698	45289	8
739	2	<	+	1	4	-10	4	8	-8	9064	93941	8
740	1	>	+	1	10	-4	-8	8	-2	4699	45293	4
740	2	<	+	1	-10	4	8	-8	2	9063	93937	4
741	1	>	+	1	-4	-8	8	-2	-4	4700	45307	14
741	2	<	+	1	4	8	-8	2	4	9062	93923	14
742	1	>	+	1	-8	8	-2	-4	-2	4701	45317	10
742	2	<	+	1	8	-8	2	4	2	9061	93913	10
743	1	>	+	1	4	-8	8	6	-16	4721	45541	8
743	2	>	+	2	4	-8	8	6	-16	5418	53101	8
744	1	>	+	1	-2	26	-22	-2	0	4770	46099	6
744	2	>	+	2	-2	26	-22	-2	0	8825	91249	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
745	1	>	+	1	8	-10	-2	16	-14	4780	46199	12
745	2	<	+	1	-8	10	2	-16	14	5510	54121	12
746	1	>	+	1	8	8	-4	-8	-2	4815	46591	2
746	2	>	+	2	8	8	-4	-8	-2	7765	79231	2
747	1	>	+	1	-8	-2	2	8	2	4818	46633	14
747	2	>	+	2	-8	-2	2	8	2	8793	90901	14
748	1	>	+	1	-2	2	8	2	-14	4819	46639	6
748	2	>	+	2	-2	2	8	2	-14	6398	63799	6
749	1	>	+	1	34	-32	2	-4	8	4834	46771	2
749	2	<	+	1	-34	32	-2	4	-8	6146	61001	6
750	1	>	+	1	-14	-2	4	2	0	4841	46853	22
750	2	<	+	1	14	2	-4	-2	0	7863	80287	22
751	1	>	+	1	-10	-4	2	-2	4	4868	47189	28
751	2	>	-	1	10	4	-2	2	-4	5102	49669	2
751	3	<	-	1	-10	-4	2	-2	4	5107	49739	2
752	1	>	+	1	2	-2	4	-8	-2	4870	47221	14
752	2	>	-	1	-2	2	-4	8	2	5261	51427	6
753	1	>	+	1	10	-14	-2	10	-10	4935	47881	12
753	2	<	+	1	-10	14	2	-10	10	6560	65677	10
754	1	>	+	1	-4	8	-6	2	-4	4941	47947	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
754	2	<	+	1	4	-8	6	-2	4	8116	83093	8
755	1	>	+	1	10	-8	-2	-2	20	4959	48163	6
755	2	<	+	1	-10	8	2	2	-20	6013	59467	4
756	1	>	+	1	-10	-4	20	-22	10	5000	48611	18
756	2	<	+	1	10	4	-20	22	-10	6893	69439	18
757	1	>	+	1	6	-10	4	6	-2	5014	48767	6
757	2	>	+	2	6	-10	4	6	-2	7113	71867	6
758	1	>	+	1	-10	4	6	-2	-2	5015	48779	12
758	2	>	+	2	-10	4	6	-2	-2	7114	71879	12
759	1	>	+	1	-8	8	-8	10	-6	5024	48857	10
759	2	>	+	2	-8	8	-8	10	-6	5986	59207	10
760	1	>	+	1	-16	2	-4	-2	14	5046	49103	22
760	2	>	+	2	-16	2	-4	-2	14	8721	90053	22
761	1	>	+	1	2	-4	-2	14	2	5047	49109	6
761	2	>	+	2	2	-4	-2	14	2	8722	90059	6
762	1	>	+	1	-2	20	-20	14	-14	5072	49367	4
762	2	>	+	2	-2	20	-20	14	-14	7149	72227	4
763	1	>	+	1	20	-20	14	-14	4	5073	49369	2
763	2	>	+	2	20	-20	14	-14	4	7150	72229	2
764	1	>	+	1	14	-10	-4	10	-10	5080	49433	4
764	2	>	+	2	14	-10	-4	10	-10	9140	94793	4
765	1	>	+	1	-2	14	-8	2	-4	5138	50051	4
765	2	<	+	1	2	-14	8	-2	4	7948	81199	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for > g for <
766	1	>	+	1	14	-8	2	-4	2	5139	50053	2
766	2	>	-	1	-14	8	-2	4	-2	8205	84179	16
767	1	>	+	1	-8	2	-4	2	2	5140	50069	16
767	2	<	+	1	8	-2	4	-2	-2	5718	56401	16
768	1	>	+	1	2	-4	14	-10	0	5147	50123	4
768	2	>	+	2	2	-4	14	-10	0	5536	54413	4
769	1	>	+	1	4	-2	2	-4	12	5207	50839	6
769	2	>	+	2	4	-2	2	-4	12	6389	63709	6
770	1	>	+	1	-10	-10	2	-2	10	5250	51329	22
770	2	<	+	1	10	10	-2	2	-10	5255	51361	22
771	1	>	+	1	-4	8	2	0	-6	5263	51437	6
771	2	>	+	2	-4	8	2	0	-6	7449	75617	6
772	1	>	+	1	2	0	-6	-4	4	5265	51449	10
772	2	>	-	1	-2	0	6	4	-4	9456	98467	8
773	1	>	+	1	4	14	-16	-4	26	5290	51683	4
773	2	<	+	1	-4	-14	16	4	-26	7344	74449	4
774	1	>	+	1	16	-8	-4	8	-4	5297	51769	2
774	2	<	-	1	16	-8	-4	8	-4	5751	56713	18
775	1	>	+	1	-4	8	-4	-8	8	5299	51797	10
775	2	<	+	1	4	-8	4	8	-8	5306	51859	10

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
776	1	>	+	1	8	-4	-8	8	4	5300	51803	6
776	2	<	+	1	-8	4	8	-8	-4	5305	51853	6
777	1	>	+	1	4	-10	-2	4	6	5333	52163	10
777	2	<	+	1	-4	10	2	-4	-6	6924	69847	10
778	1	>	+	1	-4	0	8	-4	2	5382	52721	10
778	2	>	+	2	-4	0	8	-4	2	7354	74561	10
779	1	>	+	1	0	-2	2	2	10	5403	52957	6
779	2	>	+	2	0	-2	2	2	10	8907	92227	6
780	1	>	+	1	8	-8	16	-8	4	5434	53269	2
780	2	>	+	2	8	-8	16	-8	4	6114	60649	2
781	1	>	+	1	8	-10	4	0	0	5461	53597	4
781	2	<	+	1	-8	10	-4	0	0	7443	75553	4
782	1	>	+	1	-10	4	0	0	-2	5462	53609	12
782	2	>	+	2	-10	4	0	0	-2	7917	80909	12
783	1	>	+	1	-10	2	2	14	-16	5478	53773	14
783	2	<	+	1	10	-2	-2	-14	16	6239	62057	14
784	1	>	+	1	0	-10	-4	22	-16	5578	54851	18
784	2	<	+	1	0	10	4	-22	16	7685	78259	18
785	1	>	+	1	-10	-4	22	-16	-8	5579	54869	18
785	2	<	+	1	10	4	-22	16	8	7684	78241	18
786	1	>	+	1	-8	8	-8	4	16	5642	55619	10

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
786	2	<	+	1	8	-8	8	-4	-16	8814	91141	10
787	1	>	+	1	8	-8	4	16	-20	5643	55621	2
787	2	>	+	2	8	-8	4	16	-20	5965	59011	2
787	3	<	+	1	-8	8	-4	-16	20	8813	91139	2
788	1	>	+	1	2	2	-4	8	-8	5650	55673	6
788	2	<	-	1	2	2	-4	8	-8	8956	92707	10
789	1	>	+	1	-2	16	-12	-2	-2	5674	55901	4
789	2	<	+	1	2	-16	12	2	2	9011	93283	4
790	1	>	+	1	-14	4	10	-8	-8	5698	56167	18
790	2	<	-	1	-14	4	10	-8	-8	9251	95987	2
791	1	>	+	1	-8	0	4	4	-8	5720	56431	14
791	2	<	+	1	8	0	-4	-4	8	6289	62639	14
792	1	>	+	1	-2	8	2	-10	4	5726	56477	4
792	2	>	+	2	-2	8	2	-10	4	7378	74827	6
793	1	>	+	1	8	2	-10	4	4	5727	56479	2
793	2	>	+	2	8	2	-10	4	4	7070	71389	2
794	1	>	+	1	4	4	-2	-4	-2	5730	56503	2
794	2	<	+	1	-4	-4	2	4	2	8024	82037	2
794	3	<	+	2	-4	-4	2	4	2	9384	97577	2
795	1	>	+	1	-2	2	2	-16	2	5764	56843	16
795	2	>	-	1	2	-2	-2	16	-2	7045	71153	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
796	1	>	+	1	2	-16	2	8	-10	5766	56873	16
796	2	<	+	1	-2	16	-2	-8	10	7551	76801	18
797	1	>	+	1	-16	2	8	-10	8	5767	56891	18
797	2	>	+	2	-16	2	8	-10	8	6034	59693	22
798	1	>	+	1	4	6	-2	-4	0	5773	56923	2
798	2	<	+	1	-4	-6	2	4	0	6075	60167	2
799	1	>	+	1	6	-2	-4	0	14	5774	56929	6
799	2	<	+	1	-6	2	4	0	-14	6074	60161	6
800	1	>	+	1	-10	8	-4	2	2	5787	57073	14
800	2	>	+	2	-10	8	-4	2	2	7774	79333	14
800	3	<	+	1	10	-8	4	-2	-2	6556	65633	14
801	1	>	+	1	2	2	0	-4	-4	5790	57097	8
801	2	>	-	1	-2	-2	0	4	4	8607	88853	10
802	1	>	+	1	-4	-4	2	8	-4	5793	57131	12
802	2	<	+	1	4	4	-2	-8	4	6635	66541	12
803	1	>	+	1	-4	2	8	-4	-4	5794	57139	8
803	2	>	-	1	4	-2	-8	4	4	8208	84199	8
804	1	>	+	1	-2	2	-8	10	-8	5806	57251	10
804	2	<	+	1	2	-2	8	-10	8	8402	86389	10
805	1	>	+	1	10	-2	-2	-2	4	5840	57653	4

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
805	2	<	+	1	-10	2	2	2	-4	7780	79393	4
806	1	>	+	1	-8	2	2	-4	2	5845	57709	12
806	2	<	+	1	8	-2	-2	4	-2	7209	72911	12
807	1	>	+	1	2	2	-4	2	8	5846	57713	4
807	2	<	-	1	2	2	-4	2	8	8448	86969	12
808	1	>	+	1	16	-14	2	2	-4	5891	58171	2
808	2	<	+	1	-16	14	-2	-2	4	8519	87719	2
809	1	>	+	1	2	2	-4	2	6	5893	58193	4
809	2	<	+	1	-2	-2	4	-2	-6	7208	72907	4
810	1	>	+	1	2	-4	2	6	-10	5894	58199	6
810	2	<	+	1	-2	4	-2	-6	10	7207	72901	6
811	1	>	+	1	4	2	-10	8	-8	5915	58417	6
811	2	>	+	2	4	2	-10	8	-8	8948	92647	6
812	1	>	+	1	2	-4	2	4	8	5952	58901	4
812	2	>	+	2	2	-4	2	4	8	6575	65831	4
813	1	>	+	1	2	4	8	-10	14	5954	58909	2
813	2	>	+	2	2	4	8	-10	14	8677	89599	2
814	1	>	+	1	2	-2	8	-2	-4	5981	59149	8
814	2	<	+	1	-2	2	-8	2	4	7934	81047	2
815	1	>	+	1	0	2	2	-8	20	6004	59393	6
815	2	>	+	2	0	2	2	-8	20	7833	79973	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
816	1	>	+	1	2	-8	20	-20	2	6006	59407	8
816	2	>	+	2	2	-8	20	-20	2	9318	96787	8
817	1	>	+	1	-4	2	-4	20	-16	6030	59659	8
817	2	>	+	2	-4	2	-4	20	-16	6642	66617	16
818	1	>	+	1	8	-8	2	16	-14	6066	60091	2
818	2	<	+	1	-8	8	-2	-16	14	8685	89669	2
819	1	>	+	1	2	10	-8	4	-2	6140	60919	2
819	2	<	+	1	-2	-10	8	-4	2	7976	81551	2
820	1	>	+	1	-22	2	4	4	-8	6258	62297	24
820	2	<	+	1	22	-2	-4	-4	8	7056	71263	24
821	1	>	+	1	4	4	-8	16	-16	6260	62303	4
821	2	<	+	1	-4	-4	8	-16	16	8980	92951	6
822	1	>	+	1	-10	4	6	-2	-8	6352	63389	12
822	2	>	+	2	-10	4	6	-2	-8	7025	70949	12
823	1	>	+	1	4	-2	2	6	6	6375	63601	2
823	2	<	+	1	-4	2	-2	-6	-6	7506	76259	2
824	1	>	+	1	-10	22	-22	10	-4	6417	64033	14
824	2	>	+	2	-10	22	-22	10	-4	6525	65323	14
825	1	>	+	1	8	2	2	-8	22	6468	64667	4
825	2	>	+	2	8	2	2	-8	22	8052	82351	2
826	1	>	+	1	8	-14	2	16	-10	6495	65011	8
826	2	>	+	2	8	-14	2	16	-10	7946	81181	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
827	1	>	+	1	10	-4	2	2	-8	6528	65357	4
827	2	>	-	1	-10	4	-2	-2	8	8123	83219	12
828	1	>	+	1	-16	8	-6	8	-10	6596	66067	20
828	2	>	+	2	-16	8	-6	8	-10	8474	87277	20
829	1	>	+	1	-2	8	-10	10	-8	6615	66343	6
829	2	<	+	1	2	-8	10	-10	8	6620	66377	6
830	1	>	+	1	14	-10	2	8	-4	6638	66571	2
830	2	>	-	1	-14	10	-2	-8	4	7853	80207	16
831	1	>	+	1	-8	-2	8	4	-10	6670	66943	12
831	2	<	+	1	8	2	-8	-4	10	8546	88007	12
832	1	>	+	1	-2	8	4	-10	22	6671	66947	4
832	2	>	+	2	-2	8	4	-10	22	8871	91811	4
833	1	>	+	1	18	-6	-10	2	-8	6684	67079	6
833	2	<	+	1	-18	6	10	-2	8	7377	74821	6
834	1	>	+	1	-6	-10	2	-8	10	6685	67103	24
834	2	<	+	1	6	10	-2	8	-10	7376	74797	24
835	1	>	+	1	-4	2	-8	8	2	6731	67559	12
835	2	<	+	1	4	-2	8	-8	-2	8967	92809	12
836	1	>	+	1	2	-8	8	2	-6	6732	67567	8
836	2	<	+	1	-2	8	-8	-2	6	8966	92801	8

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
837	1	>	+	1	2	-2	8	-16	14	6819	68581	14
837	2	>	-	1	-2	2	-8	16	-14	7983	81629	10
838	1	>	+	1	14	-22	2	-2	2	6853	68963	16
838	2	<	+	1	-14	22	-2	2	-2	8606	88843	10
839	1	>	+	1	-6	2	2	-8	2	6875	69233	12
839	2	>	+	2	-6	2	2	-8	2	7265	73583	12
840	1	>	+	1	16	4	-10	6	-16	6926	69859	2
840	2	>	-	1	-16	-4	10	-6	16	6983	70481	22
841	1	>	+	1	-2	4	8	-16	4	7076	71437	8
841	2	>	+	2	-2	4	8	-16	4	8992	93097	8
842	1	>	+	1	-8	14	-16	2	-4	7094	71663	16
842	2	>	+	2	-8	14	-16	2	-4	7752	79103	16
843	1	>	+	1	14	-16	2	-4	-2	7095	71671	8
843	2	>	+	2	14	-16	2	-4	-2	7753	79111	8
843	3	>	+	3	14	-16	2	-4	-2	8720	90031	8
844	1	>	+	1	-16	2	-4	-2	4	7096	71693	22
844	2	>	+	2	-16	2	-4	-2	4	7754	79133	22
845	1	>	+	1	2	-4	-2	4	16	7097	71699	6
845	2	>	+	2	2	-4	-2	4	16	7755	79139	6
846	1	>	+	1	-4	10	-6	4	2	7275	73679	6
846	2	<	+	1	4	-10	6	-4	-2	9181	95233	6
847	1	>	+	1	4	4	2	-4	-4	7316	74161	2

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
847	2	>	-	1	-4	-4	-2	4	4	7319	74189	12
848	1	>	+	1	4	2	-4	-4	-2	7317	74167	6
848	2	>	-	1	-4	-2	4	4	2	7320	74197	8
849	1	>	+	1	-2	-2	8	-8	14	7366	74713	6
849	2	>	+	2	-2	-2	8	-8	14	9492	98893	6
850	1	>	+	1	-4	8	-4	2	-10	7424	75347	10
850	2	<	+	1	4	-8	4	-2	10	9125	94603	10
851	1	>	+	1	-8	4	4	14	-22	7553	76829	10
851	2	<	+	1	8	-4	-4	-14	22	8509	87631	10
852	1	>	+	1	-10	-4	4	0	0	7618	77543	16
852	2	<	+	1	10	4	-4	0	0	9110	94447	16
853	1	>	+	1	-2	16	-14	6	10	7628	77617	6
853	2	>	+	2	-2	16	-14	6	10	8043	82237	6
854	1	>	+	1	16	-14	6	10	-16	7629	77621	4
854	2	>	+	2	16	-14	6	10	-16	8044	82241	4
855	1	>	+	1	-8	10	-2	-2	4	7642	77743	12
855	2	>	+	2	-8	10	-2	-2	4	8030	82139	10
856	1	>	+	1	-4	-2	2	10	2	7665	78031	14
856	2	<	-	1	-4	-2	2	10	2	7671	78121	16
857	1	>	+	1	0	8	2	-2	-10	7730	78803	6
857	2	>	-	1	0	-8	-2	2	10	8762	90511	12

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
858	1	>	+	1	-2	14	-10	2	4	7769	79279	6
858	2	<	-	1	-2	14	-10	2	4	7914	80849	14
859	1	>	+	1	2	8	-8	4	2	7907	80783	4
859	2	>	+	2	2	8	-8	4	2	9512	99083	4
860	1	>	+	1	8	-8	4	2	-10	7908	80789	6
860	2	>	+	2	8	-8	4	2	-10	9513	99089	6
861	1	>	+	1	2	4	-2	-2	16	8040	82219	2
861	2	>	+	2	2	4	-2	-2	16	9166	95089	2
862	1	>	+	1	-8	4	-2	16	-10	8070	82559	10
862	2	>	+	2	-8	4	-2	16	-10	8815	91151	10
863	1	>	+	1	-2	8	4	-4	-8	8126	83231	4
863	2	<	+	1	2	-8	-4	4	8	8131	83269	4
864	1	>	+	1	-16	-2	14	-4	-6	8154	83557	20
864	2	<	-	1	-16	-2	14	-4	-6	8865	91753	4
865	1	>	+	1	8	-2	-4	-2	14	8315	85429	2
865	2	<	+	1	-8	2	4	2	-14	9060	93911	2
866	1	>	+	1	-2	4	4	-4	-2	8408	86461	8
866	2	<	+	1	2	-4	-4	4	2	9455	98459	8
867	1	>	+	1	-14	-4	4	-2	-2	8513	87671	22
867	2	>	+	2	-14	-4	4	-2	-2	9551	99551	22
868	1	>	+	1	6	-10	4	12	-14	8748	90359	6

Ord#, P, and pregap of the beginning member of a group (>)

Ord#, P, and postgap of the beginning member of an antigroup (<)

Foursome #	Group #	Order	Sign	Group # of kind	V1	V2	V3	V4	V5	Ord#	P	G for >, g for <
868	2	>	+	2	6	-10	4	12	-14	9179	95219	6
869	1	>	+	1	-10	4	10	-14	4	9063	93937	14
869	2	<	+	1	10	-4	-10	14	-4	9143	94823	14
870	1	>	+	1	4	10	-14	4	-4	9064	93941	4
870	2	<	+	1	-4	-10	14	-4	4	9142	94819	4
871	1	>	+	1	-16	-4	-4	8	-8	9230	95773	26
871	2	<	+	1	16	4	4	-8	8	9353	97187	26